

# AKD®

## CAN-BUS Communication



Edition: M, May 2014

Valid from firmware version 1.12

Part Number 903-200004-00

Original Documentation

**CANopen®**

Keep all manuals as a product component during the life span of the product.  
Pass all manuals to future users and owners of the product.

**KOLLMORGEN**®

*Because Motion Matters™*

## Record of Document Revisions

Revision	Remarks
...	Table with lifecycle information of this document see "Record of Document Revisions" (→ p. 167)
K, 09/2013	Scaling 60FFh, object dictionary updated
L, 12/2013	Error codes extended, object dictionary updated
M, 05/2014	Object 1012 added, object dictionary updated, PVT removed

## Trademarks

- AKD is a registered trademark of Kollmorgen Corporation
- EnDat is a registered trademark of Dr. Johannes Heidenhain GmbH
- EtherCAT is a registered trademark and patented technology, licensed by Beckhoff Automation GmbH
- Ethernet/IP is a registered trademark of ODVA, Inc.
- Ethernet/IP Communication Stack: copyright (c) 2009, Rockwell Automation
- sercos® is a registered trademark of sercos® international e.V.
- HIPERFACE is a registered trademark of Max Stegmann GmbH
- PROFINET is a registered trademark of PROFIBUS and PROFINET International (PI)
- SIMATIC is a registered trademark of SIEMENS AG
- Windows is a registered trademark of Microsoft Corporation

## Current patents

- US Patent 5,162,798 (used in control card R/D)
- US Patent 5,646,496 (used in control card R/D and 1 Vp-p feedback interface)
- US Patent 6,118,241 (used in control card simple dynamic braking)
- US Patent 8,154,228 (Dynamic Braking For Electric Motors)
- US Patent 8,214,063 (Auto-tune of a Control System Based on Frequency Response)

## Technical changes which improve the performance of the device may be made without prior notice!

Printed in the United States of America

This document is the intellectual property of Kollmorgen. All rights reserved. No part of this work may be reproduced in any form (by photocopying, microfilm or any other method) or stored, processed, copied or distributed by electronic means without the written permission of Kollmorgen.

# 1 Table of Contents

---

<b>1 Table of Contents .....</b>	<b>3</b>
<b>2 General .....</b>	<b>9</b>
<b>2.1 About this Manual .....</b>	<b>10</b>
<b>2.2 Target Group .....</b>	<b>10</b>
<b>2.3 Symbols Used .....</b>	<b>11</b>
<b>2.4 Abbreviations used .....</b>	<b>12</b>
<b>3 Installation and Setup .....</b>	<b>13</b>
<b>3.1 Important instructions .....</b>	<b>14</b>
<b>3.2 CAN-Bus Interface (X12/X13) .....</b>	<b>15</b>
3.2.1 CAN-Bus activation with AKD-CC models .....	16
3.2.2 Baudrate for CAN-Bus .....	17
3.2.3 Node Address for CAN-Bus .....	18
3.2.4 CAN-Bus Termination .....	18
3.2.5 CAN-Bus Cable .....	18
3.2.5.1 CAN-Bus Wiring .....	19
<b>3.3 Guide to Setup .....</b>	<b>20</b>
<b>4 CANopen Basics .....</b>	<b>21</b>
<b>4.1 Basic Features implemented by CANopen .....</b>	<b>22</b>
<b>4.2 Transmission Rate and Procedure .....</b>	<b>22</b>
<b>4.3 Response to BUSOFF Communication Faults .....</b>	<b>22</b>
<b>4.4 Important Configuration Parameters .....</b>	<b>23</b>
<b>5 CANopen Communication Profile .....</b>	<b>24</b>
<b>5.1 General Description of CAN .....</b>	<b>25</b>
<b>5.2 Construction of the Communication Object Identifier .....</b>	<b>26</b>
<b>5.3 Definition of the Used Data Types .....</b>	<b>27</b>
5.3.1 Basic data types .....	27
5.3.1.1 Unsigned Integer .....	27
5.3.1.2 Signed Integer .....	28
5.3.2 Mixed data types .....	28
5.3.3 Extended data types .....	29
5.3.3.1 Octet String .....	29
5.3.3.2 Visible String .....	29
<b>5.4 Communication Objects .....</b>	<b>29</b>
5.4.1 Network Management Objects (NMT) .....	30
5.4.2 Synchronization Object (SYNC) .....	30
5.4.3 Time-Stamp Object (TIME) .....	30
5.4.4 Emergency Object (EMCY) .....	31
5.4.4.1 Application of the Emergency Object .....	31
5.4.4.2 Composition of the Emergency Object .....	31
5.4.5 Service Data Objects (SDO) .....	32
5.4.5.1 Composition of the Service Data Object .....	32
5.4.5.2 Initiate SDO Download Protocol .....	34
5.4.5.3 Download SDO Segment Protocol .....	34

---

5.4.5.4 Initiate SDO Upload Protocol .....	34
5.4.5.5 Upload SDO Segment Protocol .....	34
5.4.5.6 Abort SDO Protocol .....	34
5.4.6 Process Data Object (PDO) .....	35
5.4.6.1 Transmission modes .....	36
5.4.6.2 Trigger modes .....	36
5.4.7 Nodeguard .....	37
5.4.8 Heartbeat .....	38
<b>6 CANopen Drive Profile .....</b>	<b>39</b>
<b>6.1 CANopen Emergency Messages and Error Codes .....</b>	<b>40</b>
<b>6.2 General Definitions .....</b>	<b>45</b>
6.2.1 General objects .....	45
6.2.1.1 Object 1000h: Device Type (DS301) .....	45
6.2.1.2 Object 1001h: Error register (DS301) .....	46
6.2.1.3 Object 1002h: Manufacturer Status Register (DS301) .....	47
6.2.1.4 Object 1003h: Predefined Error Field (DS301) .....	48
6.2.1.5 Object 1005h: COB-ID of the SYNC Message (DS301) .....	49
6.2.1.6 Object 1006h: Communication Cycle Period (DS301) .....	49
6.2.1.7 Object 1008h: Manufacturer Device Name (DS301) .....	50
6.2.1.8 Object 1009h: Manufacturer Hardware Version .....	50
6.2.1.9 Object 100Ah: Manufacturer Software Version (DS301) .....	50
6.2.1.10 Object 100Ch: Guard Time (DS301)Response monitoring .....	51
6.2.1.11 Object 100Dh: Lifetime Factor (DS301) .....	51
6.2.1.12 Object 1010h: Store Parameters (DS301) .....	52
6.2.1.13 Object 1011h: Restore Default Parameters DS301 .....	53
6.2.1.14 Object 1012h: COB-ID of the Time Stamp (DS301) .....	54
6.2.1.15 Object 1014h: COB-ID for Emergency Message (DS301) .....	54
6.2.1.16 Object 1016h: Consumer Heartbeat Time .....	55
6.2.1.17 Object 1017h: Producer Heartbeat Time .....	56
6.2.1.18 Object 1018h: Identity Object (DS301) .....	56
6.2.1.19 Object 1026h: OS Prompt .....	58
6.2.2 Manufacturer specific objects .....	59
6.2.2.1 Object 2000h: System Warnings .....	59
6.2.2.2 Object 2001h: System Faults .....	59
6.2.2.3 Object 2002h: Manufacturer status bytes .....	60
6.2.2.4 Object 2014-2017h: 1st-4th Mask 1 to 4 for Transmit-PDO .....	61
6.2.2.5 Object 2018h: Firmware Version .....	62
6.2.2.6 Object 2026h: ASCII Channel .....	63
6.2.2.7 Object 20A0h: Latch position 1, positive edge .....	64
6.2.2.8 Object 20A1h: Latch position 1, negative edge .....	65
6.2.2.9 Object 20A2h: Latch position 2, positive edge .....	65
6.2.2.10 Object 20A3h: Latch position 2, negative edge .....	66
6.2.2.11 Object 20A4h: Latch Control Register .....	66
6.2.2.12 Object 20A5h: Latch Status Register .....	67
6.2.2.13 Object 20A6h: Latch position 1, positive or negative edge .....	67
6.2.2.14 Object 20A7h: Latch position 2, positive or negative edge .....	68

---

6.2.2.15 Object 20B8h: Reset of changed input information .....	68
6.2.2.16 Object 345Ah: Brake Control .....	69
6.2.2.17 Object 3474h: Parameters for digital inputs .....	71
6.2.2.18 Object 3475h: Parameters for digital outputs .....	72
6.2.2.19 Object 3496h: Fieldbus synchronization parameters .....	73
6.2.3 Profile specific objects .....	75
6.2.3.1 Object 60B8h: Touch probe function .....	75
6.2.3.2 Object 60B9h: Touch probe status .....	76
6.2.3.3 Object 60BAh: Touch probe 1 positive edge .....	77
6.2.3.4 Object 60BBh: Touch probe 1 negative edge .....	77
6.2.3.5 Object 60BCh: Touch probe 2 positive edge .....	77
6.2.3.6 Object 60BDh: Touch probe 2 negative edge .....	78
6.2.3.7 Object 60D0h: Touch probe source .....	78
6.2.3.8 Object 60FDh: Digital inputs (DS402) .....	79
6.2.3.9 Object 60FEh: Digital outputs (DS402) .....	80
6.2.3.10 Object 6502h: Supported drive modes (DS402) .....	81
<b>6.3 PDO Configuration .....</b>	<b>82</b>
6.3.1 Receive PDOs (RXPDO) .....	83
6.3.1.1 Objects 1400-1403h: 1st - 4th RXPDO communication parameter (DS301) .....	83
6.3.1.2 Objects 1600-1603h: 1st - 4th RXPDO mapping parameter (DS301) .....	84
6.3.1.3 Default RXPDO definition .....	85
6.3.2 Transmit PDOs (TXPDO) .....	86
6.3.2.1 Objects 1800-1803h: 1st - 4th TXPDO communication parameter (DS301) .....	86
6.3.2.2 Objects 1A00-1A03h: 1st - 4th TXPDO mapping parameter (DS301) .....	88
6.3.2.3 Default TXPDO definition .....	89
<b>6.4 Device Control (dc) .....</b>	<b>90</b>
6.4.1 Status Machine (DS402) .....	90
6.4.1.1 States of the Status Machine .....	90
6.4.1.2 Transitions of the status machine .....	91
6.4.2 Object Description .....	92
6.4.2.1 Object 6040h: Control word (DS402) .....	92
6.4.2.2 Object 6041h: Status word (DS402) .....	93
6.4.2.3 Object 6060h: Modes of Operation (DS402) .....	95
6.4.2.4 Object 6061h: Modes of Operation Display (DS402) .....	96
<b>6.5 Factor Groups (fg) (DS402) .....</b>	<b>96</b>
6.5.1 General Information .....	96
6.5.1.1 Factors .....	96
6.5.1.2 Relationship between Physical and Internal Units .....	96
6.5.2 Objects for velocity scaling .....	97
6.5.2.1 Object 204Ch: PV Scaling Factor .....	97
6.5.3 Objects for position calculation .....	98
6.5.3.1 Object 608Fh: Position encoder resolution (DS402) .....	98
6.5.3.2 Object 6091h: Gear Ratio (DS402) .....	99
6.5.3.3 Object 6092h: Feed constant (DS402) .....	100
<b>6.6 Profile Velocity Mode (pv) (DS402) .....</b>	<b>101</b>
6.6.1 General Information .....	101

---

6.6.1.1 Objects that are defined in this section .....	101
6.6.1.2 Objects that are defined in other sections .....	101
6.6.2 Object description .....	101
6.6.2.1 Object 606Ch: Velocity actual value (DS402) .....	101
6.6.2.2 Object 60FFh: Target velocity (DS402) .....	102
<b>6.7 Profile Torque Mode (tq) (DS402) .....</b>	<b>102</b>
6.7.1 General Information .....	102
6.7.1.1 Objects that are defined in this section .....	102
6.7.1.2 Objects that are defined in other sections .....	102
6.7.2 Object description .....	102
6.7.2.1 Object 2071h: Target Current .....	102
6.7.2.2 Object 2077h: Current Actual Value .....	103
6.7.2.3 Object 6071h: Target torque (DS402) .....	103
6.7.2.4 Object 6073h: Max current (DS402) .....	103
6.7.2.5 Object 6077h: Torque actual value (DS402) .....	104
<b>6.8 Position Control Function (pc) (DS402) .....</b>	<b>105</b>
6.8.1 General Information .....	105
6.8.1.1 Objects that are defined in this section .....	105
6.8.1.2 Objects that are defined in other sections .....	105
6.8.2 Object Description .....	105
6.8.2.1 Object 6063h: position actual value* (DS402) .....	105
6.8.2.2 Object 6064h: position actual value (DS402) .....	106
6.8.2.3 Object 6065h: Following error window .....	106
6.8.2.4 Object 60F4h: Following error actual value (DS402) .....	106
<b>6.9 Interpolated Position Mode (ip) (DS402) .....</b>	<b>107</b>
6.9.1 General information .....	107
6.9.1.1 Objects defined in this section .....	107
6.9.1.2 Objects defined in other sections .....	107
6.9.2 Object description .....	107
6.9.2.1 Object 60C0h: Interpolation sub mode select .....	107
6.9.2.2 Object 60C1h: Interpolation data record .....	108
6.9.2.3 Object 60C2h: Interpolation time period .....	109
6.9.2.4 Object 60C4h: Interpolation data configuration .....	110
<b>6.10 Homing Mode (hm) (DS402) .....</b>	<b>112</b>
6.10.1 General information .....	112
6.10.1.1 Objects that are defined in this section .....	112
6.10.1.2 Objects that are defined in other sections .....	112
6.10.2 Object Description .....	112
6.10.2.1 Object 607Ch: Homing offset (DS402) .....	112
6.10.2.2 Object 6098h: Homing method (DS402) .....	113
6.10.2.3 Object 6099h: Homing speeds (DS402) .....	114
6.10.2.4 Object 609Ah: Homing acceleration (DS402) .....	115
6.10.2.5 Homing Mode Sequence .....	115
<b>6.11 Profile Position Mode (DS402) .....</b>	<b>116</b>
6.11.1 General Information .....	116
6.11.1.1 Objects that are defined in this section .....	116

---

6.11.1.2 Objects that are defined in other sections .....	116
6.11.2 Object Description .....	116
6.11.2.1 Object 607Ah: Target position (DS402) .....	116
6.11.2.2 Object 607Dh: Software position limit (DS402) .....	117
6.11.2.3 Object 6081h: Profile velocity (DS402) .....	118
6.11.2.4 Object 6083h: Profile acceleration (DS402) .....	118
6.11.2.5 Object 6084h: Profile deceleration (DS402) .....	118
6.11.2.6 Functional Description .....	119
6.11.2.7 Object 60B1h: Velocity Offset .....	121
6.11.2.8 Object 60B2h: Torque Offset .....	121
<b>7 Appendix .....</b>	<b>122</b>
<b>7.1 Object Dictionary .....</b>	<b>122</b>
7.1.1 Float Scaling .....	122
7.1.2 Communication SDOs .....	122
7.1.3 Manufacturer specific SDOs .....	125
7.1.4 Profile specific SDOs .....	143
<b>7.2 Examples .....</b>	<b>145</b>
7.2.1 Examples, setup .....	145
7.2.1.1 Basic testing of the connection to the AKD controls .....	145
7.2.1.2 Example: Operating the Status Machine .....	146
7.2.1.3 Example: Jog Mode via SDO .....	147
7.2.1.4 Example: Torque Mode via SDO .....	147
7.2.1.5 Example: Jog Mode via PDO .....	148
7.2.1.6 Example: Torque Mode via PDO .....	150
7.2.1.7 Example: Homing via SDO .....	151
7.2.1.8 Example: Using the Profile Position Mode .....	153
7.2.1.9 Example: ASCII Communication .....	156
7.2.1.10 Test for SYNC telegrams .....	157
7.2.2 Examples, special applications .....	159
7.2.2.1 Example: External Trajectory with Interpolated Position Mode .....	159
<b>8 Index .....</b>	<b>165</b>
<b>9 Record of Document Revisions .....</b>	<b>167</b>

This page intentionally left blank.

## 2 General

---

2.1 About this Manual .....	10
2.2 Target Group .....	10
2.3 Symbols Used .....	11
2.4 Abbreviations used .....	12

## 2.1 About this Manual

This manual, *AKD CAN-Bus Communication*, This manual describes the installation, setup, range of functions, and software protocol for the CANopen AKD product series. All AKD CANopen drives have built-in CANopen functionality; therefore an additional option card is not required.

A digital version of this manual (pdf format) is available on the DVD included with your drive. Manual updates can be downloaded from the Kollmorgen website.

Related documents for the AKD series include:

- *AKD Installation Manual*. This manual provides instructions for installation and drive setup.
- *AKD User Guide*. This manual describes how to use your drive in common applications. It also provides tips for maximizing your system performance with the AKD. The *User Guide* includes the *Parameter and Command Reference Guide* which provides documentation for the parameters and commands used to program the AKD.
- *Accessories Manual*. This manual provides documentation for accessories like cables and regen resistors used with AKD. Regional versions of this manual exist.

Additional documentation:

- CAN Application (CAL) for Industrial Applications (publisher CiA e.V.)
- Draft Standards 301 (from Version 4.0), 402 (publisher CiA e.V.)
- CAN Specification Version 2.0 (publisher CiA e.V.)
- ISO 11898 ... Controller Area Network (CAN) for high-speed communication

## 2.2 Target Group

This manual addresses personnel with the following qualifications:

- Installation: only by electrically qualified personnel.
- Setup : only by qualified personnel with extensive knowledge of electrical engineering and drive technology.
- Programming: software developers, project-planners.

The qualified personnel must know and observe the following standards:

- ISO 12100, IEC 60364 and IEC 60664
- National accident prevention regulations

## 2.3 Symbols Used

Symbol	Indication
 <b>DANGER</b>	Indicates a hazardous situation which, if not avoided, will result in death or serious injury.
 <b>WARNING</b>	Indicates a hazardous situation which, if not avoided, could result in death or serious injury.
 <b>CAUTION</b>	Indicates a hazardous situation which, if not avoided, could result in minor or moderate injury.
<b>NOTICE</b>	Indicates situations which, if not avoided, could result in property damage.
<b>NOTE</b>	This symbol indicates important notes.
	Warning of a danger (general). The type of danger is specified by the text next to the symbol.
	Warning of danger from electricity and its effects.
	Warning of suspended loads.

## 2.4 Abbreviations used

Abbreviation	Meaning
BTB/RTO	Ready to operate (standby)
COB	Communication Object
COB-ID	Communication Object Identifier
EEPROM	Electrically erasable/programmable memory
EMC	Electromagnetic compatibility
EMCY	Emergency Objects
ISO	International Standardization Organization
km	1000 m
LED	Light-emitting diode
LSB	Low significant Byte (or Bit)
MB	Megabyte
MSB	Main significant Byte (or Bit)
NMT	Network Management Objects
NSTOP	Limit switch for negative (left) rotation
PC	Personal Computer
PDO	Process Data Object
PSTOP	Limit switch for positive (right) rotation
RAM	Volatile memory
ROD	Incremental position encoder
RXPDO	Receive PDO
SDO	Service Data Object
SYNC	Synchronization Objects
TXPDO	Transmit PDO

## 3 Installation and Setup

---

3.1 Important instructions .....	14
3.2 CAN-Bus Interface (X12/X13) .....	15
3.3 Guide to Setup .....	20

### 3.1 Important instructions



#### DANGER

Never undo any electrical connections to the drive while it is live. There is a danger of electrical arcing with damage to contacts and serious personal injury.

Wait at least seven minutes after disconnecting the drive from the main supply power before touching potentially live sections of the equipment (e.g. contacts) or undoing any connections.

To be sure, measure the voltage in the DC Bus link and wait until it has fallen below 60 V.



#### WARNING

Electronic equipment is basically not failure-proof. The user is responsible for ensuring that, in the event of a failure of the drive, the drive is set to a state that is safe for both machinery and personnel, for instance with the aid of a mechanical brake.

Drives with CAN-Bus are remote-controlled machines. They can start to move at any time without previous warning. Take appropriate measures to ensure that the operating and service personnel is aware of this danger.

Implement appropriate protective measures to ensure that any unintended start-up of the machines cannot result in dangerous situations for personnel or machinery. Software limit-switches are not a substitute for the hardware limit-switches in the machine.

#### NOTICE

Install the drive as described in the *Installation Manual*. The wiring for the analog setpoint input and the positioning interface, as shown in the wiring diagram in the *Installation Manual*, is not required.

#### NOTICE

Do not connect the Ethernet line for the PC with the set up software to the EtherCAT interface X5/X6. The set up Ethernet cable must be connected to the service interface on X11

#### NOTICE

The drive's status must be monitored by the PLC to acknowledge critical situations. Wire the FAULT contact in series into the emergency stop circuit of the installation. The emergency stop circuit must operate the supply contactor.

#### NOTE

It is permissible to use the setup software to alter the settings of the drive. Any other alterations will invalidate the warranty. Because of the internal representation of the position-control parameters, the position controller can only be operated if the final limit speed of the drive does not exceed:

##### rotary

at sinusoidal <sup>2</sup> commutation: 7500 rpm	at sinusoidal <sup>2</sup> commutation: 4 m/s
at trapezoidal commutation: 12000 rpm.	at trapezoidal commutation: 6.25 m/s

##### linear

#### NOTE

All the data on resolution, step size, positioning accuracy etc. refer to calculatory values. Non-linearities in the mechanism (backlash, flexing, etc.) are not taken into account. If the final limit speed of the motor must be altered, then all the parameters that were previously entered for position control and motion blocks must be adapted.

### 3.2 CAN-Bus Interface (X12/X13)

Two 6-pin RJ-25 connectors X12/X13 are used for CAN-Bus connection.



Conn.	Pin	Signal	Conn.	Pin	Signal
X12	1	Internal Termination Resistor	X13	1	Internal Termination Resistor
X12	2	CAN Shield	X13	2	CAN Shield
X12	3	CANH in	X13	3	CANH out
X12	4	CANL in	X13	4	CANL out
X12	5	GND	X13	5	GND
X12	6	Internal Termination Resistor	X13	6	Internal Termination Resistor

### 3.2.1 CAN-Bus activation with AKD-CC models


AKD-CC drive models are Drives, which support EtherCAT and CAN fieldbus types within one common software. These CC drive models allow selecting a fieldbus support by setting the DRV.TYPE parameter to a certain value. CC drive models are delivered with EtherCAT set active.

To activate CANopen, the DRV.TYPE parameter must be changed

1. by software: connect the PC to the AKD and change the parameter DRV.TYPE in the WorkBench terminal screen (see DRV.TYPE parameter documentation) or
2. by hardware: with the rotary switches S1 & S2 at the front and the button B1 on the top side of the Drive.

The following steps are needed for changing the fieldbus type from EtherCAT to CAN with the rotary switches.

1. Set the rotary switches on the front side of the AKD to the value of 89.



**Set S1 to 8 and S2 to 9**

2. Press the button B1 for about 3 seconds (starts DRV.NVSAVE).  
**Press B1 for 3 seconds.**



The seven segment display shows **Cn** during the process of changing DRV.TYPE to CAN.

**Do not switch off the 24[V] power supply while the seven segment shows Cn!**

3. Wait until the seven segment display goes back to the original state, no the drive is prepared for CAN.
4. Power cycle the drive by switching the 24 V power supply **off** and then **on** again.

**NOTE**

The seven segment display shows Er (Error) in case that the DRV.TYPE instruction failed. In this case please power cycle the drive and contact the Kollmorgen customer support for further help.

### 3.2.2 Baudrate for CAN-Bus

The user can decide to use a fixed baud rate or an auto baud detection algorithm for the startup behaviour of the drive. The transmission rate can be set via the parameter

**FBUS.PARAM01**. The parameter FBUS.PARAM01 can either be set via WorkBench or via a special mechanism with the rotary switches in the AKD front.

Baudrate [kBit/s]	FBUS.PARAM01	Upper rotary switch S1	Lower rotary switch S2
auto	0	9	0
125	125	9	1
250	250	9	2
500	500	9	3
1000	1000	9	4


In case of a fix baud rate, the drive sends the boot up message with the baud rate saved in the drive's non volatile memory after a power cycle. In case of auto baud detection, the drive listens for a valid CAN frame on the bus. When a valid frame is received, the drive sends the boot up message with the measured bit time. Afterwards the baud rate can either be stored to non volatile memory via object 1010 sub 1, or the auto baud mechanism is used always.

#### NOTE

For reliable auto baud detection, it is recommended to use suitable cabling of the CAN-Bus (two terminators, GND connection etc.). Spikes or other noise effects on the CAN-Bus can disturb the measurement. The drive needs to be disabled, if auto baud is in use.

For setting the baudrate with rotary switches, follow the procedure below (drive state disabled):

1. Disable the drive. Set the rotary switches to one of the addresses 90 to 94 (see above table).



Set S1 to 9 and S2 to either 0 or 4

2. Push the button B1 on the AKD for at least 3 seconds until the rotary switch setting is displayed on the AKD-display.

Press B1 for 3 seconds.



3. When the display blinks with the set rotary switch setting stop pushing B1 and wait until the blinking stops. During that time the parameter FBUS.PARAM01 is set to the new value and all parameters are stored to the non volatile memory. The new setting will be taken with the next power-up of the drive.

If an error occurred, the following error messages will flash 5 times:


- E1 - Drive is enabled
- E2 - Non-volatile storage of the new setting failed
- E3 - Invalid rotary switch selection

### 3.2.3 Node Address for CAN-Bus

**NOTE**

After changing the node address, you must turn off the 24 V auxiliary supply for the drive and then turn it on again.

During setup, use the rotary switches on the AKD front panel to preset the station address for communication.



The rotary switches on the front of the AKD (S1&S2) correspond to the CAN node address.

The S1&S2 switches also correspond to the IP address setting of the drive. Both CAN and IP network address schemes have to be configured to account for this dependence if both TCP/IP and CAN networks are running at the same time in an application. Example:

S1 (MSB)	S2 (LSB)	CAN address	IP address
4	5	45	192.168.0.45

The IP address setting can be decoupled from the Rotary switches using settings in the drive. Use Settings -> Fieldbus-> TCP/IP to adjust these settings.

### 3.2.4 CAN-Bus Termination

The last bus device on both ends of the CAN-Bus system must have termination resistors. The AKD has built-in 132 ohms resistors that can be activated by connecting pins 1 and 6. An optional termination plug is available for AKD (*P-AKD-CAN-TERM*). The optional termination plug is an RJ-12 connector with an enclosed wire jumper between pins 1&6. A plug should be inserted into the X13 connector of the last drive in the CAN network.

**NOTE**

Remove the termination connector if the AKD is not the last CAN-Bus device and use X13 for connecting the next CAN node.

### 3.2.5 CAN-Bus Cable

To meet ISO 11898, a bus cable with a characteristic impedance of 120 ohms should be used. The maximum usable cable length for reliable communication decreases with increasing transmission speed. As a guide, you can use the following values which Kollmorgen has measured; however, these values are not assured limits:

- Characteristic impedance: 100–120 ohms
- Cable capacitance max.: 60 nF/km
- Lead loop resistance: 159.8 ohms/km


**Cable length, depending on the transmission rate:**

Transmission Rate (kBaud)	Maximum Cable Length (m)
1,000	10
500	70
250	115

Lower cable capacitance (max. 30 nF/km) and lower lead resistance (loop resistance, 115 ohms/1000m) make it possible to achieve greater distances.

(Characteristic impedance  $150 \pm 5$  ohms requires terminating resistor  $150 \pm 5$  ohms).

### 3.2.5.1 CAN-Bus Wiring



### 3.3 Guide to Setup

**NOTICE**

Only professional personnel with extensive knowledge of control and drive technology are allowed to setup the drive.

**CAUTION**

Drives with CAN-Bus are remote-controlled machines. They can start to move at any time without previous warning. Take appropriate measures to ensure that the operating and service personnel is aware of this danger.

Implement appropriate protective measures to ensure that any unintended start-up of the machines cannot result in dangerous situations for personnel or machinery. Software limit-switches are not a substitute for the hardware limit-switches in the machine.

1. Check assembly/installation. Check that all the safety instructions in the product manual for the drive and this manual have been observed and implemented. Check the setting for the station address and baud rate.
2. Connect PC, start WorkBench. Use the setup software WorkBench to set the parameters for the drive.
3. Setup basic functions. Start up the basic functions of the drive and optimize the current, speed and position controllers. This section of the setup is described in the online help of the setup software.
4. Save parameters. When the parameters have been optimized, save them in the drive.
5. Start up communication. The altered parameters will only become effective after a reboot (switch off 24V and switch on again). Adjust the transmission rate of the AKD to match the master.
6. Test communication. Check for the bootup-message, when you switch on the drive. Do an SDO read access on index 0x1000 subindex 0 (DeviceType).
7. Setup position controller. Setup the position controller, as described in the WorkBench online help.

## 4 CANopen Basics

---

<b>4.1 Basic Features implemented by CANopen .....</b>	<b>22</b>
<b>4.2 Transmission Rate and Procedure .....</b>	<b>22</b>
<b>4.3 Response to BUSOFF Communication Faults .....</b>	<b>22</b>
<b>4.4 Important Configuration Parameters .....</b>	<b>23</b>

## 4.1 Basic Features implemented by CANopen

It is assumed that the basic operating functions of the communication profile are known and available as reference documentation. When working with the position controller that is integrated in AKD, the following functions are available:

### Setup and general functions:

- Homing, set reference point
- Provision of a digital setpoint for speed and torque control
- Support of the following modes of the CANopen Profile DS402:
  - Profile position mode
  - Homing mode
  - Profile torque mode
  - Interpolated position mode
  - Profile velocity mode
  - Cyclic synchronous position mode

### Positioning functions:

- Execution of a motion task from the motion block memory of the drive
- Execution of a direct motion task
- Absolute trajectory, ip-Mode or csp-Mode

### Data transfer functions:

- Transmit a motion task to the drive's motion block memory. A motion task consists of these elements:
  - Position setpoint (absolute task) or path setpoint (relative task)
  - Speed setpoint
  - Acceleration time, braking time
  - Type of motion task (absolute/relative)
  - Number of a following task (with or without pause)
- Read a motion task from the motion block memory of the drive
- Read actual values
- Read the error register (Emergency error codes)
- Read the status register
- Read/write control parameters

## 4.2 Transmission Rate and Procedure

- Bus connection and bus medium: CAN-standard ISO 11898 (CAN high-speed)
- Transmission rate: max. 1Mbit/s
- Possible settings for the drive: 125 (default), 250, 500 and 1000 kbit/s
- The baudrate is set with the AKD - parameter FBUS.PARAM01. It gets effective by saving this parameter to NVRAM and re-starting the drive.

## 4.3 Response to BUSOFF Communication Faults

The communication fault BUSOFF is directly monitored and signaled by Level 2 (CAN controller). This message may have various causes. A few examples:

- Telegrams are transmitted, although there is no other CAN node connected
- CAN nodes have different transmission rates
- The bus cable is faulty
- Faulty cable termination causes reflections on the cable.

A BUSOFF is only signaled by the AKD, if another CAN node is connected and at least one object was successfully transmitted to start off with. The BUSOFF condition is signaled by the error message 702. If the output stage is enabled at the moment when this fault occurs, the output stage is disabled.

## 4.4 Important Configuration Parameters

FBUS.PARAM01	see "Transmission Rate and Procedure" on page 22
FBUS.PARAM02	0 no PLL used for synchronization.
	1 PLL used for synchronized modes, IP (7), CSP (8), generates a warning n125, when PLL is unlocked.
FBUS.PARAM04	0 arrival of SYNC-messages in cyclic-synchronized application is not supervised.
	1 arrival of SYNC-messages in cyclic-synchronized application is supervised (after 3 missing SYNC-telegrams the fault F125 is generated).
FBUS.PARAM05	1 Faults can only be reset using DS402 control word bit 7.
	Bit 0 0 The reset can also be done via telnet or digital input and the DS402 state machine reflects this condition.
Bit 1	1 The state of the hardware enable does not change the state machine state Operation Enable.
	0 If the state Operation Enable or Switched on is active it falls back to the state switched On Disabled, if the Hardware enable goes to 0.
Bit 2	1 WorkBench/Telnet can not software enable the drive, when CANopen/EtherCAT are Operational.
	0 WorkBench/Telnet can software enable the drive. <b>NOTE: During commissioning this bit should be set to 1 to avoid influences to DS402 power stage state machine. The field bus should not be in operation as well to avoid influence to test functions of Workbench.</b>
Bit 3	1 DS402-state machine is not influenced, if the software-enable is taken away via Telnet.
	0 DS402-state machine is influenced, if the software-enable is taken away via Telnet.
Bit 4	1 Scaling is done via special DS402 - objects (independent on units)
	0 Scaling for position, velocity and acceleration objects is done via UNIT parameters.
Bit 5	reserved
Bit 6	1 Bit 0 of parameter MT.CNTL (object 35B9 sub 0) can be accessed.
	0 Bit 0 of parameter MT.CNTL (object 35B9 sub 0) is exclusively used for DS402 controlword.
Bit 7	reserved
Bit 8	1 DS402-state SWITCHED ON means power stage disabled.
	0 DS402-state SWITCHED ON means power stage enabled.
Bit 9	1 SDO content of object 0x6063 is the same as PDO content.
	0 SDO content of object 0x6063 depends on AKD unit parameters.
(Bit 10 is active only, if Bit 8 is set.)	1 State "Switch On" can be reached without the high-level voltage being active.
	0 State "Switch On" can only be reached when the high-level voltage is active; otherwise the drive will stay in "Ready to Switch On".

## 5 CANopen Communication Profile

---

<b>5.1 General Description of CAN .....</b>	<b>25</b>
<b>5.2 Construction of the Communication Object Identifier .....</b>	<b>26</b>
<b>5.3 Definition of the Used Data Types .....</b>	<b>27</b>
<b>5.4 Communication Objects .....</b>	<b>29</b>

## 5.1 General Description of CAN

This chapter describes the basic services and communication objects of the CANopen communication profile DS 301, which are used in the AKD.

### NOTE

It is assumed that the basic operating functions of the communication profile are known, and available as reference documentation.

The transmission method that is used here is defined in ISO 11898 (Controller Area Network CAN for high-speed communication).

The Layer-1/2 protocol (Physical Layer/Data Link Layer) that is implemented in all CAN modules provides, amongst other things, the requirements for data.

Data transport or data request is made by means of a data telegram (Data Frame) with up to 8 bytes of user data, or by a data request telegram (Remote Frame).

Communication objects (COBs) are labeled by an 11-bit Identifier (ID) that also determines the priority of objects.

A Layer-7 protocol (Application Layer) was developed, to decouple the application from the communication. The service elements that are provided by the Application Layer make it possible to implement an application that is spread across the network. These service elements are described in the CAN Application Layer (CAL) for Industrial Applications.

The communication profile CANopen and the drive profile are mounted on the CAL.

The basic structure of a communication object is shown in the following diagram:

S	COB-ID	R	CTRL	Data Segment	CRC	A	EOM
O		T				C	
M		R				K	

SOM	Start of message
COB-ID	Communication Object Identifier (11-bit)
RTR	Remote Transmission Request
CTRL	Control Field (e.g. Data Length Code)
Data Segment	0 to 8byte (Data-COB) 0byte (Remote-COB)
CRC	Cyclic Redundancy Check
ACK	Acknowledge slot
EOM	End of message

## 5.2 Construction of the Communication Object Identifier

The following diagram shows the layout of the COB Identifier (COB-ID). The Function Code defines the interpretation and priority of the particular object.

10	9	8	7	6	5	4	3	2	1	0
Function-Code	Module-ID									

### Bit 0 .. 6

Module ID (drive's CAN-bus address, range 1 to 127; is set up in WorkBench or the drive.)

### Bit 7 to 10

Function Code (number of the communication object that is defined in the server)

#### NOTE

If an invalid station number (=0) is set, then the module will be set internally to 1.

The following tables show the default values for the COB Identifier after switching on the drive. The objects, which are provided with an index (Communication Parameters at Index), can have a new ID assigned after the initialization phase. The indices in brackets are optional.

Predefined broadcast objects (send to all nodes):

Object	Function code (binary)	Resulting COB-IDs		Communication parameters at index
		Dec.	Hex.	
NMT	0000	0	0	—
SYNC	0001	128	80	(1005)
TIME	0010	256	100	not supported

Predefined Peer-to-Peer objects (node sends to node):

Object	Function code (binary)	Resulting COB-IDs		Communication parameters at index	Priority
		Dec.	Hex.		
EMERGENCY	0001	129..255	81..FF	—	high
TPDO 1	0011	385..511	181..1FF	1800	
RPDO 1	0100	513..639	201..27F	1400	
TPDO 2	0101	641..767	281..2FF	1801	
RPDO 2	0110	769..895	301..37F	1401	
TPDO 3	0110	897..1023	381..3FF	1802	
RPDO 3	1000	1025..1151	401..47F	1402	
TPDO 4	1001	1153..1279	481..4FF	1803	
RPDO 4	1010	1281..1407	501..57F	1403	
SDO (tx*)	1011	1409..1535	581..5FF		
SDO (rx*)	1100	1537..1663	601..67F		
Nodeguard	1110	1793..1919	701..77F	(100E)	low

\*tx = direction of transmission: AKD => Master

rx = direction of transmission: Master => AKD

## 5.3 Definition of the Used Data Types

This chapter defines the data types that are used. Each data type can be described by bit-sequences. These bit-sequences are grouped into "Octets" (bytes). The so-called "Little – Endian" format (a.k.a. Intel format) is used for numerical data types (see also: DS301 Application Layer "General Description of Data Types and Encoding Rules").

### 5.3.1 Basic data types

#### 5.3.1.1 Unsigned Integer

Data in the basic data type UNSIGNEDn define exclusively positive integers.

The value range is from 0 to  $2^n - 1$ . The bit sequence  $b = b_0 \text{ to } b_{n-1}$  defines the value  
 $\text{UNSIGNED}_n(b) = b_{n-1} 2^{n-1} + \dots + b_1 2^1 + b_0 2^0$

Example: the value 266 = 10Ah is transmitted in the data type UNSIGNED16, in the form of two octets (1<sup>st</sup> octet = 0Ah, 2<sup>nd</sup> octet = 01h).

Transmission syntax for the data type UNSIGNEDn

Octet number	1.	2.	3.	4.
UNSIGNED8	$b_7 \text{ to } b_0$			
UNSIGNED16	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$		
UNSIGNED24	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	
UNSIGNED32	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$
UNSIGNED40	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$
UNSIGNED48	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$
UNSIGNED56	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$
UNSIGNED64	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$

Octet number	5.	6.	7.	8.
UNSIGNED8				
UNSIGNED16				
UNSIGNED24				
UNSIGNED32				
UNSIGNED40	$b_{39} \text{ to } b_{32}$			
UNSIGNED48	$b_{39} \text{ to } b_{32}$	$b_{47} \text{ to } b_{40}$		
UNSIGNED56	$b_{39} \text{ to } b_{32}$	$b_{47} \text{ to } b_{40}$	$b_{55} \text{ to } b_{48}$	
UNSIGNED64	$b_{39} \text{ to } b_{32}$	$b_{47} \text{ to } b_{40}$	$b_{55} \text{ to } b_{48}$	$b_{63} \text{ to } b_{56}$

### 5.3.1.2 Signed Integer

Data in the basic data type INTEGERn define both positive and negative integers. The value range is from  $-2^{n-1}-1$  to  $2^{n-1}-1$ . The bit sequence  $b = b_0 \text{ to } b_{n-1}$  defines the value  $\text{INTEGERn}(b) = b_{n-2} 2^{n-2} + \dots + b_1 2^1 + b_0 2^0$  with  $b_{n-1} = 0$

Negative numbers are represented as 2's complement, which means:

$\text{INTEGERn}(b) = -\text{INTEGERn}(b) - 1$  with  $b_{n-1} = 1$

Example: the value  $-266 = \text{FEF6h}$  is transmitted in the data type INTEGER16, in the form of two octets (1<sup>st</sup> octet = F6h, 2<sup>nd</sup> octet = FEh).

Transmission syntax for the data type INTEGERn

Octet number	1.	2.	3.	4.
INTEGER8	$b_7 \text{ to } b_0$			
INTEGER16	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$		
INTEGER24	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	
INTEGER32	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$
INTEGER40	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$
INTEGER48	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$
INTEGER56	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$
INTEGER64	$b_7 \text{ to } b_0$	$b_{15} \text{ to } b_8$	$b_{23} \text{ to } b_{16}$	$b_{31} \text{ to } b_{24}$

Octet number	5.	6.	7.	8.
INTEGER8				
INTEGER16				
INTEGER24				
INTEGER32				
INTEGER40	$b_{39} \text{ to } b_{32}$			
INTEGER48	$b_{39} \text{ to } b_{32}$	$b_{47} \text{ to } b_{40}$		
INTEGER56	$b_{39} \text{ to } b_{32}$	$b_{47} \text{ to } b_{40}$	$b_{55} \text{ to } b_{48}$	
INTEGER64	$b_{39} \text{ to } b_{32}$	$b_{47} \text{ to } b_{40}$	$b_{55} \text{ to } b_{48}$	$b_{63} \text{ to } b_{56}$

### 5.3.2 Mixed data types

Mixed data types combine basic data types (INTEGERn, UNSIGNEDn, REAL). Two types of mixed data are distinguished:

- STRUCT: This data type is composed of elements with different data types.
- ARRAY: This data type is composed of elements of the same data type.

### 5.3.3 Extended data types

Extended data types are derived from basic data types and mixed data types. The types of extended data that are supported are defined below.

#### 5.3.3.1 Octet String

The data type OCTET\_STRING is defined with the data type ARRAY. Length is the length of the octet string.

ARRAY[length] OF UNSIGNED8	OCTET_STRINGlength
----------------------------	--------------------

#### 5.3.3.2 Visible String

The data type VISIBLE\_STRING can be defined with the data type UNSIGNED8 or the data type ARRAY. Permissible values are 00h and the range from 20h to 7Eh. The data are interpreted as 7 bit ASCII code (as per ISO 646-1973(E)). Length is the length of the visible string.

UNSIGNED8	VISIBLE_CHAR
ARRAY[length] OF VISIBLE_CHAR	VISIBLE_STRINGlength

## 5.4 Communication Objects

Communication objects are described with the help of service elements and protocols. Two basic types of service elements are used.

- Unconfirmed services PDO
- Confirmed services SDO


All services require faultless operation of the Data Link and Physical Layer.

AKD supports communication objects that are described in detail in the following sections:

- Network Management Objects (NMT)
- Synchronization Object (SYNC)
- Emergency Object (EMCY)
- Process Data Object (PDO)
- Service Data Object (SDO)
- Nodeguard/Heartbeat

### 5.4.1 Network Management Objects (NMT)

The following diagram describes the NMT telegram:



The drive supports the following network management functions:

**cs = 129, reset node:**

Causes a communication re-start. Resets all communication/mapping parameters.

**cs = 130, reset communication node:**

Causes a stop of PDO-communication, gives a new bootup-message

**cs = 1, start remote node:**

Starts the CAN node. I.e. the PDOs of the drive are enabled for operation. From this moment, transmit-PDOs will be transmitted under event-control, and cyclical process data operation can commence.

**cs = 2, stop remote node:**

Stops the CAN node, I.e. the drive no longer responds to any received PDOs or transmits any PDOs.

### 5.4.2 Synchronization Object (SYNC)

The SYNC object usually is used as a periodic Broadcast Object and provides the basic clock for the bus. SYNC has a high priority, to ensure constant time intervals. The usage of this protocol is explained in the appendix from page . You can use the SYNC object to start motion task of several axes simultaneously for example.

### 5.4.3 Time-Stamp Object (TIME)

This communication object is not supported by the AKD.

#### 5.4.4 Emergency Object (EMCY)

EMCY is event-triggered and generated by an internal fault/error situation. This object is transmitted afresh for every error. Since the error codes are device-dependent, they are described in the Chapter "*CANopen Emergency Messages and Error Codes*" (→ p. 40). The last 10 Emergency error codes can be read via object 1003.

##### 5.4.4.1 Application of the Emergency Object

The reaction in the event of an error or fault depends on the error class and is therefore variable. For this reason, the reaction is described with the aid of an error status machine. The error conditions error-free and error occurred are distinguished. Defined transitions:


**Transition 0:** After initialization, the error-free status is taken up if no errors are detected. No error signal is generated in this condition.

**Transition 1:** The AKD detects an internal error and indicates this in the first three bytes of the emergency telegram (error code in Bytes 0, 1 and error register in Byte 2).

**Transition 2:** One error has been reset, but not all. The EMCY telegram contains error code 0000 and the error register indicates the remaining errors that are present. The manufacturer-specific area is set to zero.

**Transition 3:** A new error has occurred. The AKD remains in the error status and transmits an EMCY Object with the corresponding error code. The new error code is entered into bytes 0 and 1.

**Transition 4:** All errors have been reset. The EMCY telegram contains the error code 0000. The error register does not indicate any other errors. The manufacturer-specific area is set to zero.



##### 5.4.4.2 Composition of the Emergency Object

The Emergency Object is composed of 8 bytes, divided as follows:

Byte	0	1	2	3	4	5	6	7
Content	Emergency error code	Error register (object 1001)	Category	Reserved				

If an Emergency Object is generated, the error condition is then signaled to the status machine (error free/error occurred) by the generation of a second Emergency Object. Only the first four bytes are relevant in this case (Emergency Error code, Error register, Category). Byte 0/1 contains the Emergency Error Code (0000) and Byte 2 indicates if a possible further error is present. If the error register contains 00, the error status is error-free. Byte 3 contains the category. The interpretations of the error numbers (error code) and the error categories are described in the section Emergency Messages. The error register is defined by object 1001.

## 5.4.5 Service Data Objects (SDO)

SDOs are used to implement access to the Object Dictionary. The SDOs are required for parameterization and for status polling. Access to an individual object is made with a multiplexer via the Index and Subindex of the Object Dictionary. The following communication protocols are supported by AKD:

- Initiate SDO Download Protocol
- Download SDO Segment Protocol
- Initiate SDO Upload Protocol
- Upload SDO Segment Protocol
- Abort SDO Transfer Protocol

The definitions of the individual communication services and protocols can be found in DS301.

Examples of the usage of SDOs can be found in the appendix from → p. 145.

### NOTE

Since a SDO is a confirmed service, the system must always wait for the SDO response telegram before it is allowed to transmit a new telegram.

### 5.4.5.1 Composition of the Service Data Object

An SDO consists of the following components:

Byte	1	2	3	4	5	6	7	8
Content	R/W	Index	Subindex	Data				

#### 1. The control byte (Byte 1):

The control byte determines whether the SDO should write or read the content of the entry in the Object Dictionary. A description of the complete Object Dictionary for AKD → p. 122.

Data exchange with the AKD is governed by the *CMS multiplexed domain protocols* standard, as described in the CAN standard DS 202.

To read data, the control byte must be written in the manner shown below:

Bit	7	6	5	4	3	2	1	0
Content	ccs=2	X	X	X	X	X	X	X

ccs => client command specifier (ccs = 2 => initiate upload request)

X => free data

So a value of 0100 0000 (binary) or 40h must be transmitted in the control byte.

The drive sends back a corresponding response byte:

Bit	7	6	5	4	3	2	1	0
Content	scs=2	X	n	e	s			

scs => server command specifier (scs = 2 => initiate upload response)

n => only valid for e = s = 1, if this is so, n contains the number of bytes that do not contain data

X => free data

If reading is successfull, the response byte always has set the bits 0 and 1 (e = s = 1).

Encoded byte length in the SDO response:

0x43 - 4 bytes

0x47 - 3 bytes

0x4B - 2 bytes

0x4F - 1 byte.

If an error occurs, scs is set to 4, the response byte is 0x80 and the error information is in the four byte data field. The decoding of the error → p. 40

To write data, the control byte must be written in the manner shown below:

Client	Initiate Domain Download												Server			
	Byte 1								2	3	4	5	6	7	8	
request	7	6	5	4	3	2	1	0	7..0	7..0	7..0	7..0	7..0	7..0	7..0	indication
=>	ccs=1		X	n	e	s	m				d				=>	
	>=>															

n, e and s are defined like in the reading case, m: index + Subindex, d: 4 bytes data field

The data length of an object can be taken from the object dictionary in the appendix.

The control byte should be:

0x23 for a 4-byte access

0x27 for a 3-byte access

0x2B for a 2-byte access

0x2F for a 1-byte access

Client	Byte 1												Server			
	2	3	4	5	6	7	8									
confirm	7	6	5	4	3	2	1	0	7..0	7..0	7..0	7..0	7..0	7..0	7..0	response
<=	scs=3			X			min			reserved			<=			

## 2. Index (Bytes 2 and 3):

The Index is the main entry in the Object Dictionary, and divides the parameters into groups. (Example: Index 1018h is the Identity Object). As for all CAN data, the Index is stored with the bytes in reverse order.

For example: Index 6040h means Byte 2 = 40h, Byte 3 = 60h)

## 3. Subindex (Byte 4):

The Subindex divides the parameters within a group of parameters.

## 4. Data field (Bytes 5 to 8):

These components are used for the exchange of user data. In read-request telegrams to the AKD they are set to 0. They have no content in a write confirmation from the AKD if the transfer was successful, but if the write operation was faulty they contain an error → p. 40.

#### 5.4.5.2 Initiate SDO Download Protocol

The Initiate SDO Download protocol is used for write access to objects with up to 4 bytes of user data (expedited transfer) or to initiate a segment transfer (normal transfer).

#### 5.4.5.3 Download SDO Segment Protocol

The Download SDO Segment protocol is used for write access to objects with more than 4 bytes of user data (normal transfer).

#### 5.4.5.4 Initiate SDO Upload Protocol

The SDO Upload protocol is used for read access to objects with up to 4 bytes of user data (expedited transfer) or to initiate a segment transfer (normal transfer).

#### 5.4.5.5 Upload SDO Segment Protocol

The Upload SDO Segment protocol is used for read access to objects with more than 4 bytes of user data (normal transfer).

#### 5.4.5.6 Abort SDO Protocol

The Abort SDO protocol breaks off SDO transmission, and indicates the error that caused the break in transmission through an abort code (error code). The error code is in the format of an UNSIGNED32 value. The following table shows possible reasons for an abort SDO.

Abort Code	Description
0504 0000h	SDO timeout
0504 0001h	Command specifier invalid
0504 0002h	SDO segmented: invalid blocksize
0504 0004h	SDO segmented: invalid block CRC
0504 0005h	SDO segmented: out of memory
0601 0001h	Attempted read access to a write-only object
0601 0002h	Attempted write access to a read-only object
0602 0000h	Object does not exist in Object Dictionary
0604 0041h	Object cannot be mapped to a PDO
0604 0042h	Size and number of mapped objects exceed permissible PDO length
0604 0043h	General parameter incompatibility
0606 0000h	SDO hardware fault
0607 0010h	Data type incompatible, length of service parameter is incompatible
0609 0011h	Subindex does not exist
0609 0030h	Outside value range for the parameter (only for write access)
0609 0031h	Parameter value too high
0609 0032h	Parameter value too low
0800 0020h	Data cannot be transmitted or saved
0800 0022h	Data cannot be transmitted or saved because of device status

Abort Codes not listed above are reserved.

#### 5.4.6 Process Data Object (PDO)

PDOs are used for real-time data communication. PDOs can, for instance, be used to set up controllers similar to analog drives. Instead of +/-10VDC setpoints and ROD feedback, digital speed setpoints and position feedback are attained via PDOs in this case.

Transmission is carried out unconfirmed without a protocol "overhead". This communication object uses the unconfirmed communication service.

PDOs are defined via the Object Dictionary for the AKD. Mapping is made during the configuration phase, with the help of SDOs. Length is defined with the mapped objects.

The definition of the PDO service and protocol can be found in DS301. Examples of the usage of PDOs can be found in the appendix → p. 145.

Basically, two types of PDOs can be distinguished, depending on the direction of transmission:

- Transmit-PDOs (TPDOs) (AKD => Master)  
The TPDOs transmit data from AKD to control system (for example actual value objects, instrument status).
- Receive-PDOs (RPDOs) (Master =>AKD)  
The RPDOs receive data from control system to AKD (for example setpoints).

AKD supports four independent PDO channels for each direction of transmission. The channels are labeled by the channel numbers 1 to 4.

There are two parameter sets each for the configuration of each of the four possible PDOs, and they can be set up through the corresponding SDOs:

- 1.Mapping parameters, to determine which data are available (mapped) in the selected PDO and to define, which data are contained.
- 2.Communication parameters, that define whether the PDOs operate in synchronized mode, or event-driven (objects 1400h to 1403h, 1800h to 1803h).


#### 5.4.6.1 Transmission modes

The following PDO transmission modes are distinguished:

- Synchronous transmission
- Asynchronous transmission

The pre-defined SYNC Object is transmitted periodically (bus clock), to synchronize the drives. Synchronous PDOs are transmitted within a pre-defined time window immediately following the SYNC Object.

The transmission modes are set up with the aid of the PDO communication parameters.



#### 5.4.6.2 Trigger modes

Three different trigger modes are distinguished:

- **Event driven:** The transmission of the telegrams is triggered by an object-specific event.
- **Time driven:** If event driven signals put a high strain on the bus, you can determine the period of time after which a PDO can be transmitted again via the inhibit time (Communication parameter, Subindex 03h)
- **Event Timer driven:** If a PDO shall be sent within a defined time interval, even if it doesn't change, this interval can be defined by a special SDO.


#### 5.4.7 Nodeguard

The Node Guarding protocol is a functional monitoring for the drive. It requires that the drive is accessed at regular intervals by the CANopen master.

The maximum time interval that is permitted between two Nodeguard telegrams is given by the product of the Guard Time (Object 100Ch) and the Life Time Factor (Object 100Dh). If one of these two values is 0, then the response monitoring is de-activated.

If the drive is not accessed within the time defined by objects 100Ch and 100Dh, then fault F129 (response monitoring) appears on the drive, the drive is braked to a stop, and any other movement is prevented.

The time sequence for node guarding is as shown below:




Node guarding is carried out by the Master through RTR telegrams with the COB-ID 700h + slave node address.

### 5.4.8 Heartbeat

The Heartbeat Protocol defines an Error Control Service without need for remote frames. A Heartbeat Producer transmits a Heartbeat message cyclically. One or more Heartbeat Consumer receive the indication. The relationship between producer and consumer is configurable via Object 1016h/1017h. The Heartbeat Consumer guards the reception of the Heartbeat within the Heartbeat Consumer Time. If the Heartbeat is not received within the Heartbeat Consumer Time a Heartbeat Event will be generated.

Heartbeat protocol:



## 6 CANopen Drive Profile

---

<b>6.1 CANopen Emergency Messages and Error Codes .....</b>	<b>40</b>
<b>6.2 General Definitions .....</b>	<b>45</b>
<b>6.3 PDO Configuration .....</b>	<b>82</b>
<b>6.4 Device Control (dc) .....</b>	<b>90</b>
<b>6.5 Factor Groups (fg) (DS402) .....</b>	<b>96</b>
<b>6.6 Profile Velocity Mode (pv) (DS402) .....</b>	<b>101</b>
<b>6.7 Profile Torque Mode (tq) (DS402) .....</b>	<b>102</b>
<b>6.8 Position Control Function (pc) (DS402) .....</b>	<b>105</b>
<b>6.9 Interpolated Position Mode (ip) (DS402) .....</b>	<b>107</b>
<b>6.10 Homing Mode (hm) (DS402) .....</b>	<b>112</b>
<b>6.11 Profile Position Mode (DS402) .....</b>	<b>116</b>

## 6.1 CANopen Emergency Messages and Error Codes

Emergency messages are triggered by internal equipment errors. They have a high ID-priority to ensure quick access to the bus. An emergency message contains an error field with pre-defined error/fault numbers (2 bytes), an error register (1byte), the error category (1 byte), and additional information. Error numbers 0000h to 7FFFh are defined in the communication or drive profile. Error numbers FF00h to FFFFh have manufacturer-specific definitions.

Error Code	Fault/Warning	Description
0x0000	0	Emergency error free.
0x1080	-	General Warning.
0x1081	-	General Error.
0x3110	F523	DC Bus link over voltage FPGA.
0x3120	F247	DC Bus link voltage exceed allowed thresholds.
0x3130	F503	DC Bus link capacitor overload.
0x3180	n503	Warning: DC Bus link capacitor overload.
0x3210	F501	DC Bus link over-voltage.
0x3220	F502	DC Bus Link under-voltage.
0x3280	n502	Warning: DC Bus Link under-voltage.
0x3281	n521	Warning: Dynamic Braking I <sup>2</sup> T.
0x3282	F519	Regen short circuit.
0x3283	n501	Warning: DC Bus link over-voltage.
0x4210	F234	Excessive temperature, device (control board).
0x4310	F235	Excessive temperature, drive (heat sink).
0x4380	F236	Power temperature sensor 2 high.
0x4381	F237	Power temperature sensor 3 high.
0x4382	F535	Power board overtemperature.
0x4390	n234	Warning: Control temperature sensor 1 high.
0x4391	n235	Warning: Power temperature sensor 1 high.
0x4392	n236	Warning: Power temperature sensor 2 high.
0x4393	n237	Warning: Power temperature sensor 3 high.
0x4394	n240	Warning: Control temperature sensor 1 low.
0x4395	n241	Warning: Power temperature sensor 1 low.
0x4396	n242	Warning: Power temperature sensor 2 low.
0x4397	n243	Warning: Control temperature sensor 1 low.
0x4398	F240	Control temperature sensor 1 low.
0x4399	F241	Power temperature sensor 1 low.
0x439A	F242	Power temperature sensor 2 low.
0x439B	F243	Power temperature sensor 3 low.
0x5113	F512	5V0 under voltage.
0x5114	F505	1V2 under voltage.
0x5115	F507	2V5 under voltage.
0x5116	F509	3V3 under voltage.
0x5117	F514	+12V0 under voltage.
0x5118	F516	-12V0 under voltage.
0x5119	F518	Analog 3V3 under voltage.
0x5180	F504	1V2 over voltage.
0x5181	F506	2V5 over voltage.

Error Code	Fault/Warning	Description
0x5182	F508	3V3 over voltage.
0x5183	F510	5V0 over voltage.
0x5184	F513	+12V0 over voltage.
0x5185	F515	-12V0 over voltage.
0x5186	F517	Analog 3V3 over voltage.
0x5530	F105	Hardware memory, non-volatile memory stamp invalid.
0x5580	F106	Hardware memory, non-volatile memory data.
0x5590	F204	Control board EEPROM read failed.
0x5591	F205	Control board EEPROM corrupted serial num stamp.
0x5592	F206	Control board EEPROM corrupted serial num data.
0x5593	F207	Control board EEPROM corrupted parameter stamp.
0x5594	F208	Control board EEPROM corrupted parameter data.
0x5595	F219	Control board EEPROM write failed.
0x55A0	F209	Power board EEPROM read failed.
0x55A1	F210	Power board EEPROM corrupted serial num stamp.
0x55A2	F212	Power board EEPROM corrupted serial num data.
0x55A3	F213	Power board EEPROM corrupted parameter stamp.
0x55A4	F214	Power board EEPROM corrupted parameter data.
0x55A5	F230	Power board EEPROM write failed.
0x55A6	F232	Power board EEPROM invalid data.
0x55B0	F248	Option board EEPROM corrupted.
0x55B1	F249	Option board upstream checksum.
0x55B2	F250	Option board upstream checksum.
0x55B3	F251	Option board watchdog.
0x55B8	F252	Firmware and option board FPGA types are not compatible.
0x55B9	F253	Firmware and option board FPGA versions are not compatible.
0x55C0	F621	Control Board CRC fault.
0x55C1	F623	Power Board CRC fault.
0x55C2	F624	Power Board Watchdog fault.
0x55C3	F625	Power Board Communication fault.
0x55C4	F626	Power Board FPGA not configured.
0x55C5	F627	Control Board Watchdog fault.
0x55C6	n103	Warning: Resident FPGA .
0x55C7	n104	Warning: Operational FPGA .
0x6380	F532	Drive motor parameters setup incomplete.
0x7180	F301	Motor overheat.
0x7182	F305	Motor Brake open circuit.
0x7183	F306	Motor Brake short circuit.
0x7184	F307	Motor Brake applied during enable state.
0x7185	F436	EnDAT overheated.
0x7186	n301	Warning: Motor overheated.
0x7187	F308	Voltage exceeds motor rating.
0x7188	F560	Regen near capacity, could not prevent over voltage.
0x7189	F312	Brake released when it should be applied.
0x7305	F417	Broken wire in primary feedback.

Error Code	Fault/Warning	Description
0x7380	F402	Feedback 1 Analog signal amplitude default.
0x7381	F403	Feedback 1 EnDat communication fault.
0x7382	F404	Feedback 1 illegal hall state.
0x7383	F405	Feedback 1 BiSS watchdog.
0x7384	F406	Feedback 1 BiSS multi cycle.
0x7385	F407	Feedback 1 BiSS sensor.
0x7386	F408	Feedback 1 SFD configuration.
0x7387	F409	Feedback 1 SFD UART overrun.
0x7388	F410	Feedback 1 SFD UART frame.
0x7389	F412	Feedback 1 SFD UART parity.
0x738A	F413	Feedback 1 SFD transfer timeout.
0x738C	F415	Feedback 1 SFD mult. corrupt position.
0x738D	F416	Feedback 1 SFD Transfer incomplete.
0x738E	F418	Feedback 1 power supply fault.
0x738F	F401	Feedback 1 failed to set feedback.
0x7390	n414	Warning: SFD single corrupted position.
0x7391	F419	Encoder init procedure failed.
0x7392	F534	Failed to read motor parameters from feedback device.
0x7393	F421	SFD position sensor fault.
0x7394	F463	Tamagawa encoder: overheat.
0x7395	n451	Warning: Tamagawa encoder battery.
0x7396	n423	Warning: Non volatile memory error, multiturn overflow.
0x7398	F135	Homing is needed.
0x7399	F468	FB2.Source not set.
0x739A	F469	FB1.ENCRES is not power of two.
0x739B	F423	Non volatile memory error, multiturn overflow.
0x739C	F467	Hiperface DSL fault.
0x739D	F452	Multiturn overflow not supported with this feedback.
0x739E	F465	Excessive shock detected by feedback device.
0x73A0	F453	Tamagawa encoder: communication timeout.
0x73A1	F454	Tamagawa encoder: communication transfer incomplete.
0x73A2	F456	Tamagawa encoder: communication CRC.
0x73A3	F457	Tamagawa encoder: communication start timeout.
0x73A4	F458	Tamagawa encoder: communication UART overrun.
0x73A5	F459	Tamagawa encoder: communication UART framing.
0x73A6	F460	Tamagawa encoder: over speed.
0x73A7	F461	Tamagawa encoder: contouring error.
0x73A8	F462	Tamagawa encoder: counting overflow.
0x73A9	F464	Tamagawa encoder: multiturn error.
0x73AA	F451	Tamagawa encoder: battery.
0x73B0	F486	Motor velocity exceeds emulated encoder maximum speed.
0x73B8	F420	FB3 EnDat communication fault.
0x73C0	F473	Wake and Shake. Insufficient movement.
0x73C1	F475	Wake and Shake. Excessive movement.

Error Code	Fault/Warning	Description
0x73C2	F476	Wake and Shake. Fine-coarse delta too large.
0x73C3	F478	Wake and Shake. Overspeed.
0x73C4	F479	Wake and Shake. Loop angle delta too large.
0x73C5	F482	Commutation not initialized.
0x73C6	F483	Motor U phase missing.
0x73C7	F484	Motor V phase missing.
0x73C8	F485	Motor W phase missing.
0x73C9	n478	Warning: Wake and Shake. Overspeed.
0x73D0	F487	Wake and Shake. Validating positive movement failed.
0x73D1	F489	Wake and Shake. Validating negative movement failed.
0x73D2	F490	Wake and Shake. Validating commutation angle time out.
0x73D3	F491	Wake and Shake. Validating commutation angle moved too far.
0x73D4	F492	Wake and Shake. Validating commutation angle required more than MOTOR.ICONT.
0x73D5	F493	Invalid commutation detected, motor accelerates in wrong direction.
0x8130	F129	Life Guard Error or Heartbeat Error.
0x8180	n702	Warning: Fieldbus communication lost.
0x8280	n601	Warning: Modbus data rate is too high.
0x8311	F304	Motor foldback.
0x8331	F524	Drive foldback.
0x8380	n524	Warning: Drive foldback.
0x8381	n304	Warning: Motor foldback.
0x8382	n309	Warning: Motor I <sup>2</sup> t load.
0x8383	n580	Warning: Using derivate of position when using sensorless feedback type in position mode.
0x8384	n581	Warning: Zero velocity when using induction sensorless feedback type in position mode.
0x8480	F302	Over speed.
0x8481	F703	Emergency timeout occurred while axis should disable.
0x8482	F480	Fieldbus command velocity too high.
0x8483	F481	Fieldbus command velocity too low.
0x8582	n107	Warning: Positive software position limit is exceeded.
0x8583	n108	Warning: Negative software position limit is exceeded.
0x8584	n704	Warning: PVT buffer overflow.
0x8585	n705	Warning: PVT buffer underflow.
0x8586	n127	Warning: Scale factor of PVT velocity command over range.
0x8611	F439	Following error (user).
0x8685	F138	Instability during autotune.
0x8686	n151	Warning: Not enough distance to move; Motion Exception.
0x8687	n152	Warning: Not enough distance to move; Following Motion Exception.
0x8688	n153	Warning: Velocity Limit Violation, Exceeding Max Limit.
0x8689	n154	Warning: Following Motion Failed; Check Motion Parameters.
0x868A	n156	Warning: Target Position crossed due to Stop command.
0x86A0	n157	Warning: Homing Index pulse not found.
0x86A1	n158	Warning: Homing Reference Switch not found.
0x86A2	n159	Warning: Failed to set motion task parameters.

Error Code	Fault/Warning	Description
0x86A3	n160	Warning: Motion Task Activation Failed.
0x86A4	n161	Warning: Homing Procedure Failed.
0x86A5	F139	Target Position Over Short due to invalid Motion task activation.
0x86A6	n163	Warning: MT.NUM exceeds limit.
0x86A7	n164	Warning: Motion task is not initialized.
0x86A8	n165	Warning: Motion task target position is out.
0x86A9	n167	Warning: Software limit switch traversed.
0x86AA	n168	Warning: Invalid bit combination in the motion task control word.
0x86AB	n169	Warning: 1:1 profile cannot be triggered on the fly.
0x86AC	n170	Warning: Customer profile table is not initialized.
0x86AD	n171	Warning: Motion task activation is currently pending
0x86AE	n135	Warning: Homing is needed.
0x86AF	n174	Warning: Homing maximum distance exceeded
0x86B0	F438	Following error (numeric).
0x8780	F125	Fieldbus synchronization lost.
0x8781	n125	Warning: Fieldbus synchronization lost.
0x8AF0	n137	Warning: Homing and feedback mismatch.
0xFF00	F701	Fieldbus runtime.
0xFF01	F702	Fieldbus communication lost.
0xFF02	F529	Iu current offset limit exceeded.
0xFF03	F530	lv current offset limit exceeded.
0xFF04	F521	Regen over power.
0xFF07	F525	Output over current.
0xFF08	F526	Current sensor short circuit.
0xFF09	F128	MPOLES/FPOLES not an integer.
0xFF0A	F531	Power stage fault.
0xFF0B	F602	Safe torque off.
0xFF0C	F131	Secondary feedback A/B line break.
0xFF0D	F130	Secondary feedback supply over current.
0xFF0E	F134	Secondary feedback illegal state.
0xFF0F	F245	External fault.
0xFF10	F136	Firmware and FPGA versions are not compatible.
0xFF11	F101	Firmware type mismatch.
0xFF12	n439	Warning: Following error (user).
0xFF13	n438	Warning: Following error (numeric).
0xFF14	n102	Warning: Operational FPGA is not a default FPGA.
0xFF15	n101	Warning: The FPGA is a laboratory FPGA.
0xFF16	n602	Warning: Safe torque off.
0xFF17	F132	Secondary feedback Z line break.
0xFF18	n603	Warning: OPMODE incompatible with CMDSOURCE.
0xFF19	n604	Warning: EMUEMODE incompatible with DRV.HANDWHEELSRC.

## 6.2 General Definitions

This chapter describes objects with a general validity (e.g. Object 1000h Device Type). The next section explains the free configuration of Process Data Objects ("free mapping").

### 6.2.1 General objects

#### 6.2.1.1 Object 1000h: Device Type (DS301)

This object describes the device type (servo drive) and device functionality (DS402 drive profile). Definition:

MSB					LSB
Additional information				Device profile number	
Mode bits		Type		402d=192h	
31	24	23	16	15	0

The device profile number is DS402, the type is 2 for drives, the mode bits 28 to 31 are manufacturer specific and may be changed from its actual value of 0. A read access delivers 0x000020192 at the moment.

<b>Index</b>	1000h
<b>Name</b>	device type
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	no

### 6.2.1.2 Object 1001h: Error register (DS301)

This object is an error register for the device. The device can map internal errors into this byte. It is a part of an Emergency object.

<b>Index</b>	1001h
<b>Name</b>	Error register
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED8
<b>Default value</b>	no

Error reasons to be signaled: If a bit is set to 1 the specified error has occurred. The generic error is signaled at any error situation.

Bit	Description	Bit	Description
0	generic error	4	communication error (overrun, error state)
1	current	5	device profile specific
2	voltage	6	reserved (always 0)
3	temperature	7	manufacturer specific

### 6.2.1.3 Object 1002h: Manufacturer Status Register (DS301)

The manufacturer status register contains important drive informations.

<b>Index</b>	1002h
<b>Name</b>	Manufacturer Status Register
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	no

The following table shows the bit assignment for the status register:

Bit	Description	Bit	Description
0	1 = Movement (positioning, homing) active	16	1 = Homing move active
1	reference position set	17	reserved
2	1 = reference switch high (home-position)	18	reserved
3	1 = In Position	19	1 = Emergency stop active
4	reserved	20	reserved
5	reserved	21	reserved
6	reserved	22	reserved
7	Active Disabel activated	23	1 = Homing move finished
8	Warning active	24	Power stage deactivating
9	1 = target velocity reached (pp- or pv-Mode)	25	1 = digital input 1 set
10	reserved	26	1 = digital input 2 set
11	1 = Homing error	27	1 = digital input 3 set
12	reserved	28	1 = digital input 4 set
13	1 = Safe Torque Off selected	29	1 = digital input hardware enable set
14	1 = Power stage enabled	30	1 = Wake and Shake action is required
15	1 = Error state	31	Braking, 1 = set points not accepted

#### 6.2.1.4 Object 1003h: Predefined Error Field (DS301)

The object 1003h provides an error history with a maximum size of 10 entries.

Subindex 0 contains the number of errors which have occurred since the last reset of the error history, either by startup of the drive or resetting the error history by writing 0 to subindex 0.

A new Emergency-message is written into subindex 1 shifting the old entries one subindex higher. The old content of subindex 8 is lost.

The UNSIGNED32-information written to the subindexes is defined in the field Error Code in the description of the Emergency Messages (→ p. 40).

<b>Index</b>	1003h
<b>Name</b>	pre-defined Error Field
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	Number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	0 to 10
<b>Default value</b>	0
<b>Subindex</b>	<b>1 to 10</b>
<b>Description</b>	Standard error field (→ p. 40)
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	no

### 6.2.1.5 Object 1005h: COB-ID of the SYNC Message (DS301)

This object defines the COB-Id of the synchronisation object (SYNC).

<b>Index</b>	1005h
<b>Name</b>	COB-ID for the SYNC message
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	conditional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	0x80

Bit coded information:

Bit	Value	Meaning
31 (MSB)	X	—
30	0	Device not generate SYNC message
	1	Device generates SYNC message
29	0	11 Bit ID (CAN 2.0A)
	1	29 Bit ID (CAN 2.0B)
28 to 11	X	—
	0	if Bit 29=0
10 to 0 (LSB)	X	Bit 0 to 10 of SYNC COB-ID

The device does not support the generation of SYNC-messages and only the 11-bit IDs. So the bits 11 to 30 are always 0.

### 6.2.1.6 Object 1006h: Communication Cycle Period (DS301)

This object can be used to define the period (in  $\mu$ s) for the transmission of the SYNC telegram.

<b>Index</b>	1006h
<b>Name</b>	Period of the communication cycle
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	O
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	00h

### 6.2.1.7 Object 1008h: Manufacturer Device Name (DS301)

The device name consists of four ASCII characters in the form Yzzz, whereby Y stands for the mains voltage (L, M, H or U, e.g. H for High Voltage) zzz stands for the power stage current.

<b>Index</b>	1008h
<b>Name</b>	Manufacturer Device Name
<b>Object code</b>	VAR
<b>Data type</b>	Visible String
<b>Category</b>	Optional
<b>Access</b>	const
<b>PDO mapping</b>	not possible
<b>Value range</b>	
<b>Default value</b>	no

### 6.2.1.8 Object 1009h: Manufacturer Hardware Version

This object will be supported in the future.

<b>Index</b>	1009h
<b>Name</b>	manufacturer hardware version
<b>Object code</b>	VAR
<b>Data type</b>	Visible String
<b>Category</b>	Optional
<b>Access</b>	const
<b>PDO mapping</b>	not possible
<b>Value range</b>	-
<b>Default value</b>	no

### 6.2.1.9 Object 100Ah: Manufacturer Software Version (DS301)

The object contains the manufacturer software version (here: the CANopen-part of the drive firmware).

<b>Index</b>	100Ah
<b>Name</b>	Manufacturer Software Version
<b>Object code</b>	VAR
<b>Data type</b>	Visible String
<b>Category</b>	Optional
<b>Access</b>	const
<b>PDO mapping</b>	not possible
<b>Value range</b>	0.01 to 9.99
<b>Default value</b>	no

### 6.2.1.10 Object 100Ch: Guard Time (DS301)Response monitoring

The arithmetical product of the Objects 100Ch Guard Time and 100Dh Lifetime Factor is the response monitoring time. The Guard Time is given in milliseconds. The response monitoring is activated with the first Nodeguard object. If the value of the object Guard Time is set to zero, then the response monitoring is inactive.

<b>Index</b>	100Ch
<b>Name</b>	Guard Time
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED16
<b>Category</b>	conditional; mandatory, if heartbeat not supported
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0

### 6.2.1.11 Object 100Dh: Lifetime Factor (DS301)

The product of Guard Time and Life Time Factor gives the life time for the nodeguarding protocol. If it's 0, the protocol is not used.

<b>Index</b>	100Dh
<b>Name</b>	Lifetime Factor
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED8
<b>Category</b>	conditional; (mandatory, if heartbeat not supported)
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED8
<b>Default value</b>	0

### 6.2.1.12 Object 1010h: Store Parameters (DS301)

This object supports the saving of parameters to a flash EEPROM. Only the subindex 1 for saving of all parameters, which can also be saved in the parameter files via the GUI, is supported.

<b>Index</b>	<b>1010h</b>
<b>Name</b>	store parameters (DRV.NVSAVE)
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Name</b>	number of entries
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO Mapping</b>	not possible
<b>Value range</b>	1
<b>Default value</b>	1
<b>Subindex</b>	<b>1</b>
<b>Name</b>	save all parameters
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	1

Data definition:

Bit	Value	Meaning
31 to 2	0	reserved (=0)
1	0	Device does not save parameters autonomously
	1	Device does save parameters autonomously
0	0	Device does not save parameters on command
	1	Device does save parameters on command

By read access to subindex 1 the drive provides information about its storage functionality.

This drive provides a constant value of 1 by read access, i.e. all parameters can be saved by writing to Object 1010 sub 1. In general the drive does not save parameters autonomously with the exception of e.g. the special treatment of the homing of multiturn absolute encoders.

Storing of parameters is only done if a special signature ("save") is written to subindex 1. "save" is equivalent to the unsigned32 - number 65766173h.

### 6.2.1.13 Object 1011h: Restore Default Parameters DS301

With this object the default values of parameters according to the communication or device profile are restored. The AKD gives the possibility to restore all default values.

<b>Index</b>	<b>1011h</b>
<b>Name</b>	restore default parameters
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Name</b>	number of entries
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO Mapping</b>	not possible
<b>Value range</b>	1
<b>Default value</b>	1
<b>Subindex</b>	<b>1</b>
<b>Name</b>	restore all default parameters (DRV.RSTVAR)
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	1 (device restores parameter)

Restoring default parameters to the RAM will be done, if a special signature ("load") is written to subindex 1. "load" has to be transmitted as unsigned32 - number 64616F6Ch.

### 6.2.1.14 Object 1012h: COB-ID of the Time Stamp (DS301)

This object defines the COB-Id of the time stamp.

<b>Index</b>	1012h
<b>Name</b>	COB-ID for thetime stamp
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	100h

Bit coded information:

Bit	Content	Value	Meaning
31 (MSB)	consume	0	Drive does not consume time message
		1	Drive does consume time message
30	produce	0	Drive does not produce time message
		1	Drive does produce time message
29	frame	0	Value fixed to 0
28 to 11	reserved	—	reserved
10 to 0 (LSB)	CAN-ID	0h - 800h	COB-ID of the time stamp

### 6.2.1.15 Object 1014h: COB-ID for Emergency Message (DS301)

This object defines the COB-ID of the Emergency message.

<b>Index</b>	1014h
<b>Name</b>	COB-ID emergency message
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	conditional; mandatory, if Emergency is supported
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	80h + Node - ID

### 6.2.1.16 Object 1016h: Consumer Heartbeat Time

The consumer heartbeat time defines the expected heartbeat cycle time (ms) and must be higher than the corresponding producer heartbeat time configured on the device producing this heartbeat. Monitoring starts after the reception of the first heartbeat. If the consumer heartbeat time is 0 ms the corresponding entry is not used.

<b>Index</b>	<b>1016h</b>
<b>Name</b>	consumer heartbeat time
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO Mapping</b>	not possible
<b>Value range</b>	1
<b>Default value</b>	1
<b>Subindex</b>	<b>1</b>
<b>Description</b>	Consumer heartbeat time
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value range</b>	unsigned 32
<b>Default value</b>	0

Definition of the entry value of Subindex 1

	MSB			LSB
<b>Value</b>	reserved (value: 00)	Node-ID		heartbeat time
<b>Encoded as</b>	-	UNSIGNED8		UNSIGNED16
<b>Bit</b>	31	24	23 16 15	0

### 6.2.1.17 Object 1017h: Producer Heartbeat Time

The producer heartbeat time defines the cycle time of the heartbeat in ms. If it's 0, it is not used.

<b>Index</b>	<b>1017h</b>
<b>Name</b>	Producer heartbeat time
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED16
<b>Category</b>	conditional; mandatory, if guarding is not supported
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0

### 6.2.1.18 Object 1018h: Identity Object (DS301)

The Identity Object contains general device information.

<b>Index</b>	<b>1018h</b>
<b>Name</b>	Identity Object
<b>Object code</b>	RECORD
<b>Data type</b>	Identity
<b>Category</b>	mandatory
<b>Subindex</b>	<b>0</b>
<b>Description</b>	Number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	1 to 4
<b>Default value</b>	4

Subindex 1 is a unique number for a device manufacturer.

<b>Subindex</b>	<b>1</b>
<b>Description</b>	Vendor ID
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	0x6Ah (Kollmorgen)

Subindex 2 contains four ASCII - characters, which determine the voltage range and current class of the device. The voltage range is one character L, M or H for low, medium and high voltage. The next three characters are showing the continuos current of the drive.

<b>Subindex</b>	<b>2</b>
<b>Description</b>	Product Code
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	e.g. M006 for an MV6 drive
<b>Default value</b>	no

Subindex 3 consists of two revision numbers:

- the major revision number in the upper word containing the CAN-version
- the minor revision number is not used in the AKD. The firmware version can be retrieved as a string via object 0x100A or as numbers via object 0x2018 subindex 1 to 4.

E.g. a value of 0x0014 0000 means CAN-version 0.20.

<b>Subindex</b>	<b>3</b>
<b>Description</b>	Revision Number
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	no

Subindex 4 gives the serial number of the drive. This number contains the following information in it:

- bits 0..14: Board serial number (production in week of year)
- bits 15..20: week of production
- bits 21..24: year of production - 2009
- bits 25..31: ASCII-code of MFR-ID

<b>Subindex</b>	<b>4</b>
<b>Description</b>	Serial Number
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	no

### 6.2.1.19 Object 1026h: OS Prompt

The OS prompt is used to build up an ASCII - communication channel to the drive.

<b>Index</b>	<b>1026h</b>
<b>Name</b>	OS Prompt
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED8
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	Number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	2
<b>Default value</b>	2

Subindex 1 is used to send one character to the drive.

<b>Subindex</b>	<b>1</b>
<b>Description</b>	StdIn
<b>Category</b>	mandatory
<b>Access</b>	W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED8
<b>Default value</b>	—

Subindex 2 is used to receive one character from the drive.

<b>Subindex</b>	<b>2</b>
<b>Description</b>	StdOut
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED8
<b>Default value</b>	0

## 6.2.2 Manufacturer specific objects

### 6.2.2.1 Object 2000h: System Warnings

This object is used to show up to three actual warnings with their AKD- specific warning number.

<b>Index</b>	<b>2000h</b>
<b>Name</b>	System Warnings
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED32
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	3
<b>Default value</b>	3
<b>Subindex</b>	<b>1 to 3</b>
<b>Description</b>	DRV.WARNING1 to DRV.WARNINGS3
<b>Mode</b>	independent
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Unit</b>	—
<b>Value range</b>	0 to 999
<b>Default value</b>	0

### 6.2.2.2 Object 2001h: System Faults

This object is used to show up to ten actual faults with their AKD- specific fault number.

<b>Index</b>	<b>2001h</b>
<b>Name</b>	System Faults
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED32
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	0xA
<b>Default value</b>	0xA
<b>Subindex</b>	<b>1 to A</b>
<b>Description</b>	DRVFAULT1 to DRVFAULT10
<b>Mode</b>	independent
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Unit</b>	—
<b>Value range</b>	0 to 999
<b>Default value</b>	0

### 6.2.2.3 Object 2002h: Manufacturer status bytes

This objects delivers the information of the manufacturer status (object 0x1002 sub 0) as four separate, mappable, bytes.

<b>Index</b>	<b>2002h</b>
<b>Name</b>	Manufacturer status bytes
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED8
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	0x4
<b>Default value</b>	0x4
<b>Subindex</b>	<b>1 to 4</b>
<b>Description</b>	Manufacturer status byte 1 to Manufacturer status byte 4
<b>Mode</b>	independent
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Unit</b>	—
<b>Value range</b>	0 to 0xFF
<b>Default value</b>	-

#### 6.2.2.4 Object 2014-2017h: 1st-4th Mask 1 to 4 for Transmit-PDO

In order to reduce the bus loading with event-triggered PDOs, masking can be used to switch off the monitoring for individual bits in the PDO. In this way it can be arranged, for instance, that actual position values are only signaled once per turn.

This Object masks the PDO-channels 1 to 4. If only two bytes have been defined in a PDO, then it masks just two bytes, although 4 bytes of mask information have been transmitted. An activated bit in the mask means that monitoring is active for the corresponding bit in the PDO.

<b>Index</b>	2014h 2015h 2016h 2017h
<b>Name</b>	tx_mask 1 to 4
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED32
<b>Subindex</b>	1
<b>Description</b>	tx_mask1 to 4_low
<b>Mode</b>	independent
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Unit</b>	—
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	FFFFFFFh
<b>Subindex</b>	2
<b>Description</b>	tx_mask1 to 4_high
<b>Mode</b>	independent
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Unit</b>	—
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	FFFFFFFh

### 6.2.2.5 Object 2018h: Firmware Version

This object gives all information regarding the firmware version.

Example: Firmware version M\_01\_00\_01\_005 would show the numbers 1, 0, 1, 5 in the sub-indices 1 to 4.

<b>Index</b>	<b>2018h</b>
<b>Name</b>	firmware version
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED16
<b>Subindex</b>	<b>1</b>
<b>Description</b>	major version
<b>Mode</b>	independent
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Unit</b>	—
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0
<b>Subindex</b>	<b>2</b>
<b>Description</b>	minor version
<b>Mode</b>	independent
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Unit</b>	—
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0
<b>Subindex</b>	<b>3</b>
<b>Description</b>	revision
<b>Mode</b>	independent
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Unit</b>	—
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0
<b>Subindex</b>	<b>4</b>
<b>Description</b>	branch revision
<b>Mode</b>	independent
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Unit</b>	—
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0

### 6.2.2.6 Object 2026h: ASCII Channel

This object is used to build up an ASCII - communication channel to the drive with 4-byte ASCII-strings.

<b>Index</b>	<b>2026h</b>
<b>Name</b>	ASCII Channel
<b>Object code</b>	ARRAY
<b>Data type</b>	Visible String
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	Number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	2
<b>Default value</b>	2

Subindex 1 is used to send four ASCII-characters to the drive.

<b>Subindex</b>	<b>1</b>
<b>Description</b>	Command
<b>Category</b>	mandatory
<b>Access</b>	wo
<b>PDO mapping</b>	no
<b>Value range</b>	Visible String
<b>Default value</b>	—

Subindex 2 is used to receive four characters from the drive.

<b>Subindex</b>	<b>2</b>
<b>Description</b>	Response
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	no
<b>Value range</b>	Visible String
<b>Default value</b>	-

### 6.2.2.7 Object 20A0h: Latch position 1, positive edge

This object is used to output the position or a time, depending on CAP0.MODE, at which the first positive edge occurred on a signal, which can be configured with CAP0.TRIGGER. The latch enable must be active for that purpose(see object 20A4 and 20A5). With CAP0.MODE = 3 the latched position of the encoder index pulse is transferred via this object.

<b>Index</b>	<b>20A0h</b>
<b>Name</b>	Latch position 1 positive edge CAP0.PLFB, Time capture CAP0.T
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER32
<b>Float scaling</b>	var
<b>Default value</b>	0

### 6.2.2.8 Object 20A1h: Latch position 1, negative edge

This object is used to output the position or a time, depending on CAP0.MODE, at which the first negative edge occurred on a signal, which can be configured with CAP0.TRIGGER. The latch enable must be active for that purpose(see object 20A4 and 20A5).

<b>Index</b>	<b>20A1h</b>
<b>Name</b>	Latch position 1 negative edge CAP0.PLFB, Time capture CAP0.T
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER32
<b>Float scaling</b>	var
<b>Default value</b>	0

### 6.2.2.9 Object 20A2h: Latch position 2, positive edge

This object is used to output the position or a time, depending on CAP1.MODE, at which the first positive edge occurred on a signal, which can be configured with CAP1.TRIGGER. The latch enable must be active for that purpose(see object 20A4 and 20A5).

<b>Index</b>	<b>20A2h</b>
<b>Name</b>	Latch position 2 positive edge CAP1.PLFB, Time capture CAP1.T
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER32
<b>Float scaling</b>	var
<b>Default value</b>	0

### 6.2.2.10 Object 20A3h: Latch position 2, negative edge

This object is used to output the position or a time, depending on CAP1.MODE, at which the first negative edge occurred on a signal, which can be configured with CAP1.TRIGGER. The latch enable must be active for that purpose (see object 20A4 and 20A5).

<b>Index</b>	20A3h
<b>Name</b>	Latch position 2 negative edge CAP1.PLFB, Time capture CAP1.T
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER32
<b>Float scaling</b>	var
<b>Default value</b>	0

### 6.2.2.11 Object 20A4h: Latch Control Register

The latch control register is used to enable the latch monitoring of the capture engines 0 and 1. The latch is enabled with a 1 signal and disabled with a 0 signal. Whether or not a latch event has occurred can be recognised by the latch status register (object 20A5).

<b>Index</b>	20A4h
<b>Name</b>	Latch Control Register
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED16
<b>Category</b>	optional
<b>Access</b>	rww
<b>PDO mapping</b>	possible
<b>Value range</b>	0 to 15
<b>Default value</b>	0

Bit	Value (bin)	Value (hex)	Description
0	00000000 00000001	xx01	Enable extern latch 1 (positive rise)
1	00000000 00000010	xx02	Enable extern latch 1 (negative rise)
2	00000000 00000100	xx04	Enable extern latch 2 (positive rise)
3	00000000 00001000	xx08	Enable extern latch 2 (negative rise)
4	00000000 00010000	xx10	Enable latch of encoder index pulse
5 to 7			Reserve
8	00000001 00000000	01xx	Read external latch 1 (positive rise)
9	00000010 00000000	02xx	Read external latch 1 (negative rise)
10	00000011 00000000	03xx	Read external latch 2 (positive rise)
11	00000100 00000000	04xx	Read external latch 2 (negative rise)
12	00000101 00000000	05xx	Read latched position of encoder index pulse
13 to 15			Reserve

### 6.2.2.12 Object 20A5h: Latch Status Register

The latch status register is used to look for the states of the capture engines 0 and 1.

<b>Index</b>	<b>20A5h</b>		
<b>Name</b>	Latch Status Register		
<b>Object code</b>	VAR		
<b>Data type</b>	UNSIGNED16		
<b>Category</b>	optional		
<b>Access</b>	rwr		
<b>PDO mapping</b>	possible		
<b>Value range</b>	-		
<b>Default value</b>	0		
Bit	Value (bin)	Value (hex)	Description
0	00000000 00000001	zz01	External latch 1 valid (positive rise)
1	00000000 00000010	zz02	External latch 1 valid (negative rise)
2	00000000 00000100	zz04	External latch 2 valid (positive rise)
3	00000000 00001000	zz08	External latch 2 valid (negative rise)
4	00000000 00010000	z10	Latched position of encoder index pulse valid (positive rise)
5 to 7			Reserve
8 to 11	00000001 00000000	z1zz	Acknowledge value external latch 1 (positive rise)
	00000010 00000000	z2zz	Acknowledge value external latch 1 (negative rise)
	00000011 00000000	z3zz	Acknowledge value external latch 2 (positive rise)
	00000100 00000000	z4zz	Acknowledge value external latch 2 (negative rise)
	00000101 00000000	z5zz	Acknowledge value of latched position of encoder index pulse (positive rise)
12 to 15	00010000 00000000	1zzz	State Digital Input 4
	00100000 00000000	2zzz	State Digital Input 3
	01000000 00000000	4zzz	State Digital Input 2
	10000000 00000000	8zzz	State Digital Input 1

### 6.2.2.13 Object 20A6h: Latch position 1, positive or negative edge

This object is used to output the position or a time, depending on CAP0.MODE, at which the first positive or negative edge occurred on a signal, that can be configured with CAP0.TRIGGER. Latch enable must be active for that purpose (see object 20A4 and 20A5).

<b>Index</b>	<b>20A6h</b>		
<b>Name</b>	Latch position 1 positive or negative CAP0.PLFB		
<b>Object code</b>	VAR		
<b>Data type</b>	INTEGER32		
<b>Category</b>	optional		
<b>Access</b>	ro		
<b>PDO mapping</b>	possible		
<b>Value range</b>	INTEGER32		
<b>Float scaling</b>	var		
<b>Default value</b>	0		

### 6.2.2.14 Object 20A7h: Latch position 2, positive or negative edge

This object is used to output the position or a time, depending on CAP1.MODE, at which the first positive or negative edge occurred on a signal, that can be configured with CAP1.TRIGGER. Latch enable must be active for that purpose (see object 20A4 and 20A5).

<b>Index</b>	<b>20A7h</b>
<b>Name</b>	Latch position 2 positive or negative CAP1.PLFB
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	ro
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER32
<b>Float scaling</b>	var
<b>Default value</b>	0

### 6.2.2.15 Object 20B8h: Reset of changed input information

This object is used in PDOs to reset the state change information for the digital inputs shown in the Bits 24 to 30 in the object 60FD. Bit 0 to 6 are used to reset the information of the digital input 1 to 7.

<b>Index</b>	<b>20B8h</b>
<b>Name</b>	Reset of changed input information
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED16
<b>Category</b>	optional
<b>Access</b>	rw
<b>PDO mapping</b>	possible
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0

### 6.2.2.16 Object 345Ah: Brake Control

These objects implement the possibility to control the brake directly, overriding the drive logic. When the brake state is controlled by the fieldbus, the drive state (enabled, disabled, faulted) will have no effect on the brake - the fieldbus will be in control.



#### CAUTION

Applying or releasing the brake at the wrong time can be a safety hazard and can destroy your mechanic as well as drive or motor. Unexpected behaviour might be possible. It is the responsibility of the customer using this mode to use this function appropriately.

When fieldbus control is disabled, the drive will control the brake as defined by existing AKD brake related parameters. As soon as fieldbus control is enabled, the Brake Command received over the field bus will take effect. So, if the Brake Command is set to APPLY and the current state is RELEASE, the brake will begin to apply.

The default value of the fieldbus control will be disabled, so that the drive is always in control until the fieldbus is operational. It is recommended that this bit remain 0 except for special operating conditions where the fieldbus will control the brake. When fieldbus communication is lost, the drive will regain control of the brake if the fieldbus had previously taken control.

Enable Field-bus Control	Serious Failure condition present	Brake Command	Fieldbus Control Status	Controlled by...	Final Brake State
0	x	x	0	Drive	Drive
1*	no	0	1	Fieldbus	Applied
1*	no	1	1	Fieldbus	Released
x	yes	any	0	Drive	Drive

1\* indicates that a rising edge was seen since the last time the drive applied the brake

Index	345Ah
Name	Brake Control
Object code	ARRAY
Data type	UNSIGNED16
Category	optional

Defined sub-indices

Subindex	0
Name	number of entries
Data type	UNSIGNED8
Category	mandatory
Access	R/O
PDO Mapping	not possible
Value Range	2
Default Value	2

<b>Subindex</b>	1
<b>Name</b>	Brake Control Command
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO Mapping</b>	possible
<b>Value Range</b>	UNSIGNED16
<b>Default Value</b>	0

With subindex 1 the brake is controlled. Bit definition:

Bit	Name	Description
0	Enable fieldbus control	0 - brake is not controlled via this object 1 - enable fieldbus control via this object. This function works edge triggered, i.e. this bit has to have a 0 -> 1 transition to activate the brake control functionality. After a fault the functionality is reset and has to be activated again. The activation can be controlled by subindex 2 bit 0.
1	Brake Command	This command bit is only active, if the functionality was activated via bit 0. The function is as follows: 0 - apply the brake 1 - release the brake

<b>Subindex</b>	2
<b>Name</b>	Brake Status Response
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO Mapping</b>	possible
<b>Value Range</b>	UNSIGNED16
<b>Default Value</b>	0

With subindex 2 the brake status can be checked. Bit definition:

Bit	Name	Description
0	Fieldbus control Status	0 - brake control via 0x345A is disabled or not possible due to drive failure. 1 - enable fieldbus control via this object. This function works edge triggered, i.e. this bit has to have a 0 -> 1 transition to activate the brake control functionality. After a fault the functionality is reset and has to be activated again. The activation can be controlled by subindex 2 bit 0.
1	Brake Status	0 - apply the brake 1 - release the brake <b>Note:</b> When the brake is applied or released, there is a time delay MOTOR.TBRAKEAPP or MOTOR.TBRAKEREL, after the receipt of the command before this status bit changes. The status is always reported: it is not affected by fieldbus control.
2	STO Status	0 - STO is not active (drive may be enabled) 1 - STO is active (drive can not be enabled)
3	HW Enable Status	0 - HW enable is disabled, drive function can not be enabled 1 - HW enable is enabled, drive function can be enabled

### 6.2.2.17 Object 3474h: Parameters for digital inputs

This set of objects is used to set extended parameters for some digital input functions. The parameters can be used for different DINx.MODEs. Therefore the scaling might be different or no scaling is used at all.

Two subindices build an access object to one of these parameters, because they are 64-bit numbers internally, e.g. object 3474 sub 1 gives access to the low 32 bits of DIN1.PARAM whereas 3474 sub 8 gives access to the high 32 bits.

If access to the whole 64 bit number is needed the higher bits must be written first. The access to the lower 32 bits then writes the parameter. If the to be written value fits into 32 bit, only the lower part needs to be written. The most-significant bit is then taken as sign-bit for the number.

<b>Index</b>	<b>3474h</b>
<b>Name</b>	DINx.PARAM
<b>Object code</b>	Array
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	0xE
<b>Default value</b>	0xE
<b>Subindex</b>	<b>1 to 7</b>
<b>Description</b>	DINx.PARAM low 32 bits, x = 1 .. 7
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	0
<b>Subindex</b>	<b>8 to 0xE</b>
<b>Description</b>	DINx.PARAM high 32 bits, x = 1 .. 7
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	0

### 6.2.2.18 Object 3475h: Parameters for digital outputs

This set of objects is used to set extended parameters for some digital output functions. The parameters can be used for different DOUTx.MODEs. Therefore the scaling might be different or no scaling is used at all.

Two subindices build an access object to one of these parameters, because they are 64-bit numbers internally, e.g. object 3475 sub 1 gives access to the low 32 bits of DOUT1.PARAM whereas 3475 sub 3 gives access to the high 32 bits.

If access to the whole 64 bit number is needed the higher bits must be written first. The access to the lower 32 bits then writes the parameter. If the to be written value fits into 32 bit, only the lower part needs to be written. The most-significant bit is then taken as sign-bit for the number.

<b>Index</b>	<b>3475h</b>
<b>Name</b>	DOUTx.PARAM
<b>Object code</b>	Array
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	0x4
<b>Default value</b>	0x4
<b>Subindex</b>	<b>1 to 2</b>
<b>Description</b>	DOUTx.PARAM low 32 bits, x = 1 .. 2
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	0
<b>Subindex</b>	<b>3 to 4</b>
<b>Description</b>	DOUTx.PARAM high 32 bits, x = 1 .. 2
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	0

### 6.2.2.19 Object 3496h: Fieldbus synchronization parameters

This set of objects is used to set or read parameters for the fieldbus synchronization used in the interpolated position mode (7) and the cyclic-modes 8 etc. The synchronization between a fieldbus master and the AKD is similar in all the supported fieldbus systems.

The AKD internal 16[kHz] interrupt function is responsible for calling the PLL function. This PLL function is called once per fieldbus cycle (set by object 60C2 sub 1 and 2). If the fieldbus sample period is for example 1[ms], the PLL code is called every 16th time of the 16[kHz] IRQ of the AKD.

Once in a fieldbus sample the SYNC-telegram must arrive, which resets a PLL counter in the Drive. After some time the already mentioned PLL function is called and reads back the time from that PLL counter.

Depending on the measured time the PLL function extends (in case that the measured time is too low) or lowers (in case that the measured time is too high) the sample time of the upcoming 16[kHz] tasks for one fieldbus sample by a selectable value (object 3496 sub 4) in order to move the PLL function closer to the expected distance (object 3496 sub 1).

Beside the objects mentioned here the parameter FBUS.SAMPLEPERIOD is important, which is set by object 60C2 sub 1 and 2. This setting is required in order to share the fieldbus sample time with the slave. This information is e.g. needed for being able to call the AKD internal PLL function once per fieldbus sample.

<b>Index</b>	<b>3496h</b>
<b>Name</b>	FBUS synchronization parameters
<b>Object code</b>	Array
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	0x4
<b>Default value</b>	0x4
<b>Subindex</b>	<b>1</b>
<b>Description</b>	FBUS.SYNC DIST
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	320000 [ns]

Sub 1 is the expected time distance in nano seconds between clearing the PLL counter and calling the PLL function.

<b>Subindex</b>	<b>2</b>
<b>Description</b>	FBUS.SYNCACT
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	320000 [ns]

Sub 2 is the actual time distance in nano seconds between clearing the PLL counter and calling the PLL function.

<b>Subindex</b>	<b>3</b>
<b>Description</b>	FBUS.SYNCWND
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	70000 [ns]

Sub 3 is a window, which is used in order to consider the drive as being synchronized. The AKD is considered as synchronized in the following case:

FBUS.SYNCDIST – FBUS.SYNCWND < FBUS.SYNCACT < FBUS.SYNCDIST + FBUS.SYNCWND

<b>Subindex</b>	<b>4</b>
<b>Description</b>	FBUS.COMPTIME
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	150 [ns]

Sub 4 value indicates the time, which is used for extending or lowering the sample rate of the AKD internal 16[kHz] IRQ, which is responsible for calling the PLL function. The default sample time is  $32 * 1/16[\text{kHz}] = 2[\text{ms}]$ .

The sample time of the AKD high prior interrupt is determined by  $62.5[\mu\text{s}] - \text{FBUS.COMPTIME}$  if  $\text{FBUS.SYNCACT} > \text{FBUS.SYNCDIST}$ .

The sample time of the AKD high prior interrupt is determined by  $62.5[\mu\text{s}] + \text{FBUS.COMPTIME}$  if  $\text{FBUS.SYNCACT} < \text{FBUS.SYNCDIST}$ .

## 6.2.3 Profile specific objects

### 6.2.3.1 Object 60B8h: Touch probe function

This object indicates the configured function of the touch probe.

<b>Index</b>	<b>60B8h</b>
<b>Name</b>	Touch probe function
<b>Object code</b>	Variable
<b>Data type</b>	UNSIGNED16
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO Mapping</b>	yes
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0

Definition of the possible functions:

Bit	Value	Meaning
0	0	Switch off touch probe 1
	1	Enable touch probe 1
1	0	Trigger first event
	1	Continuous
3, 2	00b*	Trigger with touch probe 1 input
	01b	Trigger with zero impulse signal or position encoder
	10b	Touch probe source as defined in object 60D0h, sub-index 01h
	11b	reserved
4	0	Switch off sampling at positive edge of touch probe 1
	1	Enable sampling at positive edge of touch probe 1
5	0	Switch off sampling at negative edge of touch probe 1
	1	Enable sampling at negative edge of touch probe 1
6, 7	-	User-defined (e.g. for testing)
8	0	Switch off touch probe 2
	1	Enable touch probe 2
9	0	Trigger first event
	1	continuous
11, 10	00b	Trigger with touch probe 2 input
	01b	Trigger with zero impulse signal or position encoder
	10b	Touch probe source as defined in object 60D0h, sub-index 02h
	11b	reserved
12	0	Switch off sampling at positive edge of touch probe 2
	1	Enable sampling at positive edge of touch probe 2
13	0	Switch off sampling at negative edge of touch probe 2
	1	Enable sampling at negative edge of touch probe 2
14, 15	-	User-defined (e.g. for testing)

\* b = binary

If both edges are selected at the same time (bit 4=1 and bit 5=1 for probe 1 or bit 12=1 and bit 13=1 for probe 2), the first edge (positive or negative) triggers the probe function. The position, latched at this edge, is taken over for both edges (positive and negative).

### 6.2.3.2 Object 60B9h: Touch probe status

This object indicates the status of the touch probe.

<b>Index</b>	<b>60B9h</b>
<b>Name</b>	Touch probe status
<b>Object code</b>	Variable
<b>Data type</b>	UNSIGNED16
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO Mapping</b>	yes
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0

Definition of the status:

Bit	Value	Meaning
0	0	Touch probe 1 is switched off
	1	Touch probe 1 is enabled
1	0	Touch probe 1 no positive edge value stored
	1	Touch probe 1 positive edge position stored
2	0	Touch probe 1 no negative edge value stored
	1	Touch probe 1 negative edge position stored
3 to 5	0	reserved
6, 7	-	User-defined (e.g. for testing)
8	0	Touch probe 2 is switched off
	1	Touch probe 2 is enabled
9	0	Touch probe 2 no positive edge value stored
	1	Touch probe 2 positive edge position stored
10	0	Touch probe 2 no negative edge value stored
	1	Touch probe 2 negative edge position stored
11 to 13	0	reserved
14, 15	-	User-defined (e.g. for testing)

### 6.2.3.3 Object 60BAh: Touch probe 1 positive edge

This object provides the position value of the touch probe 1 at positive edge.

<b>Index</b>	<b>60BAh</b>
<b>Name</b>	Touch probe 1 positive edge
<b>Object code</b>	Variable
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO Mapping</b>	yes
<b>Value range</b>	INTEGER32
<b>Default value</b>	no

### 6.2.3.4 Object 60BBh: Touch probe 1 negative edge

This object provides the position value of the touch probe 1 at negative edge.

<b>Index</b>	<b>60BBh</b>
<b>Name</b>	Touch probe 1 negative edge
<b>Object code</b>	Variable
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO Mapping</b>	yes
<b>Value range</b>	INTEGER32
<b>Default value</b>	no

### 6.2.3.5 Object 60BCh: Touch probe 2 positive edge

This object provides the position value of the touch probe 2 at positive edge.

<b>Index</b>	<b>60BCh</b>
<b>Name</b>	Touch probe 2 positive edge
<b>Object code</b>	Variable
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO Mapping</b>	yes
<b>Value range</b>	INTEGER32
<b>Default value</b>	no

### 6.2.3.6 Object 60BDh: Touch probe 2 negative edge

This object provides the position value of the touch probe 2 at negative edge.

<b>Index</b>	<b>60BDh</b>
<b>Name</b>	Touch probe 2 negative edge
<b>Object code</b>	Variable
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO Mapping</b>	yes
<b>Value range</b>	INTEGER32
<b>Default value</b>	no

### 6.2.3.7 Object 60D0h: Touch probe source

This object provides the source of the touch probe function, when the dedicated bits 2/3 or 10/11 of the touch probe function (object 60B8h) are set accordingly.

<b>Index</b>	<b>60D0h</b>
<b>Name</b>	Touch probe source
<b>Object code</b>	Array
<b>Data type</b>	Integer 16
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	Highest sub-index supported
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	2
<b>Default value</b>	2
<b>Subindex</b>	<b>1</b>
<b>Description</b>	Touch probe 1 source
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	-11 to -1, 1 to 5
<b>Default value</b>	1
<b>Subindex</b>	<b>2</b>
<b>Description</b>	Touch probe 2 source
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	-11 to -1, 1 to 5
<b>Default value</b>	1

### 6.2.3.8 Object 60FDh: Digital inputs (DS402)

This index defines simple digital inputs for drives. The manufacturer bits 16 to 22 are used to mirror the digital inputs 1 to 7. The manufacturer bits 24 to 30 are used to show the change of the state of the digital inputs 1 to 7.

<b>Index</b>	<b>60FDh</b>
<b>Name</b>	digital inputs
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	0

31	16	15	4	3	2	1	0
manufacturer specific		reserved		interlock	home switch	pos. limit switch	neg. limit switch
MSB							LSB

### 6.2.3.9 Object 60FEh: Digital outputs (DS402)

This index defines simple digital outputs for drives. The manufacturer bits 16 and 17 are used to mirror the digital outputs 1 and 2.

<b>Index</b>	<b>60FEh</b>					
<b>Name</b>	digital outputs					
<b>Object code</b>	Array					
<b>Data type</b>	UNSIGNED32					
<b>Category</b>	optional					
<b>Subindex</b>	<b>0</b>					
<b>Description</b>	number of entries					
<b>Category</b>	mandatory					
<b>Access</b>	R/O					
<b>PDO mapping</b>	not possible					
<b>Value range</b>	2					
<b>Default value</b>	2					
<b>Subindex</b>	<b>1</b>					
<b>Description</b>	physical outputs					
<b>Category</b>	mandatory					
<b>Access</b>	R/W					
<b>PDO mapping</b>	possible					
<b>Value range</b>	UNSIGNED32					
<b>Default value</b>	0					
<b>Subindex</b>	<b>2</b>					
<b>Description</b>	bit mask					
<b>Category</b>	optional					
<b>Access</b>	R/W					
<b>PDO mapping</b>	not possible					
<b>Value range</b>	UNSIGNED32					
<b>Default value</b>	0					
31	18	17	16	15	1	0
manufacturer specific		DOUT2	DOUT1	reserved	set brake	
MSB						LSB

### 6.2.3.10 Object 6502h: Supported drive modes (DS402)

A drive can support more than one and several distinct modes of operation. This object gives an overview of the implemented operating modes in the device. This object is read only.

<b>Index</b>	<b>6502h</b>
<b>Name</b>	supported drive modes
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	0xE5 (csp ip hm pv pp)

31	16	15	11	10	9	8	7	6	5	4	3	2	1	0
manufacturer specific		reserved	cstca	cst	csv	csp	ip	hm	reserved	tq	pv	vl	pp	
MSB														LSB

## 6.3 PDO Configuration

PDOs are used for process data communication.

There are two types of PDOs: Receive PDOs (RPDOs) and transmit PDOs (TPDOs).

The content of the PDOs is pre-defined (→ p. 83 and → p. 86). If the data content is not appropriate for a special application the data objects in the PDOs can be remapped freely.

One data entry in the PDOs looks like this:

MSB		LSB
index (16 bit)	Subindex (8 bit)	data length in bits (8 bit)

The configuration procedure for a free mapping of a PDO looks like this (example for TPDO1):

1. Stop possible transmission of the PDO.

COB-ID	Control byte	Index		Sub-index	Data	Comment
		Low byte	High byte			
601	23	00	18	01h	81 01 00 C0	Switch-off COB-Id

2. Delete the actual mapping of the PDO by writing a 0 to the subindex 0 of the mapping Object.

COB-ID	Control byte	Index		Sub-index	Data	Comment
		Low byte	High byte			
601	2F	00	1A	00h	00 00 00 00	Delete actual mapping

3. Build the mapping with object dictionary objects (→ p. 122) which are mappable, e.g.

COB-ID	Control byte	Index		Sub-index	Data	Comment
		Low byte	High byte			
601	23	00	1A	01h	10 00 41 60	1st entry: CANopen statusword with 16 bits
601	23	00	1A	02h	20 00 02 10	2nd entry: Manufacturer status with 32 bits

4. Write the number of mapped objects to subindex 0 of the mapping Object.

COB-ID	Control byte	Index		Sub-index	Data	Comment
		Low byte	High byte			
601	2F	00	1A	00h	02 00 00 00	Check for the right number of entries

Mapping shall be done before the network management is switched to OPERATIONAL.

### 6.3.1 Receive PDOs (RXPDO)

Four Receive PDOs can be configured in the drive:

- configuration of the communication (Objects 1400-1403h)
- configuration of the PDO-contents (mapping, Objects 1600-1603h)

#### 6.3.1.1 Objects 1400-1403h: 1st - 4th RXPDO communication parameter (DS301)

1400h to 1403h for RXPDO 1 to 4

<b>Index</b>	1400h 1401h 1402h 1403h
<b>Name</b>	receive PDO parameter
<b>Object code</b>	RECORD
<b>Data type</b>	PDO CommPar
<b>Category</b>	mandatory

Defined sub-indices

<b>Subindex</b>	<b>0</b>	
<b>Name</b>	number of entries	
<b>Data type</b>	UNSIGNED8	
<b>Category</b>	mandatory	
<b>Access</b>	R/O	
<b>PDO Mapping</b>	not possible	
<b>Value Range</b>	2	
<b>Default Value</b>	2	
<b>Subindex</b>	<b>1</b>	
<b>Name</b>	COB-ID used by PDO	
<b>Category</b>	mandatory	
<b>Access</b>	R/W	
<b>PDO Mapping</b>	not possible	
<b>Value Range</b>	UNSIGNED32	
<b>Default Value</b>	Index 1400h: 200h + Node-ID Index 1402h: 400h + Node-ID	Index 1401h: 300h + Node-ID Index 1403h: 500h + Node-ID

Subindex 1 contains the COB-Id of the PDO as a bit coded information:

Bit	Value	Meaning
31	0	PDO exists/is valid
	1	PDO does not exist/is not valid
30	0	RTR allowed on this PDO, not to be used (Can in Automation organisation)
	1	RTR not allowed on this PDO
29	0	11 bit-ID (CAN 2.0A)
	1	29 bit-ID (CAN 2.0B), not supported
28 to 11	X	Identifier-bits with 29 bit-ID, not relevant
10 to 0	X	Bits 10-0 of COB-ID

<b>Subindex</b>	<b>2</b>
<b>Name</b>	transmission type
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED8
<b>Default Value</b>	FFh

Subindex 2 contains the transmission type of the PDO. There are two ways of setting:

- the value FFh or 255 for event-triggered PDO, which is directly interpreted by reception and taken into actions,
- values from 0 to 240, which cause a SYNC-telegram-controlled interpretation of the PDO contents. Values of 1 to 240 mean, that 0 to 239 SYNC-telegrams are ignored, before one is interpreted. The value 0 means, that only the next SYNC-telegram is interpreted.

#### 6.3.1.2 Objects 1600-1603h: 1st - 4th RXPDO mapping parameter (DS301)

1600h to 1603h for RXPDO 1 to 4.

<b>Index</b>	<b>1600h 1601h 1602h 1603h</b>
<b>Name</b>	receive PDO mapping
<b>Object Code</b>	RECORD
<b>Data Type</b>	PDO Mapping
<b>Category</b>	mandatory
<b>Subindex</b>	<b>0</b>
<b>Name</b>	number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	0: PDO is not active 1 - 8: PDO activated, mappings are taken only byte-wise
<b>Default Value</b>	PDO1: 1 PDO2: 2 PDO3: 2 PDO4: 2
<b>Subindex</b>	<b>1 - 8</b>
<b>Name</b>	PDO - mapping for the n-th application object
<b>Category</b>	Conditional, depends on number and size of object be mapped
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED32
<b>Default Value</b>	See below

### 6.3.1.3 Default RXPDO definition

RXPDO 1:

Subindex	Value	Meaning
0	1	One PDO-mapping entry
1	60 40 00 10	Control word

RXPDO 2:

Subindex	Value	Meaning
0	2	Two PDO-mapping entries
1	60 40 00 10	Control word
2	60 60 00 08	Modes of Operation

RXPDO 3:

Subindex	Value	Meaning
0	2	Two PDO-mapping entries
1	60 40 00 10	Control word
2	60 7A 00 20	Target Position (Mode PP)

RXPDO 4:

Subindex	Value	Meaning
0	2	Two PDO-mapping entries
1	60 40 00 10	Control word
2	60 FF 00 20	Target Velocity (Mode PV)

### 6.3.2 Transmit PDOs (TXPDO)

Four Transmit PDOs can be configured in the drive:

- configuration of the communication (Objects 1800-1803h)
- configuration of the PDO-contents (mapping, Objects 1A00-1A03h)

#### 6.3.2.1 Objects 1800-1803h: 1st - 4th TXPDO communication parameter (DS301)

1800h to 1803h for TXPDO 1 to 4.

<b>Index</b>	1800h 1801h 1802h 1803h
<b>Name</b>	transmit PDO parameter
<b>Object code</b>	RECORD
<b>Data type</b>	PDO CommPar
<b>Category</b>	mandatory
<b>Subindex</b>	0
<b>Name</b>	number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	5
<b>Default Value</b>	5
<b>Subindex</b>	1
<b>Name</b>	COB-ID used by PDO
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED32
<b>Default Value</b>	Index 1800h: 180h + Node-ID Index 1801h: 280h + Node-ID Index 1802h: 380h + Node-ID Index 1803h: 480h + Node-ID
<b>Subindex</b>	2
<b>Name</b>	transmission type
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED8
<b>Default Value</b>	FFh
<b>Subindex</b>	3
<b>Name</b>	inhibit time
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED16 (n*1/10ms)
<b>Default Value</b>	0h

<b>Subindex</b>	<b>4</b>
<b>Name</b>	reserved
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	0
<b>Default Value</b>	0
<b>Subindex</b>	<b>5</b>
<b>Name</b>	event timer
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED16 (0=not used, ms)
<b>Default Value</b>	0h

Subindex 1 contains the COB-Id of the PDO as a bit coded information:

Bit-Number	Value	Meaning
31	0	PDO exists/is valid
	1	PDO does not exist/is not valid
30	0	RTR allowed on this PDO, not supported
	1	RTR not allowed on this PDO, not supported
29	0	11 bit-ID (CAN 2.0A)
	1	29 bit-ID (CAN 2.0B), not supported
28 to 11	X	Identifier-bits with 29 bit-ID, not relevant
10 to 0	X	Bits 10-0 of COB-ID

Subindex 2 contains the transmission type of the PDO. There are two ways of setting:

- A value of FFh or 255d for an event-triggered PDO, which is sent immediately after a change in the mapped application objects. Setting of Subindex 3 or 5 has an influence on the sending of a PDO. With Subindex 3 you can configure, in which minimal time the so configured Transmit-PDOs are sent, if PDO-data contents change (reduction of bus-load). With Subindex 5 (event time) a timer is used, which is reset with every event-triggered sending of this PDO. If there is no change of the PDO-content in this time, the PDO is sent caused by this timer event.
- Values from 0 to 240 cause a SYNC-Telgram controlled sending of the PDO. Values from 1 to 240 define how often the SYNC-telgram leads to a sending of a PDO. The value 0 means, that only the next SYNC-telgram leads to a sending of the so configured PDOs.

### 6.3.2.2 Objects 1A00-1A03h: 1st - 4th TXPDO mapping parameter (DS301)

1A00h to 1A03h for TXPDO 1 to 4.

<b>Index</b>	<b>1A00h</b> <b>1A01h</b> <b>1A02h</b> <b>1A03h</b>
<b>Name</b>	transmit PDO mapping
<b>Object Code</b>	RECORD
<b>Data Type</b>	PDO Mapping
<b>Category</b>	mandatory
<b>Subindex</b>	<b>0</b>
<b>Name</b>	number of mapped application objects in PDO
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	0: PDO is not active 1 - 8: PDO activated, mappings are taken only byte-wise
<b>Default Value</b>	PDO1: 1 PDO2: 2 PDO3: 2 PDO4: 2
<b>Subindex</b>	<b>1 - 8</b>
<b>Name</b>	PDO - mapping for the n-th application object
<b>Category</b>	Conditional, depends on number and size of object be mapped
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED32
<b>Default Value</b>	See below

### 6.3.2.3 Default TXPDO definition

TXPDO 1:

Subindex	Value	Meaning
0	1	One PDO-mapping entry
1	60 41 00 10	Status word

TXPDO 2:

Subindex	Value	Meaning
0	2	Two PDO-mapping entries
1	60 41 00 10	Status word
2	60 61 00 08	Modes of Operation display

TXPDO 3:

Subindex	Value	Meaning
0	2	Two PDO-mapping entries
1	60 41 00 10	Status word
2	60 64 00 20	Position actual value

TXPDO 4:


Subindex	Value	Meaning
0	2	Two PDO-mapping entries
1	60 41 00 10	Status word
2	60 6C 00 20	Velocity actual value

## 6.4 Device Control (dc)

The device control of the AKD can be used to carry out all the motion functions in the corresponding modes. The control of the AKD is implemented through a mode-dependent status machine. The status machine is controlled through the control word (→ p. 92).

The mode setting is made through the object "Modes of Operation" (→ p. 95). The states of the status machine can be revealed by using the status word (→ p. 93).

### 6.4.1 Status Machine (DS402)



#### 6.4.1.1 States of the Status Machine

State	Description
Not Ready for Switch On	AKD is not ready to switch on, there is no operational readiness (BTB/RTO) signaled from the controller program.
Switch On Disable	AKD is ready to switch on, parameters can be transferred, the DC-link voltage can be switched on, motion functions cannot be carried out yet.
Ready to Switch On	DC-link voltage may be switched on, parameters can be transferred, motion functions cannot be carried out yet.
Switched On	DC-link voltage must be switched on, parameters can be transferred, motion functions cannot be carried out yet, output stage is switched on (enabled).
Operation Enable	No fault present, output stage and motion functions are enabled.
Quick Stop Active	Drive has been stopped with the emergency ramp, output stage is enabled, motion functions are not enabled.
Fault Reaction Active	A fault has occurred, the drive is stopped with the quickstop ramp.
Fault	A fault is active, the drive has been stopped and disabled.

### 6.4.1.2 Transitions of the status machine

The state transitions are affected by internal events (e.g. switching off the DC-link voltage) and by the flags in the control word (bits 0,1,2,3,7).

Trans- ition	Event	Action
0	Reset	Initialization
1	Initialization completed successfully. AKD is ready to operate.	none
2	Bit 1 Disable Voltage and Bit 2 Quick Stop are set in the control word (Shutdown com- mand). DC-link voltage may be present.	none
3	Bit 0 is also set (Switch On)	Output stage is switched on (enabled), provided that the hardware enable is present (logical AND). Drive has torque.
4	Bit 3 is also set (Enable Operation)	Motion function is enabled, depending on the mode that is set.
5	Bit 3 is canceled (Disable Operation)	Motion function is inhibited. Drive is stopped, using the relevant ramp (mode-dependent). The present posi- tion is maintained.
6	Bit 0 is canceled (Shutdown)	Output stage is disabled. Drive has no torque.
7	Bits 1 and 2 are canceled (Quick Stop/Disable Voltage)	none
8	Bit 0 is canceled (Shutdown)	Output stage is disabled. No torque.
9	Bit 1 is canceled (Disable Voltage)	Output stage is disabled. No torque.
10	Bits 1 and 2 are canceled (Quick Stop/Disable Voltage)	Output stage is disabled. No torque.
11	Bit 2 is canceled (Quick Stop)	Drive is stopped with the emergency braking ramp. The output stage remains enabled. Setpoints are canceled (motion block number, digital setpoint, speed for jogging or homing). Bit 2 must be set again to perform any further motion.
12	Bit 1 is canceled (Disable Voltage)	Output stage is disabled. No torque.
13	Fault reaction active	Execute appropriate fault reaction
14	Fault reaction is completed	Drive function is disabled. The power section may be switched off.
15	"Fault Reset" command received from host	A reset of the fault condition is carried out if no fault exists currently on the drive. After leaving the state Fault the Bit7 'Reset Fault' of the controlword must be cleared by the host.
16	Bit 2 is set	Motion function is enabled again.

**NOTE**

If the drive is operated through the control word/status word, then no control commands may be sent through another communication channel (ASCII channel, RS232).

## 6.4.2 Object Description

### 6.4.2.1 Object 6040h: Control word (DS402)

The control commands are built up from the logical combination of the bits in the control word and external signals (e.g enable output stage). The definitions of the bits are shown below:

<b>Index</b>	6040h
<b>Name</b>	control word
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED16
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Unit</b>	—
<b>Value range</b>	0 to 65535
<b>EEPROM</b>	no
<b>Default value</b>	0

#### Bit assignment im control word

Bit	Name	Bit	Name
0	Switch on	8	Pause/halt
1	Disable Voltage	9	reserved
2	Quick Stop	10	reserved
3	Enable Operation	11	reserved
4	Operation mode specific	12	reserved
5	Operation mode specific	13	Manufacturer-specific
6	Operation mode specific	14	Manufacturer-specific
7	Reset Fault (only effective for faults)	15	Manufacturer-specific

#### Commands in the control word

Command	Bit 7 Fault Reset	Bit 3 Enable Operation	Bit 2 Quick Stop	Bit 1 Disable Voltage	Bit 0 Switch on	Transitions
Shutdown	X	X	1	1	0	2, 6, 8
Switch on	X	X	1	1	1	3
Disable Voltage	X	X	X	0	X	7, 9, 10, 12
Quick Stop	X	X	0	1	X	7, 10, 11
Disable Operation	X	0	1	1	1	5
Enable Operation	X	1	1	1	1	4, 16
Fault Reset	1	X	X	X	X	15

Bits marked by an X are irrelevant.

### Mode-dependent bits in the control word

The following table shows the mode-dependent bits in the control word. Only manufacturer-specific modes are supported at present. The individual modes are set by Object 6060<sub>h</sub> Modes of operation.

Operation mode	No.	Bit 4	Bit 5	Bit 6
<b>Profile Position Mode (pp)</b>	01h	new_setpoint	change_set_immediately	absolute/relative
<b>Profile Velocity Mode (pv)</b>	03h	reserved	reserved	reserved
<b>Profile Torque Mode (tq)</b>	04h	reserved	reserved	reserved
<b>Homing Mode (hm)</b>	06h	homing_operation_start	reserved	reserved
<b>Interpolated Position Mode (ip)</b>	07h	Enable Interpolation	reserved	reserved
<b>Cyclic sync position Mode (csp)</b>	08h	reserved	reserved	reserved

Description of the remaining bits in the control word

The remaining bits in the control word are described below.

**Bit 8 Pause** If Bit 8 is set, then the drive halts (pauses) in all modes. The setpoints (speed for homing or jogging, motion task number, setpoints for digital mode) for the individual modes are retained.

**Bit 9,10** These bits are reserved for the drive profile (DS402).

**Bit 13, 14, 15** These bits are manufacturer-specific, and reserved at present.

#### 6.4.2.2 Object 6041h: Status word (DS402)

The momentary state of the status machine can be read out with the aid of the status word.

<b>Index</b>	6041h
<b>Name</b>	Status word
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED16
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Unit</b>	—
<b>Value range</b>	0 to 65535
<b>EEPROM</b>	yes
<b>Default value</b>	0

#### Bit assignment in the status word

Bit	Name	Bit	Name
0	Ready to switch on	8	Manufacturer-specific (reserved)
1	Switched on	9	Remote
2	Operation enabled	10	Target reached
3	Fault	11	Internal limit active
4	Voltage enabled	12	Operation mode specific (reserved)
5	Quick stop	13	Operation mode specific (reserved)
6	Switch on disabled	14	Manufacturer-specific (reserved)
7	Warning	15	Manufacturer-specific (reserved)

**States of the status machine**

State	Bit 6 switch on disabled	Bit 5 quick stop	Bit 3 fault	Bit 2 operation enabled	Bit 1 switched on	Bit 0 ready to switch on
Not ready to switch on	0	X	0	0	0	0
Switch on disabled	1	X	0	0	0	0
Ready to switch on	0	1	0	0	0	1
Switched on	0	1	0	0	1	1
Operation enabled	0	1	0	1	1	1
Fault	0	X	1	0	0	0
Fault reaction active	0	X	1	1	1	1
Quick stop active	0	0	0	1	1	1

Bits marked by X are irrelevant

Description of the remaining bits in the status word

**Bit 4:** voltage\_enabled The DC-link voltage is present if this bit is set.

**Bit 7:** warning There are several possible reasons for Bit 7 being set and this warning being produced. The reason of a warning can be seen by the Error code of the Emergency message, which is sent on the bus caused by this warning.

**Bit 9:** The remote-bit is set by the telnet command FBUS.REMOTE. The default state is 1 indicating that the power stage shall be only controlled by the DS402 control word. For special actions via telnet like tuning or commutation finding, FBUS.REMOTE shall be set to 0 via telnet to inform the fieldbus master.

**Bit 10:** target\_reached This is set when the drive has reached the target position.

**Bit 11:** internal\_limit\_active This bit specifies that a movement was or is limited. In different modes, different warnings cause the bit to be set. The following assignments exist:

Mode of operation	Warnings which set Bit 11
all	n04, n06, n07, n10, n11, n14
0x1 (PP), 0x88	n03, n08, n09, n20

#### 6.4.2.3 Object 6060h: Modes of Operation (DS402)

This object is used to set the mode, which can be read out by Object 6061h. Two types of operating mode are used:

- manufacturer-specific operating modes
- operating modes as per CANopen drive profile DS402

These operating modes are defined in the CANopen drive profile DS402. After the mode has been changed, the corresponding setpoint must be set once more (for instance, the homing velocity in the mode homing\_setpoint). If the position or jogging mode is stored, then the Homing mode is set after a RESET of the drive.

**NOTE**

An operating mode only becomes valid when it can be read by Object 6061h.



**WARNING**

Never change the mode while the motor is running! The drive could move unexpectedly. When the drive is enabled, a mode change is only permissible at zero speed. Set the speed setpoint to 0 before changing over.

<b>Index</b>	<b>6060h</b>
<b>Name</b>	mode of operation
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER8
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Value range</b>	1, 3, 4, 6, 7, 8
<b>Default value</b>	—

Supported modes (negative values are manufacturer specific modes):

Value (hex)	Mode
1	Profile position mode
3	Profile velocity mode
4	Profile torque mode
6	Homing mode
7	Interpolated position mode
8	Cyclic synchronous position mode

#### 6.4.2.4 Object 6061h: Modes of Operation Display (DS402)

This object can be used to read the mode that is set by Object 6060h. An operating mode only becomes valid when it can be read by Object 6061h (see also Object 6060h).

<b>Index</b>	6061h
<b>Name</b>	mode of operation display
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	1, 3, 4, 6, 7, 8
<b>Default value</b>	—

## 6.5 Factor Groups (fg) (DS402)

The "factor groups" define the units of position-, velocity- and acceleration setpoints. These values are converted into drive-specific parameters.

Two types of scalings can be used depending on the configuration bit 4 in FBUS.PARAM05:

1. Scaling analog to Telnet. Then you should set the UNIT.PROTARY = 3, UNIT.VROTARY = 3 and  
UNIT.ACRCOTARY = 3.
2. Scaling only with DS402 - scaling factors independent of the scalings used via Telnet.  
Therefore use the settings via the objects 204C / 6091/6092.

#### NOTE

The drive parameters for the unit definitions should be set as follows:

UNIT.PROTARY= 3 (UNIT.PIN/UNIT.POUT)

UNIT.VROTARY = 3 (UNIT.PIN/UNIT.POUT/s)

UNIT.ACRCOTARY = 3 (c UNIT.PIN/UNIT.POUT/s<sup>2</sup>)

## 6.5.1 General Information

### 6.5.1.1 Factors

You can convert between physical dimensions and sizes, and the internal units used in the device (increments). Several factors can be implemented. This chapter describes how these factors influence the system, how they are calculated and which data are necessary to build them.

### 6.5.1.2 Relationship between Physical and Internal Units

The factors defined in the factor group set up a relationship between device-internal units (increments) and physical units.

The factors are the result of the calculation of two parameters called dimension index and notation index. The dimension index indicates the physical dimension, the notation index indicates the physical unit and a decimal exponent for the values. These factors are directly used to normalize the physical values.

The notation index can be used in two ways:

- For a unit with decimal scaling and notation index < 64, the notation index defines the exponent/decimal place of the unit.
- For a unit with non-decimal scaling and notation index > 64, the notation index defines the subindex of the physical dimension of the unit.

## 6.5.2 Objects for velocity scaling

### 6.5.2.1 Object 204Ch: PV Scaling Factor

This object shall indicate the configured numerator and denominator of the pv scaling factor. The pv scaling factor serves to modify the resolution or direct range of the specified set-point. It is also included in calculation of the vl velocity demand, and vl velocity actual value. It does not influence the velocity limit function and the ramp function. The value shall have no physical unit and shall be given in the range from -32 768 to +32 767, but the value of 0 shall not be used.

The velocity scaling factor is only active, when bit 4 of FBUS.PARAM05 is set to 1. Otherwise velocities are scaled as 1/1000 rpm.

<b>Index</b>	<b>204Ch</b>
<b>Name</b>	pv scaling factor
<b>Object code</b>	ARRAY
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	2
<b>Default value</b>	no
<b>Subindex</b>	<b>1</b>
<b>Description</b>	pv scaling factor numerator
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	INTEGER32
<b>Default value</b>	+1
<b>Subindex</b>	<b>2</b>
<b>Description</b>	pv scaling factor denominator
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	INTEGER32
<b>Default value</b>	+1

### 6.5.3 Objects for position calculation

#### 6.5.3.1 Object 608Fh: Position encoder resolution (DS402)

The position encoder resolution defines the ratio of encoder increments per motor revolution on the CANopen end. Encoder increments are set either directly by subindex 1 (only powers of 2 available) or implicit by writing to the parameter FB1.PSCALE.

<b>Index</b>	<b>608Fh</b>
<b>Name</b>	Position encoder resolution
<b>Object Code</b>	ARRAY
<b>Data Type</b>	UNSIGNED 32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Name</b>	number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	2
<b>Default Value</b>	2
<b>Subindex</b>	<b>1</b>
<b>Name</b>	Encoder increments
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED 32
<b>Default Value</b>	$2^{20}$
<b>Subindex</b>	<b>2</b>
<b>Name</b>	Motor revolutions
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED 32
<b>Default Value</b>	1

### 6.5.3.2 Object 6091h: Gear Ratio (DS402)

The gear ratio defines the ratio of feed in position units per driving shaft revolutions. This includes the gear if present.

gear ratio = motor shaft revolutions / driving shaft revolutions

<b>Index</b>	<b>6091h</b>
<b>Name</b>	Gear Ratio
<b>Object Code</b>	ARRAY
<b>Data Type</b>	UNSIGNED 32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Name</b>	number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	2
<b>Default Value</b>	2
<b>Subindex</b>	<b>1</b>
<b>Name</b>	Motor revolution
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED 32
<b>Default Value</b>	1
<b>Subindex</b>	<b>2</b>
<b>Name</b>	Shaft revolutions
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED 32
<b>Default Value</b>	1

### 6.5.3.3 Object 6092h: Feed constant (DS402)

The feed constant defines the ratio of feed in position units per driving shaft revolutions.  
This includes the gear if present.

<b>Index</b>	<b>6092h</b>
<b>Name</b>	Feed constant
<b>Object Code</b>	ARRAY
<b>Data Type</b>	UNSIGNED 32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Name</b>	number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	2
<b>Default Value</b>	2
<b>Subindex</b>	<b>1</b>
<b>Name</b>	Feed
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED 32
<b>Default Value</b>	1
<b>Subindex</b>	<b>2</b>
<b>Name</b>	Shaft revolutions
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO Mapping</b>	not possible
<b>Value Range</b>	UNSIGNED 32
<b>Default Value</b>	1

## 6.6 Profile Velocity Mode (pv) (DS402)

### 6.6.1 General Information

The profile velocity mode enables the processing of velocity setpoints and the associated accelerations.

#### 6.6.1.1 Objects that are defined in this section

Index	Object	Name	Type	Access
606Ch	VAR	velocity actual value	INTEGER32	R/O
60FFh	VAR	target velocity	INTEGER32	R/W

#### 6.6.1.2 Objects that are defined in other sections

Index	Object	Name	Type	Section
6040h	VAR	control word	INTEGER16	dc (→ p. 92)
6041h	VAR	status word	UNSIGNED16	dc (→ p. 93)
6063h	VAR	position actual value*	INTEGER32	pc (→ p. 105)
6083h	VAR	profile acceleration	UNSIGNED32	pp (→ p. 118)
6084h	VAR	profile deceleration	UNSIGNED32	pp (→ p. 118)

### 6.6.2 Object description

#### 6.6.2.1 Object 606Ch: Velocity actual value (DS402)

The object velocity actual value represents the actual speed.

<b>Index</b>	<b>606Ch</b>
<b>Name</b>	velocity actual value, VL.FB
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Mode</b>	pv
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Unit</b>	velocity units (SDO is in user units and the PDO is in RPM)
<b>Value range</b>	(-2 <sup>31</sup> ) to (2 <sup>31</sup> -1)
<b>Default value</b>	—
<b>Float scaling</b>	1000:1
<b>EEPROM</b>	no

### 6.6.2.2 Object 60FFh: Target velocity (DS402)

The speed setpoint (target velocity) represents the setpoint for the ramp generator.

<b>Index</b>	60FFh
<b>Name</b>	target velocity, VL.CMDU
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Mode</b>	pv
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Unit</b>	increments
<b>Value range</b>	(-2 <sup>31</sup> ) to (2 <sup>31</sup> -1)
<b>Default value</b>	—
<b>Float scaling</b>	1000:1
<b>EEPROM</b>	no

## 6.7 Profile Torque Mode (tq) (DS402)

### 6.7.1 General Information

The profile torque mode enables the processing of torque setpoints and the associated current.

#### 6.7.1.1 Objects that are defined in this section

Index	Object	Name	Type	Access
2071h	VAR	Target current	INTEGER32	R/W
2077h	VAR	Current actual value	INTEGER32	R/O
6071h	VAR	Target torque	INTEGER16	R/W
6073h	VAR	Max current	UNSIGNED16	R/W
6077h	VAR	Torque actual value	INTEGER16	R/O

#### 6.7.1.2 Objects that are defined in other sections

None.

### 6.7.2 Object description

#### 6.7.2.1 Object 2071h: Target Current

This parameter can be used alternatively to the DS402 parameter 6071h and is the input to the torque controller. The value is scaled in mA (milli Amperes).

<b>Index</b>	2071h
<b>Name</b>	Target current
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER 32
<b>Category</b>	optional
<b>Access</b>	RW
<b>PDO mapping</b>	possible
<b>Value range</b>	depends on DRV.IPEAK and MOTOR.IPEAK
<b>Default value</b>	0

### 6.7.2.2 Object 2077h: Current Actual Value

This parameter can be used alternatively to the DS402 parameter 6077h. The value is scaled in mA (milli Amperes).

<b>Index</b>	<b>2077h</b>
<b>Name</b>	Current actual value
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER 32
<b>Category</b>	optional
<b>Access</b>	RO
<b>PDO mapping</b>	possible
<b>Value range</b>	depends on DRV.IPEAK and MOTOR.IPEAK
<b>Default value</b>	0

### 6.7.2.3 Object 6071h: Target torque (DS402)

This parameter is the input value for the torque controller in profile torque mode and the value is given per thousand (1%) of rated torque.

<b>Index</b>	<b>6071h</b>
<b>Name</b>	Target torque
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER16
<b>Category</b>	conditional; mandatory, if tq supported
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER16
<b>Default value</b>	0

### 6.7.2.4 Object 6073h: Max current (DS402)

This value represents the maximum permissible torque creating current in the motor and is given per thousand (1%) of rated current.

<b>Index</b>	<b>6073h</b>
<b>Name</b>	Max current
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED16
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0

### 6.7.2.5 Object 6077h: Torque actual value (DS402)

The torque actual value corresponds to the instantaneous torque in the drive motor. The value is given per thousand (1‰) of rated torque.

<b>Index</b>	6077h
<b>Name</b>	Torque actual value
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER16
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER16
<b>Default value</b>	0

## 6.8 Position Control Function (pc) (DS402)

### 6.8.1 General Information

This section describes the actual position values that are associated with the position controller of the drive. They are used for the profile position mode.

#### 6.8.1.1 Objects that are defined in this section

Index	Object	Name	Type	Access
6063h	VAR	position actual value*	INTEGER32	r
6064h	VAR	position actual value	INTEGER32	r
6065h	VAR	following error window	UNSIGNED32	R/W

#### 6.8.1.2 Objects that are defined in other sections

Index	Object	Name	Type	Section
607Ah	VAR	target position	INTEGER32	pp (→ p. 116)
607Ch	VAR	home-offset	INTEGER32	hm (→ p. 112)
607Dh	ARRAY	software position limit	INTEGER32	pp (→ p. 117)
6040h	VAR	control word	INTEGER16	dc (→ p. 92)
6041h	VAR	status word	UNSIGNED16	dc (→ p. 93)

### 6.8.2 Object Description

#### 6.8.2.1 Object 6063h: position actual value\* (DS402)

The object position actual value provides the momentary actual position in increments. The resolution is defined with Object 608F as power-of-two number.

<b>Index</b>	6063h
<b>Name</b>	position actual value
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Mode</b>	pc, pp
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Unit</b>	increments (1 turn = $2^{PRBASE}$ )
<b>Value range</b>	(- $2^{31}$ ) to ( $2^{31}-1$ )
<b>Default value</b>	$2^{20}$
<b>EEPROM</b>	no

### 6.8.2.2 Object 6064h: position actual value (DS402)

The object position actual value provides the actual position. The resolution can be altered by the gearing factors of the position controller (Object 6091/6092).

<b>Index</b>	<b>6064h</b>
<b>Name</b>	position actual value, PL.FB
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Mode</b>	pp, csp
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Unit</b>	position units
<b>Value range</b>	(-2 <sup>31</sup> ) to (2 <sup>31</sup> -1)
<b>Default value</b>	—
<b>EEPROM</b>	no

### 6.8.2.3 Object 6065h: Following error window

The following error window defines a range of tolerated position values symmetrically to the position demand value. A following error might occur when a drive is blocked, unreachable profile velocity occurs, or at wrong closed loop coefficients. If the value of the following error window is 0, the following control is switched off.

<b>Index</b>	<b>6065h</b>
<b>Name</b>	Following error window
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	0

### 6.8.2.4 Object 60F4h: Following error actual value (DS402)

This object returns the current value of the following error in units defined by the user.

<b>Index</b>	<b>60F4h</b>
<b>Name</b>	Following error actual value
<b>Object code</b>	VAR
<b>Data type</b>	Integer32
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER32
<b>Default value</b>	0

## 6.9 Interpolated Position Mode (ip) (DS402)

### 6.9.1 General information

The interpolated position mode is implemented in a simple, straightforward way. Single position setpoints must be transmitted in the interpolation time period and are taken over on every defined SYNC - telegram sent. A linear interpolation is used between the setpoints. Examples can be found from page → p. 159.

#### 6.9.1.1 Objects defined in this section

Index	Object	Name	Type	Access
60C0h	VAR	Interpolation sub mode select	INTEGER16	R/W
60C1h	ARRAY	Interpolation data record	INTEGER32	R/W
60C2h	RECORD	Interpolation time period	Interpolation time period	R/W
60C4h	RECORD	Interpolation data configuration record	Interpolation data configuration record	R/W

#### 6.9.1.2 Objects defined in other sections

### 6.9.2 Object description

#### 6.9.2.1 Object 60C0h: Interpolation sub mode select

In the AKD, linear interpolation between position setpoints is supported.

<b>Index</b>	60C0h
<b>Name</b>	Interpolation sub mode select
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER16
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	0
<b>Default value</b>	0

#### Value description

Value(decimal)	Description
0	Linear interpolation with a constant time.

### 6.9.2.2 Object 60C1h: Interpolation data record

In the AKD, a single setpoint (target position, Subindex 1) is supported for the linear interpolation. After the last item of an interpolation data record is written to the devices input buffer, the pointer of the buffer is automatically incremented to the next buffer.

<b>Index</b>	<b>60C1h</b>
<b>Name</b>	Interpolation data record
<b>Object code</b>	ARRAY
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Data type</b>	UNSIGNED8
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	1
<b>Default value</b>	1
<b>Subindex</b>	<b>1</b>
<b>Description</b>	Interpolation target position in counts, the first parameter of interpolation function
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER32
<b>Default value</b>	no

### 6.9.2.3 Object 60C2h: Interpolation time period

The interpolation time period is used for the PLL (phase locked loop) synchronized position modes. The unit (subindex 1) of the time is given in 10 interpolation time index seconds.

Only multiples of 1 ms are allowed. The two values define the internal ASCII - parameter PTBASE (given in multiples of 250 Mikoseconds). Both values must be written to fix a new interpolation time period. PTBASE will only be updated then.

<b>Index</b>	<b>60C2h</b>
<b>Name</b>	Interpolation time period
<b>Object code</b>	RECORD
<b>Data type</b>	Interpolation time period record (0080h)
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries, FBUS.SAMPLEPERIOD
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	2
<b>Default value</b>	2
<b>Subindex</b>	<b>1</b>
<b>Description</b>	Interpolation time units
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED8
<b>Default value</b>	1
<b>Subindex</b>	<b>2</b>
<b>Description</b>	Interpolation time index
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	INTEGER16
<b>Default value</b>	1

#### 6.9.2.4 Object 60C4h: Interpolation data configuration

In the AKD, for linear interpolation, only the value 1 in Subindex 5 is possible.

<b>Index</b>	<b>60C4h</b>
<b>Name</b>	Interpolation data configuration
<b>Object code</b>	RECORD
<b>Data type</b>	Interpolation data configuration record (0081h)
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	6
<b>Default value</b>	6
<b>Subindex</b>	<b>1</b>
<b>Description</b>	Maximum buffer size
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED32
<b>Default value</b>	10
<b>Subindex</b>	<b>2</b>
<b>Description</b>	Actual buffer size
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	0 to 9
<b>Default value</b>	9
<b>Subindex</b>	<b>3</b>
<b>Description</b>	Buffer organization
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED8
<b>Default value</b>	0

<b>Subindex</b>	<b>4</b>
<b>Description</b>	Buffer position
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED16
<b>Default value</b>	0
<b>Subindex</b>	<b>5</b>
<b>Description</b>	Size of data record
<b>Category</b>	mandatory
<b>Access</b>	W
<b>PDO mapping</b>	not possible
<b>Value range</b>	1 to 254
<b>Default value</b>	1
<b>Subindex</b>	<b>6</b>
<b>Description</b>	Buffer clear
<b>Category</b>	mandatory
<b>Access</b>	W
<b>PDO mapping</b>	not possible
<b>Value range</b>	UNSIGNED8
<b>Default value</b>	0

## 6.10 Homing Mode (hm) (DS402)

### 6.10.1 General information

This section describes the various parameters which are required to define a homing mode.

#### 6.10.1.1 Objects that are defined in this section

Index	Object	Name	Type	Access
607Ch	VAR	HOME.P: home offset	INTEGER32	R/W
6098h	VAR	HOME.MODE, HOME.DIR:homing method	INTEGER8	R/W
6099h	ARRAY	HOME.V: homing speeds	UNSIGNED32	R/W
609Ah	VAR	HOME.ACCE, HOME.DEC: homing accel./decel.	UNSIGNED32	R/W

#### 6.10.1.2 Objects that are defined in other sections

Index	Object	Name	Type	Section
6040h	VAR	control word	INTEGER16	dc (→ p. 92)
6041h	VAR	status word	UNSIGNED16	dc (→ p. 93)

### 6.10.2 Object Description

#### 6.10.2.1 Object 607Ch: Homing offset (DS402)

The reference offset (home offset) is the difference between the zero position for the application and the zero point of the machine. All subsequent absolute motion tasks take account of the reference offset.

<b>Index</b>	<b>607Ch</b>
<b>Name</b>	home offset, HOME.P
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Mode</b>	hm
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Unit</b>	user-defined
<b>Value range</b>	(-2 <sup>31</sup> ) to (2 <sup>31</sup> -1)
<b>Default value</b>	0

### 6.10.2.2 Object 6098h: Homing method (DS402)

<b>Index</b>	<b>6098h</b>
<b>Name</b>	homing method, HOME.MODE, HOME.DIR
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER8
<b>Mode</b>	hm
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Unit</b>	position units
<b>Value range</b>	-128 to 127
<b>Default value</b>	0

#### Description of the homing methods

Choosing a homing method by writing a value to homing method (Object 6098h) will clearly establish:

- the homing signal (P-Stop, N-Stop, reference switch)
- the direction of actuation

and where appropriate

- the position of the index pulse.

The reference position is give by the reference offset (Object 607Ch).

A detailed description of the types of homing movement can be found in the description of WorkBench.

The following homing methods are supported:

Method as per DS402	Brief description: Homing	command
-128 to -1	reserved	—
0	reserved	—
1	homing to negative limit switch, with zeroing, negative count direction	HOME.MODE=2, HOME.DIR=0
2	homing to positive limit switch, with zeroing, positive count direction	HOME.MODE=2, HOME.DIR=1
3 to 7	not supported	—
8	homing to reference switch, with zeroing, positive count direction	HOME.MODE=5, HOME.DIR=1
9 to 11	not supported	—
12	homing to reference switch, with zeroing, negative count direction	HOME.MODE=5, HOME.DIR=0
13 to 14	not supported	—
15 to 16	reserved	—
17	homing to negative limit switch, without zeroing, negative count direction	HOME.MODE=1, HOME.DIR=0
18	homing to negative limit switch, without zeroing, positive count direction	HOME.MODE=1, HOME.DIR=1
19 to 23	not supported	—
24	homing to reference switch, without zeroing, positive count direction	HOME.MODE=4, HOME.DIR=1
25 to 27	not supported	—

<b>Method as per DS402</b>	<b>Brief description: Homing</b>	<b>command</b>
28	homing to reference switch, without zeroing, negative count direction	HOME.MODE=4, HOME.DIR=0
29 to 30	not supported	—
31 to 32	reserved	—
33	homing within a single turn, negative count direction. If the feedback has an index pulse, HOME.MODE 11 will be used.	HOME.MODE=7,11 HOME.DIR=0
34	homing within a single turn, positive count direction. If the feedback has an index pulse, HOME.MODE 11 will be used.	HOME.MODE=7,11 HOME.DIR=1
35	set reference point at present position	HOME.MODE=0, HOME.DIR=0
36 to 127	reserved	—

#### 6.10.2.3 Object 6099h: Homing speeds (DS402)

<b>Index</b>	<b>6099h</b>
<b>Name</b>	homing speeds
<b>Object code</b>	ARRAY
<b>Data type</b>	UNSIGNED32
<b>Subindex</b>	<b>1</b>
<b>Description</b>	speed during search for switch, HOME.V
<b>Mode</b>	hm
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Unit</b>	velocity units
<b>Value range</b>	0 to ( $2^{32}-1$ )
<b>Default value</b>	equivalent 60 rpm
<b>Subindex</b>	<b>2</b>
<b>Description</b>	speed during search for zero, HOME.FEEDRATE
<b>Mode</b>	hm
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Unit</b>	velocity units
<b>Value range</b>	0 to ( $2^{32}-1$ )
<b>Default value</b>	1/8 * Object 6099 sub 1

#### 6.10.2.4 Object 609Ah: Homing acceleration (DS402)

<b>Index</b>	609Ah
<b>Name</b>	homing acceleration
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Mode</b>	hm
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Unit</b>	acceleration units
<b>Value range</b>	0 to ( $2^{32}-1$ )
<b>Default value</b>	0

#### 6.10.2.5 Homing Mode Sequence

The homing movement is started by setting Bit 4 (positive edge). The successful conclusion is indicated by Bit 12 in the status word (" Object 6041h: Status word (DS402)" (→ p. 93)). Bit 13 indicates that an error occurred during the homing movement. In this case, the error code must be evaluated (error register: " Object 1001h: Error register (DS301)" (→ p. 46), " Object 1003h: Predefined Error Field (DS301)" (→ p. 48), manufacturer status: " Object 1002h: Manufacturer Status Register (DS301)" (→ p. 47)).

Bit 4	Meaning	
0	homing inactive	
0 => 1	start homing movement	
1	homing active	
1 => 0	interruption of homing movement	


  

Bit 13	Bit 12	Meaning
0	0	reference point not set, or homing movement not yet finished
0	1	reference point set, homing movement finished
1	0	homing movement could not be successfully concluded (lag error)
1	1	impermissible state

## 6.11 Profile Position Mode (DS402)

### 6.11.1 General Information

The overall structure for this mode is shown in this figure:



The special handshake procedure for the control word and status word is described in "Functional Description" (→ p. 119)

#### 6.11.1.1 Objects that are defined in this section

Index	Object	Name	Type	Access
607Ah	VAR	target position	INTEGER32	R/W
607Dh	ARRAY	software position limit	INTEGER32	R/W
6081h	VAR	profile velocity	UNSIGNED32	R/W
6083h	VAR	profile acceleration	UNSIGNED32	R/W
6084h	VAR	profile deceleration	UNSIGNED32	R/W

#### 6.11.1.2 Objects that are defined in other sections

Index	Object	Name	Type	Section
6040h	VAR	control word	INTEGER16	dc (→ p. 92)
6041h	VAR	status word	UNSIGNED16	dc (→ p. 93)

## 6.11.2 Object Description

### 6.11.2.1 Object 607Ah: Target position (DS402)

The object target position defines the target position for the drive. The target position is interpreted as a relative distance or an absolute position, depending on Bit 6 of the control word. The type of relative movement can be further defined by the manufacturer-specific parameter 35B9h Subindex 0. Other properties like following motion tasks can be set with this object as well. The mechanical resolution is set via the scaling objects 6091h and 6092h.

Index	607Ah
Name	target position, MT.P
Object code	VAR
Data type	INTEGER32
Mode	pp, csp
Access	R/W
PDO mapping	possible
Unit	user-defined
Value range	-(2 <sup>31</sup> -1) to (2 <sup>31</sup> -1)
Default value	—

### 6.11.2.2 Object 607Dh: Software position limit (DS402)

Software position limit contains the sub-parameters min position limit and max position limit. New target positions are checked against these limits. The limits are relative to the machine home position, which is the result of homing (including the home offset (Object 607Ch)). As default the software position limits are switched off. Changed values must be saved and the drive must be restarted to take enable the new the software limits.

<b>Index</b>	<b>607Dh</b>
<b>Name</b>	Software position limit, SWLS.LIMIT0
<b>Object code</b>	ARRAY
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Subindex</b>	<b>0</b>
<b>Description</b>	number of entries
<b>Category</b>	mandatory
<b>Access</b>	R/O
<b>PDO mapping</b>	not possible
<b>Value range</b>	2
<b>Default value</b>	2
<b>Subindex</b>	<b>1</b>
<b>Description</b>	min position limit 1, SWLS.LIMIT0
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	INTEGER32
<b>Default value</b>	0 (switched off)
<b>Subindex</b>	<b>2</b>
<b>Description</b>	Min Position Limit 2, SWLS.LIMIT1
<b>Category</b>	mandatory
<b>Access</b>	R/W
<b>PDO mapping</b>	not possible
<b>Value range</b>	INTEGER32
<b>Default value</b>	0 (switched off)

### 6.11.2.3 Object 6081h: Profile velocity (DS402)

The profile velocity is the final velocity that should be reached after the acceleration phase of a motion task.

<b>Index</b>	<b>6081h</b>
<b>Name</b>	profile velocity, MT.V
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Mode</b>	pp
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Unit</b>	speed units
<b>Value range</b>	0 to ( $2^{32}-1$ )
<b>Default value</b>	10

### 6.11.2.4 Object 6083h: Profile acceleration (DS402)

The acceleration ramp (profile acceleration) is given in units that are defined by the user (position units per  $s^2$ ). The position units are scaled via the objects 6091 and 6092. This object is connected to the AKD-parameter DRV.ACC in the Profile Velocity Mode and to the motion task parameter MT.ACC in all other modes.

<b>Index</b>	<b>6083h</b>
<b>Name</b>	profile acceleration, MT.ACC (DRV.ACC in Profile Velocity Mode)
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Mode</b>	pp, pv
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Unit</b>	acceleration units
<b>Value range</b>	0 to ( $2^{32}-1$ )
<b>Default value</b>	0

### 6.11.2.5 Object 6084h: Profile deceleration (DS402)

The braking/deceleration ramp is handled in the same way as the acceleration ramp (" Object 6083h: Profile acceleration (DS402)" (→ p. 118)).

<b>Index</b>	<b>6084h</b>
<b>Name</b>	profile deceleration, MT.DEC (DRV.DEC in Profile Velocity Mode)
<b>Object code</b>	VAR
<b>Data type</b>	UNSIGNED32
<b>Mode</b>	pp, pv
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Unit</b>	deceleration units
<b>Value range</b>	0 to ( $2^{32}-1$ )
<b>Default value</b>	0

### 6.11.2.6 Functional Description

Two different ways to apply target positions to a drive are supported by this device profile.


#### Set of setpoints:

After reaching the target\_position, the drive device immediately processes the next target position, which results in a move where the velocity of the drive normally is not reduced to zero after achieving a setpoint. With AKD, this is only possible if trapezoidal ramps are used.

#### Single setpoints:

After reaching the target\_position, the drive device signals this status to a host computer and then receives a new setpoint. After reaching a target\_position, the velocity is normally reduced to zero before starting a move to the next setpoint.


The two modes are controlled by the timing of the bits for new\_setpoint and change\_set\_immediately in the control word, and setpoint\_acknowledge in the status word. These bits allow the setting up of a request-response mechanism in order to prepare a set of setpoints while another set is still being processed in the drive unit. This minimizes reaction times within a control program on a host computer.




The figures show the difference between the set\_of\_setpoints mode and the single setpoint mode. The initial status of the bit change\_set\_immediately in the control word determines which mode is used. To keep these examples simple, only trapezoidal moves are used.

If the bit change\_set\_immediately is "0" a single setpoint is expected by the drive (1). After data is applied to the drive, a host signals that the data is valid by changing the bit new\_setpoint to "1" in the control word (2). The drive responds with setpoint\_acknowledge set to "1" in the status word (3) after it has recognized and buffered the new valid data. Now the host can release new\_setpoint (4) and subsequently the drive will signal through setpoint\_acknowledge = "0" its ability to accept new data again (5).

In the figure below this mechanism results in a velocity of zero after ramping down to reach a target\_position X1 at t1. After signaling to the host, that the setpoint has been reached as described above, the next target\_position is processed at t2 and reached at t3.



With change\_set\_immediately set to "1" (6), the host instructs the drive to apply a new set-point immediately after reaching the previous one. The relative timing of the other signals is unchanged. This behavior causes the drive to process the next setpoint X2 in advance, and to hold its velocity when it reaches the target\_position X1 at t1. The drive then moves immediately to the next target\_position X2 that has already been calculated.



Bits in the control word:		Bits in the status word:	
Bit 4	new_setpoint (positive edge!)	Bit 12	setpoint acknowledge
Bit 5	change_set_immediately	Bit 13	lag/following error
Bit 6	absolute/relative		

#### Notes on motion task type relative:

If Bit 6 is set, then the motion task type is relative, and activated according to the last target position or actual position. If other types of relative motion are required, these must be activated in advance through the manufacture specific object 35B9h Subindex 0 (MT.CNTL).

#### Notes on profile position mode:

Functional description for the profile position mode

The drive profile DS402 distinguishes between two methods of moving to a target position. These two methods are controlled by the bits for new\_setpoint and change\_set\_immediately in the control word, and setpoint\_acknowledge in the status word. These bits can be used to prepare a motion task while another is still being carried out (handshake).

#### Moving to several target positions without an intermediate halt

After the target position has been reached, the drive moves immediately to the next target position. This requires that new setpoints are signaled to the drive. This is done through a positive transition of the new\_setpoint bit. In this case, the setpoint\_acknowledge bit must not be active (=1) in the status word (see also Handshake DS402).

The velocity is not reduced to zero when the first setpoint is reached.

#### Moving to a single target position

The drive moves to the target position, whereby the velocity is reduced to zero. Reaching the target position is signaled by the bit for target\_reached in the status word.

### 6.11.2.7 Object 60B1h: Velocity Offset

This object provides the offset of the velocity value in cyclic synchronous position mode. It is scaled via the object 204Ch.

<b>Index</b>	<b>60B1h</b>
<b>Name</b>	Velocity Offset
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER32
<b>Category</b>	optional
<b>Access</b>	R/W
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER32
<b>Default value</b>	0

### 6.11.2.8 Object 60B2h: Torque Offset

This object provides the offset of the commanded torque value in cyclic synchronous position mode. Scaling is 1/1000 of rated torque.

<b>Index</b>	<b>60B2h</b>
<b>Name</b>	Torque Offset
<b>Object code</b>	VAR
<b>Data type</b>	INTEGER16
<b>Category</b>	optional
<b>Access</b>	R/O
<b>PDO mapping</b>	possible
<b>Value range</b>	INTEGER16
<b>Default value</b>	0

## 7 Appendix

### 7.1 Object Dictionary

The following tables describe all objects reachable via SDO or PDO. (i.p. = in preparation).

#### Abbreviations:

U	= UNSIGNED	RO	= Read only
INT	= INTEGER	RW	= Read and Write
VisStr	= Visible String	WO	= Write only
		const	= Constant

#### 7.1.1 Float Scaling

The scaling applied to objects which match floating-point parameters in WorkBench/Telnet are listed in the column "Float Scaling."

For example, index 607Ah is listed as 1:1 - this means that commanding a value of 1000 in SDO 607Ah is equivalent to entering MT.P 1000.000 in WorkBench. On the other hand, index 3598h is listed as 1000:1 - this means that commanding a value of 1000 in SDO 3598h is equivalent to entering IL.KP 1.000 in WorkBench.

A few parameters are listed as variable (var), because the scaling depends on other settings.

#### 7.1.2 Communication SDOs

Index	Sub-index	Data Type	Access	PDO map.	Description	ASCII object
1000h	0	U32	RO	no	Device type	—
1001h	0	U8	RO	no	Error register	—
1002h	0	U32	RO	yes	Manufacturer-specific status register	—
1003h		ARRAY			Pre-defined error field	—
1003h	0	U8	RW	no	Number of errors	—
1003h	1 to 10	U32	RO	no	standard error field	—
1005h	0	U32	RW	no	COB-ID SYNC message	—
1006h	0	U32	RW	no	Communication cycle period	—
1008h	0	VisStr	const	no	Manufacturer device name	—
1009h	0	VisStr	const	no	Manufacturer hardware version	—
100Ah	0	VisStr	const	no	Manufacturer software version	—
100Ch	0	U16	RW	no	Guard time	—
100Dh	0	U8	RW	no	Lifetime factor	—
1010h		ARRAY			Save parameters	—
1010h	0	U8	RO	no	Number of entries	—
1010h	1	U32	RW	no	Saves the drive parameters from the RAM to the NV.	DRV.NVSAVE
1011h		ARRAY			Load parameters	—
1011h	0	U8	RO	no	Number of entries	—
1011h	1	U32	RW	no	Loads default parameters to the RAM.	DRV.RSTVAR
1012h	0	U32	RW	no	COB-ID for the Time Stamp	—
1014h	0	U32	RW	no	COB-ID for the Emergency Object	—
1016h		RECORD			Consumer heartbeat time	—
1016h	0	U8	RO	no	Number of entries	—

Index	Sub-index	Data Type	Access	PDO map.	Description	ASCII object
1016h	1	U32	RW	no	Consumer heartbeat time	—
1017h	0	U16	RW	no	Producer heartbeat time	—
1018h		RECORD			Identity Object	—
1018h	0	U8	RO	no	Number of entries	—
1018h	1	U32	RO	no	Vendor ID	—
1018h	2	U32	RO	no	Product Code	—
1018h	3	U32	RO	no	Revision number	—
1018h	4	U32	RO	no	Serial number	—
1026h		ARRAY			OS prompt	—
1026h	0	U8	RO	no	Number of entries	—
1026h	1	U8	WO	no	StdIn	—
1026h	2	U8	RO	no	StdOut	—
1400h		RECORD			RXPDO1 communication parameter	—
1400h	0	U8	RO	no	Number of entries	—
1400h	1	U32	RW	no	RXPDO1 COB—ID	—
1400h	2	U8	RW	no	Transmission type RXPDO1	—
1401h		RECORD			RXPDO2 communication parameter	—
1401h	0	U8	RO	no	Number of entries	—
1401h	1	U32	RW	no	RXPDO2 COB—ID	—
1401h	2	U8	RW	no	Transmission type RXPDO2	—
1402h		RECORD			RXPDO3 communication parameter	—
1402h	0	U8	RO	no	Number of entries	—
1402h	1	U32	RW	no	RXPDO3 COB—ID	—
1402h	2	U8	RW	no	Transmission type RXPDO3	—
1403h		RECORD			RXPDO4 communication parameter	—
1403h	0	U8	RO	no	Number of entries	—
1403h	1	U32	RW	no	RXPDO4 COB—ID	—
1403h	2	U8	RW	no	Transmission type RXPDO4	—
1600h		RECORD			RXPDO1 mapping parameter	—
1600h	0	U8	RO	no	Number of entries	—
1600h	1 to 8	U32	RW	no	Mapping for n—th application object	—
1601h		RECORD			RXPDO2 mapping parameter	—
1601h	0	U8	RO	no	Number of entries	—
1601h	1 to 8	U32	RW	no	Mapping for n—th application object	—
1602h		RECORD			RXPDO3 mapping parameter	—
1602h	0	U8	RO	no	Number of entries	—
1602h	1 to 8	U32	RW	no	Mapping for n—th application object	—
1603h		RECORD			RXPDO4 mapping parameter	—
1603h	0	U8	RO	no	Number of entries	—
1603h	1 to 8	U32	RW	no	Mapping for n—th application object	—
1800h		RECORD			TXPDO1 communication parameter	—
1800h	0	U8	RO	no	Number of entries	—
1800h	1	U32	RW	no	TXPDO1 COB—ID	—
1800h	2	U8	RW	no	Transmission type TXPDO1	—

Index	Sub-index	Data Type	Access	PDO map.	Description	ASCII object
1800h	3	U16	RW	no	Inhibit time	—
1800h	4	U8	const	no	reserved	—
1800h	5	U16	RW	no	Event timer	—
1801h		RECORD			TXPDO2 communication parameter	—
1801h	0	U8	RO	no	Number of entries	—
1801h	1	U32	RW	no	TXPDO2 COB-ID	—
1801h	2	U8	RW	no	Transmission type TXPDO2	—
1801h	3	U16	RW	no	Inhibit time	—
1801h	4	U8	const	no	reserved	—
1801h	5	U16	RW	no	Event timer	—
1802h		RECORD			TXPDO3 communication parameter	—
1802h	0	U8	RO	no	Number of entries	—
1802h	1	U32	RW	no	TXPDO3 COB-ID	—
1802h	2	U8	RW	no	Transmission type TXPDO3	—
1802h	3	U16	RW	no	Inhibit time	—
1802h	4	U8	const	no	reserved	—
1802h	5	U16	RW	no	Event timer	—
1803h		RECORD			TXPDO4 communication parameter	—
1803h	0	U8	RO	no	Number of entries	—
1803h	1	U32	RW	no	TXPDO4 COB-ID	—
1803h	2	U8	RW	no	Transmission type TXPDO4	—
1803h	3	U16	RW	no	Inhibit time	—
1803h	4	U8	const	no	reserved	—
1803h	5	U16	RW	no	Event timer	—
1A00h		RECORD			Mapping parameter TXPDO1	—
1A00h	0	U8	RO	no	Number of entries	—
1A00h	1 to 8	U32	RW	no	Mapping for n—th application object	—
1A01h		RECORD			Mapping parameter TXPDO2	—
1A01h	0	U8	RO	no	Number of entries	—
1A01h	1 to 8	U32	RW	no	Mapping for n—th application object	—
1A02h		RECORD			Mapping parameter TXPDO3	—
1A02h	0	U8	RO	no	Number of entries	—
1A02h	1 to 8	U32	RW	no	Mapping for n—th application object	—
1A03h		RECORD			Mapping parameter TXPDO4	—
1A03h	0	U8	RO	no	Number of entries	—
1A03h	1 to 8	U32	RW	no	Mapping for n—the application object	—

### 7.1.3 Manufacturer specific SDOs

Objects 2000h to 3999h

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
2000h		ARRAY				System Warnings	—
2000h	0	U8		RO	no	Number of entries	—
2000h	1	U32		RO	no	System Warning 1	DRV.WARNING1
2000h	2	U32		RO	no	System Warning 2	DRV.WARNING2
2000h	3	U32		RO	no	System Warning 3	DRV.WARNING3
2001h		ARRAY				System Faults	—
2001h	0	U8		RO	no	Number of entries	—
2001h	1	U32		RO	no	System Fault 1	DRVFAULT1
2001h	2	U32		RO	no	System Fault 2	DRVFAULT2
2001h	3	U32		RO	no	System Fault 3	DRVFAULT3
2001h	4	U32		RO	no	System Fault 4	DRVFAULT4
2001h	5	U32		RO	no	System Fault 5	DRVFAULT5
2001h	6	U32		RO	no	System Fault 6	DRVFAULT6
2001h	7	U32		RO	no	System Fault 7	DRVFAULT7
2001h	8	U32		RO	no	System Fault 8	DRVFAULT8
2001h	9	U32		RO	no	System Fault 9	DRVFAULT9
2001h	A	U32		RO	no	System Fault 10	DRVFAULT10
2002h		ARRAY				Manufacturer status bytes	—
2002h	0	U8		RO	no	Number of entries	—
2002h	1	U8		RO	yes	Manufacturer status bytes 1	—
2002h	2	U8		RO	yes	Manufacturer status bytes 2	—
2002h	3	U8		RO	yes	Manufacturer status bytes 3	—
2002h	4	U8		RO	yes	Manufacturer status bytes 4	—
2014h		ARRAY				Mask TxPDO Channel 1	—
2014h	1	U32		RW	no	Mask (Byte 0..3)	—
2014h	2	U32		RW	no	Mask (Byte 4..7)	—
2015h		ARRAY				Mask TxPDO Channel 2	—
2015h	1	U32		RW	no	Mask (Byte 0..3)	—
2015h	2	U32		RW	no	Mask (Byte 4..7)	—
2016h		ARRAY				Mask TxPDO Channel 3	—
2016h	1	U32		RW	no	Mask (Byte 0..3)	—
2016h	2	U32		RW	no	Mask (Byte 4..7)	—
2017h		ARRAY				Mask TxPDO Channel 4	—
2017h	1	U32		RW	no	Mask (Byte 0..3)	—

<b>Index</b>	<b>Sub-index</b>	<b>Data Type</b>	<b>Float Scale</b>	<b>Access</b>	<b>PDO map.</b>	<b>Description</b>	<b>ASCII object</b>
2017h	2	U32		RW	no	Mask (Byte 4..7)	—
2018h		ARRAY				Firmware version	—
2018h	0	U16		const	no	Number of entries	—
2018h	1	U16		const	no	Major version	—
2018h	2	U16		const	no	Minor version	—
2018h	3	U16		const	no	Revision	—
2018h	4	U16		const	no	Branch version	—
204Ch		ARRAY				pv scaling factor	—
204Ch	0	U8		RO	no	Number of entries	—
204Ch	1	INT32		RW	no	pv scaling factor numerator	—
204Ch	2	INT32		RW	no	pv scaling factor denominator	—
2050h	0	INT32	1:1	RO	no	Position, secondary feedback	DRV.HANDWHEEL
2071h	0	INT32		RW	yes	Target current	-
2077h	0	INT32		RO	yes	Current actual value	-
20A0h	0	INT32	var	RO	yes	Latch position 1, positive edge	CAP0.PLFB , CAP0.T
20A1h	0	INT32	var	RO	yes	Latch position 1, negative edge	CAP0.PLFB , CAP0.T
20A2h	0	INT32	var	RO	yes	Latch position 2, positive edge	CAP1.PLFB , CAP1.T
20A3h	0	INT32	var	RO	yes	Latch position 2, negative edge	CAP1.PLFB , CAP1.T
20A4h	0	U16		RW	yes	Latch control register	—
20A5h	0	U16		RW	yes	Latch status register	—
20A6h	0	INT32	var	RO	yes	Gets captured position value	CAP0.PLFB
20A7h	0	INT32	var	RO	yes	Gets captured position value	CAP1.PLFB
20B8h	0	U16		RW	yes	Clear changed digital input information	—
3405h		ARRAY				VL.ARTYPE	—
3405h	0	U8		RO	no	Number of entries	—
3405h	1	U8		RW	no	Calculation method for BiQuad filter 1	VL.ARTYPE1
3405h	2	U8		RW	no	Calculation method for BiQuad filter 2	VL.ARTYPE2
3405h	3	U8		RW	no	Calculation method for BiQuad filter 3	VL.ARTYPE3
3405h	4	U8		RW	no	Calculation method for BiQuad filter 4	VL.ARTYPE4
3406h		ARRAY				VL BiQuad	—
3406h	0	U8		RO	no	Number of entries	—

<b>Index</b>	<b>Sub-index</b>	<b>Data Type</b>	<b>Float Scale</b>	<b>Access</b>	<b>PDO map.</b>	<b>Description</b>	<b>ASCII object</b>
3406h	1	U32	1000:1	RW	no	Natural frequency of pole of anti-resonance (AR) filter 1	VL.ARPF1
3406h	2	U32	1000:1	RW	no	Natural frequency of pole of anti-resonance (AR) filter 2	VL.ARPF2
3406h	3	U32	1000:1	RW	no	Natural frequency of pole of anti-resonance (AR) filter 3	VL.ARPF3
3406h	4	U32	1000:1	RW	no	Natural frequency of pole of anti-resonance (AR) filter 4	VL.ARPF4
3406h	5	U32	1000:1	RW	no	Q of pole of anti-resonance (AR) filter 1	VL.ARQP1
3406h	6	U32	1000:1	RW	no	Q of pole of anti-resonance (AR) filter 2	VL.ARQP2
3406h	7	U32	1000:1	RW	no	Q of pole of anti-resonance (AR) filter 3	VL.ARQP3
3406h	8	U32	1000:1	RW	no	Q of pole of anti-resonance (AR) filter 4	VL.ARQP4
3406h	9	U32	1000:1	RW	no	Natural frequency of zero of anti-resonance (AR)filter 1	VL.ARZF1
3406h	A	U32	1000:1	RW	no	Natural frequency of zero of anti-resonance (AR)filter 2	VL.ARZF2
3406h	B	U32	1000:1	RW	no	Natural frequency of zero of anti-resonance (AR)filter 3	VL.ARZF3
3406h	C	U32	1000:1	RW	no	Natural frequency of zero of anti-resonance (AR)filter 4	VL.ARZF4
3406h	D	U32	1000:1	RW	no	Q of zero of anti-resonance filter 1	VL.ARZQ1
3406h	E	U32	1000:1	RW	no	Q of zero of anti-resonance filter 2	VL.ARZQ2
3406h	F	U32	1000:1	RW	no	Q of zero of anti-resonance filter 3	VL.ARZQ3
3406h	10	U32	1000:1	RW	no	Q of zero of anti-resonance filter 4	VL.ARZQ4
3407h		STRUCT				Velocity Filter	—
3407h	0	U8		RO	no	Number of entries	—
3407h	1	INT32	1000:1	RW	no	10 Hz filtered VL.FB	VL.FBFILTER
3407h	2	U32	1000:1	RW	no	Gain for the velocity feedforward	VL.KVFF
3407h	3	U32		RW	no	Gain for the acceleration feedforward	VL.KBUSFF
3407h	4	U32	1:1	RW	no	Sets the velocity error	VL.ERR

<b>Index</b>	<b>Sub-index</b>	<b>Data Type</b>	<b>Float Scale</b>	<b>Access</b>	<b>PDO map.</b>	<b>Description</b>	<b>ASCII object</b>
3412h	0	INT8		RW	no	Type of regen resistor	REGEN.TYPE
3414h	0	U8		RW		Returns and sets the regen resistor fault level temperature.	REGEN.WATTEXT
3415h	0	U32	1000:1	RO	no	Thermal regen resistor time constant	REGEN.TEXT
3416h	0	U32		RO	no	Gets regen resistor's calculated power	REGEN.POWER
3417h	0	U32		RO	no	Returns a filtered version of 3416h	REGEN.POWERFILTERED
3420h	0	U16	1000:1	RW	no	Sets the foldback fault level.	IL.FOLDFTHRESH
3421h	0	U32	1000:1	RW	no	Sets the user value for the foldback fault level.	IL.FOLDFTHRESHU
3422h	0	U32	1000:1		no	Sets friction compensation value.	IL.FRICTION
3423h	0	INT32	1000:1		no	A constant current command added to compensate for gravity.	IL.OFFSET
3424h	0	U16			no	Enables/disables the integrator part of the PI loop.	IL.INTEN (Password Protected)
3425h	0	U32	1000:1	RO	no	Reads the overall fold-back current limit	IL.IFOLD
3426h	0	U32	1000:1	RW	no	Sets current loop acceleration feedforward gain value	IL.KACCFF
3427h		RECORD				Motor protection parameters	—
3427h	0	U8		RO	no	Number of entries	—
3427h	1	U8		RW	no		IL.MIMODE
3427h	2	U8		RW	no		IL.MI2TWTHRESH
3427h	3	U32		RW	yes		IL.MI2T
3430h	0	U8		RW	no	Sets the direction for absolute motion tasks.	PL.MODPDIR
3431h	0	U16		RW	no	Sets the motion task in the drive	MT.SET
3440h		ARRAY				Controlled stop parameters	—
3440h	0	U8		RO	no	Number of entries	—
3440h	1	U32	1:1	RW	no	Sets the deceleration value for a controlled stop.	CS.DEC
3440h	2	U32	1:1	RW	no	Sets the velocity threshold for a controlled stop.	CS.VTHRESH
3440h	3	U32		RW	no	Sets the time value for the drive velocity to be within CS.VTHRESH.	CS.TO

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
3441h	0	U8		RO	no	Controlled stop state	CS.STATE
3443h	0	U16		RO	no	Returns the possible reason for a drive disable	DRV.DIS
3444h	0	U16	1000:1	RO	no	Maximum current for dynamic braking	DRV.DBILIMIT
3445h	0	U32		RO	no	Emergency timeout for braking	DRV.DISTO
3450h	0	U8		WO	no	Release or enable brake	MOTOR.BRAKERLS
3451h	0	U8		RW	no	Determines which drive parameters are calculated automatically.	MOTOR.AUTOSET
3452h	0	U16		RW	no	Sets the motor maximum voltage	MOTOR.VOLTMAX
3453h	0	U32		RW	no	Sets the motor temperature warning level	MOTOR.TEMPWARN
3454h	0	U32	1000:1	RW	no	Sets the thermal constant of the motor coil	MOTOR.CTF0
3455h	0	U32	1000:1	RW	no	Sets the line-to-line motor Lq	MOTOR.LQLL
3456h	0	U32	1000:1	RW	no	Sets the stator winding resistance phase-phase in ohms	MOTOR.R
3457h		RECORD				Induction Motor parameter	—
3457h	0	U8		RO	no	Number of entries	—
3457h	1	INT32	1000:1	RW	no	Configuration of induction motor's rated velocity.	MOTOR.VRATED
3457h	2	U16		RW	no	Configuration of induction motor's rated voltage.	MOTOR.VOLTRATED
3457h	3	U16		RW	no	Sets the minimum voltage for V/f Control.	MOTOR.VOLTMIN
345Ah		ARRAY				Brake Control	—
345Ah	0	U8		RO	no	Number of entries	—
345Ah	1	U16		RW	yes	Brake Control Command	—
345Ah	2	U16		RO	yes	Brake Status Response.	—
3460h		RECORD				Capture engines parameters	—
3460h	0	U8		RO	no	Number of entries	—
3460h	1	U8		RW	no	Specifies the trigger source for the position capture.	CAP0.TRIGGER

<b>Index</b>	<b>Sub-index</b>	<b>Data Type</b>	<b>Float Scale</b>	<b>Access</b>	<b>PDO map.</b>	<b>Description</b>	<b>ASCII object</b>
3460h	2	U8		RW	no	Specifies the trigger source for the position capture.	CAP1.TRIGGER
3460h	3	U8		RW	no	Selects the captured value.	CAP0.MODE
3460h	4	U8		RW	no	Selects the captured value.	CAP1.MODE
3460h	5	U8		RW	no	Controls the pre-condition logic.	CAP0.EVENT
3460h	6	U8		RW	no	Controls the pre-condition logic.	CAP1.EVENT
3460h	7	U8		RW	no	Selects the capture pre-condition edge.	CAP0.PREEDGE
3460h	8	U8		RW	no	Selects the capture pre-condition edge.	CAP1.PREEDGE
3460h	9	U8		RW	no	Sets the precondition trigger.	CAP0.PRESELECT
3460h	A	U8		RW	no	Sets the precondition trigger.	CAP1.PRESELECT
3460h	B	U8		RW	no	Selects the feedback source for the capture engine 0.	CAP0.FBSOURCE
3460h	C	U8		RW	no	Selects the feedback source for the capture engine 1.	CAP1.FBSOURCE
3470h		RECORD					—
3470h	0	U8		RO	no	Number of entries	—
3470h	1	INT8		RW	no	Sets the analog output mode.	AOUT.MODE
3470h	2	INT16	1000:1	RW	yes	Reads the analog output value.	AOUT.VALUE
3470h	3	INT16	1000:1	RW	yes	Reads and writes the analog output value.	AOUT.VALUEU
3470h	4	INT16	1000:1	RO	yes	Reads the value of the analog input signal.	AIN.VALUE
3470h	5	U32	1000:1	RW	no	Sets velocity scale factor for analog output	AOUT.VSCALE
3471h	0	U32	1:1	RW	no	Sets the analog position scale factor	AOUT.PSCALE
3472h	0	U32	1:1	RW	no	Sets analog pscale factor	AIN.PSCALE
3474h		ARRAY				DINx.PARAM	—
3474h	0	U8		RO	no	Number of entries	—
3474h	1	U32		RW	no	Lower 32-bit part of input parameter 1	DIN1.PARAM
3474h	2	U32		RW	no	Lower 32-bit part of input parameter 2	DIN2.PARAM

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
3474h	3	U32		RW	no	Lower 32-bit part of input parameter 3	DIN3.PARAM
3474h	4	U32		RW	no	Lower 32-bit part of input parameter 4	DIN4.PARAM
3474h	5	U32		RW	no	Lower 32-bit part of input parameter 5	DIN5.PARAM
3474h	6	U32		RW	no	Lower 32-bit part of input parameter 6	DIN6.PARAM
3474h	7	U32		RW	no	Lower 32-bit part of input parameter 7	DIN7.PARAM
3474h	8	U32		RW	no	Higher 32-bit part of input parameter 1	DIN1.PARAM
3474h	9	U32		RW	no	Higher 32-bit part of input parameter 2	DIN2.PARAM
3474h	A	U32		RW	no	Higher 32-bit part of input parameter 3	DIN3.PARAM
3474h	B	U32		RW	no	Higher 32-bit part of input parameter 4	DIN4.PARAM
3474h	C	U32		RW	no	Higher 32-bit part of input parameter 5	DIN5.PARAM
3474h	D	U32		RW	no	Higher 32-bit part of input parameter 6	DIN6.PARAM
3474h	E	U32		RW	no	Higher 32-bit part of input parameter 7	DIN7.PARAM
3475h		ARRAY				DOUTx.PARAM	—
3475h	0	U8		RO	no	Number of entries	—
3475h	1	U32		RW	no	Lower 32-bit part of output parameter 1	DOUT1.PARAM
3475h	2	U32		RW	no	Lower 32-bit part of output parameter 2	DOUT2.PARAM
3475h	3	U32		RW	no	Higher 32-bit part of output parameter 1	DOUT1.PARAM
3475h	4	U32		RW	no	Hogher 32-bit part of output parameter 2	DOUT2.PARAM
3480h	0	U32	1000:1	RW	no	Integral gain of position regulator PID loop	PL.KI
3481h		ARRAY				PL.INTMAX	—
3481h	0	U8		RO	no	Number of entries	—
3481h	1	U32	1:1	RW	no	Input saturation	PL.INTINMAX
3481h	2	U32	1:1	RW	no	Output saturation	PL.INTOUTMAX
3482h	0	INT32	1:1	RO	no	Maximum value of following error in homing	HOME.PERRTHRESH
3483h	0	INT32	1:1	RW	no	Sets the position error warning level	PL.ERRWTHRESH
3484h	0	INT32	1:1	RW	no	Specification of an additional movement after homing is completed.	HOME.DIST

<b>Index</b>	<b>Sub-index</b>	<b>Data Type</b>	<b>Float Scale</b>	<b>Access</b>	<b>PDO map.</b>	<b>Description</b>	<b>ASCII object</b>
3490h	0	INT32	1:1	RO	no	Position feedback offset	FB1.POFFSET
3491h	0	U32		RO	no	Location of index pulse on EEO	DRV.EMUEMTURN
3492h	0	U32		RO	no	Motion status of the drive	DRV.MOTIONSTAT
3493h	0	U8		RO	no	Direction of EEO (emulated encoder output)	DRV.EMUEDIR
3494h		RECORD				WS parameters	—
3494h	0	U8		RO	no	Number of entries	—
3494h	1	INT16	1000:1	RW	no	Sets maximum current used for wake and shake	WS.IMAX
3494h	2	INT32	1:1	RW	no	Sets the maximum movement required for wake and shake	WS.DISTMAX
3494h	3	U16		RW	no	Sets the delay for wake and shake between loops in mode 0	WS.TDELAY3
3494h	4	INT32	1:1	RW	no	Defines the maximum allowed velocity for Wake & Shake	WS.VTHRESH
3494h	5	U8		RO	no	Reads wake and shake status	WS.STATE
3494h	6	U8		RW	no	Arm Wake and Shake to start	WS.ARM
3495h	0	U16	1000:1	RW	no	Voltage level for under-voltage warning.	VBUS.UVWTHRESH
3496h		ARRAY				FBUS synchronization parameters	—
3496h	0	U8		RO	no	Number of entries	—
3496h	1	U32		RW	no	expected time distance between clearing the PLL counter and calling the PLL function	FBUS.SYNCDIST
3496h	2	U32		RW	no	actual time distance between clearing the PLL counter and calling the PLL function	FBUS.SYNCACT
3496h	3	U32		RW	no	Time window, which is used in order to consider the drive as being synchronized	FBUS.SYNCWND
3496h	4	U32		RW	no	Time, which is used for extending or lowering the sample rate of the internal 16[kHz] IRQ	—

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
3498h	0	U8		RW	no	Protection level of field-bus against other communication channels (Telnet, Modbus..)	FBUS.PROTECTION
3499h	0	INT32		RW	yes	Set-point for stepper motor output through the emulated encoder output (EEO)	DRV.EMUSTEPCMD
34A0h		ARRAY				PLS Position	
34A0h	0	U8		RO	no	Number of entries	—
34A0h	1	INT32	1:1	RW	no	Limit switch 1 compare value	PLS.P1
34A0h	2	INT32	1:1	RW	no	Limit switch 2 compare value	PLS.P2
34A0h	3	INT32	1:1	RW	no	Limit switch 3 compare value	PLS.P3
34A0h	4	INT32	1:1	RW	no	Limit switch 4 compare value	PLS.P4
34A0h	5	INT32	1:1	RW	no	Limit switch 5 compare value	PLS.P5
34A0h	6	INT32	1:1	RW	no	Limit switch 6 compare value	PLS.P6
34A0h	7	INT32	1:1	RW	no	Limit switch 7 compare value	PLS.P7
34A0h	8	INT32	1:1	RW	no	Limit switch 8 compare value	PLS.P8
34A1h		ARRAY				PLS Width	—
34A1h	0	U8		RO	no	Number of entries	—
34A1h	1	INT32	1:1	RW	no	Sets Limit Switch1 Width	PLS.WIDTH1
34A1h	2	INT32	1:1	RW	no	Sets Limit Switch 2 Width	PLS.WIDTH2
34A1h	3	INT32	1:1	RW	no	Sets Limit Switch 3 Width	PLS.WIDTH3
34A1h	4	INT32	1:1	RW	no	Sets Limit Switch 4 Width	PLS.WIDTH4
34A1h	5	INT32	1:1	RW	no	Sets Limit Switch 5 Width	PLS.WIDTH5
34A1h	6	INT32	1:1	RW	no	Sets Limit Switch 6 Width	PLS.WIDTH6
34A1h	7	INT32	1:1	RW	no	Sets Limit Switch 7 Width	PLS.WIDTH7
34A1h	8	INT32	1:1	RW	no	Sets Limit Switch 8 Width	PLS.WIDTH8
34A2h		ARRAY				PLS Time	—
34A2h	0	U8		RO	no	Number of entries	—
34A2h	1	U16		RW	no	Sets limit switch 1 time	PLS.T1
34A2h	2	U16		RW	no	Sets limit switch 2 time	PLS.T2

<b>Index</b>	<b>Sub-index</b>	<b>Data Type</b>	<b>Float Scale</b>	<b>Access</b>	<b>PDO map.</b>	<b>Description</b>	<b>ASCII object</b>
34A2h	3	U16		RW	no	Sets limit switch 3 time	PLS.T3
34A2h	4	U16		RW	no	Sets limit switch 4 time	PLS.T4
34A2h	5	U16		RW	no	Sets limit switch 5 time	PLS.T5
34A2h	6	U16		RW	no	Sets limit switch 6 time	PLS.T6
34A2h	7	U16		RW	no	Sets limit switch 7 time	PLS.T7
34A2h	8	U16		RW	no	Sets limit switch 8 time	PLS.T8
34A3h		ARRAY				PLS Configuration	—
34A3h	0	U8		RO	no	Number of entries	—
34A3h	1	U16		RW	no	Enables the limit switches	PLS.EN
34A3h	2	U16		RW	no	Resets limit switches	PLS.RESET
34A3h	3	U16		RW	no	Selects limit switch mode	PLS.MODE
34A3h	4	U16		RW	no	Reads the limit switch state	PLS.STATE
34A4h	0	U8		RW	no	Sets limit switch units	PLS.UNITS
34B0h		ARRAY				USER.DWORDs for writing of feedback memory	—
34B0h	0	U8		RO	no	Number of entries	—
34B0h	1	U32		RW	no	FB1.USERDWORD1	FB1.USERDWORD1
34B0h	2	U32		RW	no	FB1.USERDWORD2	FB1.USERDWORD2
34B1h		ARRAY				USER.WORDs for writing of feedback memory	—
34B1h	0	U8		RO	no	Number of entries	—
34B1h	1	U16		RW	no	FB1.USERWORD1	FB1.USERWORD1
34B1h	2	U16		RW	no	FB1.USERWORD2	FB1.USERWORD2
34B1h	3	U16		RW	no	FB1.USERWORD3	FB1.USERWORD3
34B1h	4	U16		RW	no	FB1.USERWORD4	FB1.USERWORD4
34B2h		ARRAY				USER.BYTEs for writing of feedback memory	—
34B2h	0	U8		RO	no	Number of entries	—
34B2h	1	U8		RW	no	FB1.USERBYTE1	FB1.USERBYTE1
34B2h	2	U8		RW	no	FB1.USERBYTE2	FB1.USERBYTE2
34B2h	3	U8		RW	no	FB1.USERBYTE3	FB1.USERBYTE3
34B2h	4	U8		RW	no	FB1.USERBYTE4	FB1.USERBYTE4
34B2h	5	U8		RW	no	FB1.USERBYTE5	FB1.USERBYTE5
34B2h	6	U8		RW	no	FB1.USERBYTE6	FB1.USERBYTE6
34B2h	7	U8		RW	no	FB1.USERBYTE7	FB1.USERBYTE7
34B2h	8	U8		RW	no	FB1.USERBYTE8	FB1.USERBYTE8
3501h	0	INT32	1:1	RW	no	Acceleration ramp	DRV.ACC, also see "6083h" (→ p. 143)
3502h	0	INT32	1:1	RW	no	Acceleration ramp for homing/jog modes	HOME.ACC

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
3506h	0	INT32			no	Action that hardware enable digital input will perform.	DRV.HWENMODE
3509h	0	INT32	1000:1	RO	no	Analog input voltage	AIN.VALUE
3522h	0	INT32	1:1	RW	no	Deceleration rate	DRV.DEC, also see "6084h" (→ p. 143)
3524h	0	INT32	1:1	RW	no	Deceleration ramp for homing/jog modes	HOME.DEC
352Ah	0	INT32		RW	no	Direction of movements	DRV.DIR
3533h	0	U32		RO	no	Resolution of motor encoder	FB1.ENCRES
3534h	0	U32		RO	no	Mode of EEO connector	DRV.EMUEMODE
3535h	0	U32		RO	no	Resolution of EEO	DRV.EMUERES
3537h	0	U32		RO	no	Location of EEO index pulse	DRV.EMUEZOFFSET
353Bh	0	INT32		RO	no	Selection of the feed-back type	FB1.SELECT
3542h	0	U32	1000:1	RW	no	Position Control Loop: Proportional Gain	PL.KP
3548h	0	U32	1000:1	RW	no	Velocity Control Loop: Proportional Gain	VL.KP
354Bh	0	INT32	1000:1	RW	no	Sets the velocity loop velocity feedforward gain value	VL.KVFF
354Dh	0	INT32	1000:1	RW	no	Velocity Control Loop: I-Integration Time	VL.KI
3558h	0	INT32	1000:1	RO	no	Current Monitor	IL.FB
3559h	0	INT32	1000:1	RO	no	Drive Ifold	IL.DIFOLD
355Ah	0	INT32	1000:1	RW	no	I2T Warning	IL.FOLDWTHRESH
3562h	0	INT32		RW	no	Function of Digital Input 1	DIN1.MODE
3565h	0	INT32		RW	no	Function of Digital Input 2	DIN2.MODE
3568h	0	INT32		RW	no	Function of Digital Input 3	DIN3.MODE
356Bh	0	INT32		RW	no	Function of Digital Input 4	DIN4.MODE
356Eh	0	INT32	1000:1	RW	no	Application Peak Current, positive direction	IL.LIMITP
356Fh	0	INT32	1000:1	RW	no	Application Peak Current, negative direction	IL.LIMITN
3586h	0	U32		RW	no	Sets the motor temperature fault level	MOTOR.TEMPFAULT
3587h	0	INT32		RW	no	Select Motor Holding Brake	MOTOR.BRAKE
358Eh	0	U32	1000:1	RW	no	Motor Continuous Current Rating	MOTOR.ICONT

<b>Index</b>	<b>Sub-index</b>	<b>Data Type</b>	<b>Float Scale</b>	<b>Access</b>	<b>PDO map.</b>	<b>Description</b>	<b>ASCII object</b>
358Fh	0	U32	1000:1	RW	no	Motor Peak Current Rating	MOTOR.IPEAK
3593h	0	U32	1000:1	RW	no	Sets the torque constant of the motor	MOTOR.KT
3596h	0	U32	1000:1	RO	no	Sets the proportional gain of the d-component current PI-regulator as a percentage of IL.KP	IL.KPDRATIO
3598h	0	INT32	1000:1	RW	no	Absolute Gain of Current Control loop	IL.KP
359Ch	0	U32		RW	no	Sets the motor phase.	MOTOR.PHASE
359Dh	0	U32		RW	no	Sets the number of motor poles	MOTOR.POLES
35A3h	0	U32		RW	no	Sets the maximum motor speed	MOTOR.VMAX
35A4h	0	INT32	1000:1	RW	no	Maximum motor current	IL.MIFOLD
35ABh	0	U32	1000:1	RW	no	Sets the motor inertia	MOTOR.INERTIA
35AFh	0	U32		RW	no	Sets the digital output 1 mode	DOUT1.MODE
35B2h	0	U32		RW	no	Sets the digital output 2 mode	DOUT2.MODE
35B4h	0	INT32		RW	no	Operating Mode	DRV.OPMODE
35B9h	0	INT32		RW	no	Control for Motion Task 0	MT.CNTL
35BCh	0	INT32		RW	no	Next Task Number for Motion Task 0	MT.MTNEXT
35C2h	0	INT32		RW	no	Select regen resistor	REGEN.REXT
35C5h	0	INT32	1:1	RO	no	Actual Following Error	PL.ERR
35C6h	0	INT32	1:1	RW	no	In-Position Window	MT.TPOSWND
35C7h	0	INT32	1:1	RW	no	Max. Following Error	PL.ERRFTHRESH
35CAh	0	INT32		RW	no	Position Resolution (Numerator)	UNIT.PIN
35CBh	0	INT32		RW	no	Position Resolution (Denominator)	UNIT.POUT
35D2h	0	U32		RO	no	Mechanical Position	FB1.MECHPOS
35E2h	0	U32	1:1	RW	no	Sets the current limit during homing procedure to a mechanical stop	HOME.IPEAK
35EBh	0	INT32		WO	no	Save Data in EEPROM	DRV.NVSAVE
35F0h	0	INT32		WO	no	Set Reference Point	HOME.SET
35FEh	0	INT32		WO	no	Stop Motion Task	DRV.STOP
35FFh	0	U32		RW	no	Selects between disable immediately or stop and then disable	DRV.DISMODE
3610h	0	INT32		RO	no	Ambient Temperature	DRV.TEMPERATURES
3611h	0	INT32		RO	no	Heat Sink Temperature	DRV.TEMPERATURES

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
3612h	0	INT32		RO	no	Motor Temperature	MOTOR.TEMP
3617h	0	U32	1:1	RW	no	Undervoltage mode	VBUS.UVMODE
3618h	0	INT32	1:1	RO	no	Actual Velocity	VL.FB
361Ah	0	INT32		RO	no	DC-bus voltage	VBUS.VALUE
361Dh	0	U32	1000:1	RW	no	Voltage level for undervoltage fault	VBUS.UVFTRESH
3622h	0	INT32	1:1	RW	no	Max. Velocity	VL.LIMITP
3623h	0	INT32	1:1	RW	no	Max. Negative Velocity	VL.LIMITN
3627h	0	INT32	1:1	RW	no	Overspeed	VL.THRESH
3629h	0	INT32	1000:1	RW	no	SW1 Velocity Scaling Factor	AIN.VSCALE
3656h	0	U64	1:1	RW	no	Initial feedback position	FB1.ORIGIN
3659h	0	INT32		RW	no	Type of acceleration set-point for the system	UNIT.ACRCOTARY
365Bh	0	INT32		RW	no	Presetting for motion task that is processed later	MT.NUM
365Fh	0	INT32		RW	no	Systemwide Definition of Velocity/Speed	UNIT.VROTARY
3660h	0	INT32		RW	no	Set Resolution of the Position	UNIT.PROTARY
366Eh	0	INT32		RW	no	Disable Delaytime with Holding Brake	MOTOR.TBRAKEAPP
366Fh	0	INT32		RW	no	Enable Delaytime with Holding Brake	MOTOR.TBRAKERLS
3683h	0	U16		RW	no	Delay for wake and shake timing	WS.TDELAY1
3685h	0	U16		RW	no	Sets delay for wake and shake timing	WS.TDELAY2
36D0h	0	U16		RW	no	Sets wake and shake current-vector appliance time	WS.T
36D1h	0	U32	1:1	RW	no	Sets the minimum movement required for wake and shake	WS.DISTMIN
36D7h	0	U32	1000:1	RW	no	Sets homing auto move flag	HOME.AUTOMOVE
36E2h	0	U8		RW	no	Sets the number of repetitions for wake and shake	WS.NUMLOOPS
36E5h	0	U32		RW	no	CAN baud rate selection	FBUS.PARAM01
36E6h	0	U32		RW	no	pll synchronization	FBUS.PARAM02
36E7h	0	U32		RW	no	-	FBUS.PARAM03
36E8h	0	U32		RW	no	SYNC surveillance	FBUS.PARAM04
36E9h	0	U32		RW	no	-	FBUS.PARAM05
36EAh	0	U32		RW	no	-	FBUS.PARAM06

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
36EBh	0	U32		RW	no	-	FBUS.PARAM07
36ECh	0	U32		RW	no	-	FBUS.PARAM08
36EDh	0	U32		RW	no	-	FBUS.PARAM09
36EEh	0	U32		RW	no	-	FBUS.PARAM10
36F6h	0	INT32		RW	no	Function of Digital Input 5	DIN5.MODE
36F9h	0	INT32		RW	no	Function of Digital Input 6	DIN6.MODE
36FCh	0	U32		RW	no	Function of Digital Input 7	DIN7.MODE
3856h	0	INT32	1:1	RW	no	velocity window for profile position mode	MT.TVELWND

**Objects 5000h to 5999h**

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
5000h	0	UINT32		RW	no	Analog input low-pass filter cutoff frequency.	AIN.CUTOFF
5001h	0	UINT32		RW	no	Analog input signal dead-band.	AIN.DEADBAND
5002h	0	UINT32		RW	no	Analog current scale factor.	AIN.ISCALE
5003h	0	UINT32		RW	no	Analog input offset.	AIN.OFFSET
5009h	0	UINT32		RW	no	Analog current scale factor.	AOUT.ISCALE
500Bh	0	UINT32		RW	no	Analog output offset.	AOUT.OFFSET
5013h	0	UINT32		RW	no	Controls how often the excitation is updated.	BODE.EXCITEGAP
5015h	0	UINT32		RW	no	Current command value used during the Bode procedure.	BODE.IAMP
5016h	0	UINT32		RW	no	Sets whether the excitation uses current or velocity excitation type.	BODE.INJECTPOINT
5019h	0	UINT32		RW	no	Length of the PRB signal before it repeats.	BODE.PRBDEPTH
5060h	0	UINT32		RW	no	Sets the fault relay mode.	DOUT.RELAYMODE
5080h	0	UINT32		RW	no	Default state of the software enable.	DRV.ENDEFAULT
5083h	0	UINT32		RW	no	Continuous rated current value.	DRV.ICONT
5084h	0	UINT32		RW	no	Peak rated current value.	DRV.IPEAK
5085h	0	UINT32		RW	no	Current that will be used during the DRV.ZERO procedure.	DRV.IZERO

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
508Ch	0	UINT32		RW	no	Number of Biss Sensor (Position) Bits for the BiSS Mode C encoder in use.	FB1.BISSBITS
508Fh	0	UINT32		RW	no	Initial feedback value as signed or unsigned.	FB1.INITSIGNED
5096h	0	UINT32		RW	no	Current value used during the phase finding procedure (PFB.PFIND=1)	FB1.PFINDCMDU
5097h	0	UINT32		RW	no	Number of feedback poles.	FB1.POLES
5099h	0	UINT32		RW	no	Resolver nominal transformation ratio.	FB1.RESKTR
509Ah	0	UINT32		RW	no	Electrical degrees of phase lag in the resolver.	FB1.RESREFPHASE
509Ch	0	UINT32		RW	no	Controls tracking calibration algorithm.	FB1.TRACKINGCAL
50B1h	0	UINT32		RW	no	Number of successful synchronized cycles needed to lock the PLL.	FBUS.PLLTHRESH
50BBh	0	UINT32		RW	no	Denominator of the electronic gearing ratio; active in opmode 2 (position) only.	GEAR.IN
50BCh	0	UINT32		RW	no	Electronic gearing mode; active in opmode 2 (position) only.	GEAR.MODE
50BEh	0	UINT32		RW	no	Numerator of the electronic gearing ratio; active in opmode 2 (position) only.	GEAR.OUT
50C5h	0	UINT32		RW	no	Homing direction	HOME.DIR
50CBh	0	UINT32		RW	no	Homing mode	HOME.MODE
50E2h	0	UINT32		RW	no	Current loops fieldbus injected feed-forward gain	IL.KBUSFF
50FBh	0	UINT32		RW	no	Motor pitch.	MOTOR.PITCH
50FEh	0	UINT32		RW	no	Type of thermal resistor inside the motor.	MOTOR.RTYPE
5104h	0	UINT32		RW	no	Motor type.	MOTOR.TYPE
510Eh	0	UINT32		RW	no	Motion task to be triggered after an emergency stop procedure; active in opmode 2 (position) only.	MT.EMERGMT
5121h	0	UINT32		RW	no	Type of following error warning and fault usage.	PL.ERRMODE
5128h	0	UINT32		RW	no	Feedback source for the position loop.	PL.FBSOURCE

<b>Index</b>	<b>Sub-index</b>	<b>Data Type</b>	<b>Float Scale</b>	<b>Access</b>	<b>PDO map.</b>	<b>Description</b>	<b>ASCII object</b>
5175h	0	UINT32		RW	no	Service motion current 1; active in opmode 0 (torque) only.	SM.I1
5176h	0	UINT32		RW	no	Service motion current 2; active in opmode 0 (torque) only.	SM.I2
5177h	0	UINT32		RW	no	Service motion mode.	SM.MODE
5179h	0	UINT32		RW	no	Service motion time 1.	SM.T1
517Ah	0	UINT32		RW	no	Service motion time 2.	SM.T2
517Eh	0	UINT32		RW	no	Enables and disables software travel limit switches.	SWLS.EN
5184h	0	UINT32		RW	no	Linear acceleration/deceleration units.	UNIT.ACCLINEAR
5187h	0	UINT32		RW	no	Linear position units.	UNIT.PLINEAR
518Ah	0	UINT32		RW	no	Linear velocity units.	UNIT.VLINEAR
518Eh	0	UINT32		RW	no	Voltage level for over voltage warning.	VBUS.OVWTHRESH
51AEh	0	UINT32		RW	no	Feedback source for the velocity loop; active in opmodes 1 (velocity) and 2 (position) only.	VL.FBSOURCE
51B0h	0	UINT32		RW	no	Mode of velocity generation (Observer, d/dt); active in opmodes 1 (velocity) and 2 (position) only.	VL.GENMODE
51B3h	0	UINT32		RW	no	Scales the observer velocity signal; active in opmodes 1 (velocity) and 2 (position) only.	VL.KO
51B8h	0	UINT32		RW	no	Ratio of the estimated load moment of inertia relative to the motor moment of inertia; active in opmodes 1 and 2 only.	VL.LMJR
51BAh	0	UINT32		RW	no	Bandwidth of the observer in Hz.	VL.OBSBW
51BBh	0	UINT32		RW	no	Observer operating mode.	VL.OBSMODE
51CBh	0	UINT32		RW	no	Filter mode for Digital In 1.	DIN1.FILTER
51CCh	0	UINT32		RW	no	Filter mode for Digital In 2.	DIN2.FILTER
51CDh	0	UINT32		RW	no	Filter mode for Digital In 3.	DIN3.FILTER
51CEh	0	UINT32		RW	no	Filter mode for Digital In 4.	DIN4.FILTER

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
51CFh	0	UINT32		RW	no	Filter mode for Digital In 5.	DIN5.FILTER
51D0h	0	UINT32		RW	no	Filter mode for Digital In 6.	DIN6.FILTER
51D1h	0	UINT32		RW	no	Filter mode for Digital In 7.	DIN7.FILTER
51E7h	0	UINT32		RW	no	Modbus User Units Input parameter	MODBUS.PIN
51E8h	0	UINT32		RW	no	Modbus User Units Output parameter.	MODBUS.POUT
51E9h	0	UINT32		RW	no	Feedback Resolution (per rev) over Modbus.	MODBUS.PSCALE
51ECh	0	UINT32		RW	no	Secondary feedback (FB2) resolution.	FB2.ENCRES
51EDh	0	UINT32		RW	no	Mode for the second feedback inputs and high speed digital inputs.	FB2.MODE
51EEh	0	UINT32		RW	no	Source for the second feedback input.	FB2.SOURCE
51EFh	0	UINT32		RW	no	Brake apply timeout for vertical axis.	MOTOR.TBRAKETO
51F0h	0	UINT32		RW	no	i.p.	MODBUS.MSGLOG
520Ch	0	UINT32		RW	no	Scaling mode for Modbus values.	MODBUS.SCALING
520Dh	0	UINT32		RW	no	Encoder output pulse width for modes 6 to 7.	DRV.EMUEPULSEWIDTH
520Eh	0	UINT32		RW	no	Enable/disable motor velocity vs. maximum emulated encoder velocity monitoring function.	DRV.EMUECHECKSPEED
5251h	0	UINT32		RW	no	Analog input deadband mode.	AIN.DEADBANDMODE
5252h	0	UINT32		RW	no	Analog input mode	AIN.MODE
5253h	0	UINT32		RW	no	Direction of IOs from X9.	DIO10.DIR
5254h	0	UINT32		RW	no	Inverting the output voltage of the IO, when in the output direction.	DIO10.INV
5255h	0	UINT32		RW	no	Direction of IOs from X9.	DIO11.DIR
5256h	0	UINT32		RW	no	Inverting the output voltage of the IO, when in the output direction.	DIO11.INV
5257h	0	UINT32		RW	no	Direction of IOs from X9.	DIO9.DIR
5258h	0	UINT32		RW	no	Inverting the output voltage of the IO, when in the output direction.	DIO9.INV
5259h	0	UINT32		RW	no	Fault Action for Fault 130.	FAULT130.ACTION

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
525Ah	0	UINT32		RW	no	Fault Action for Fault 131.	FAULT131.ACTION
525Bh	0	UINT32		RW	no	Fault Action for Fault 132.	FAULT132.ACTION
525Ch	0	UINT32		RW	no	Fault Action for Fault 133.	FAULT134.ACTION
525Dh	0	UINT32		RW	no	Fault Action for Fault 702.	FAULT702.ACTION
525Eh	0	UINT32		RW	no	Method of acquiring IP Address.	IP.MODE
525Fh	0	UINT32		RW	no	Load inertia.	LOAD.INERTIA
5260h	0	UINT32		RW	no	Motor back EMF constant.	MOTOR.KE
5261h	0	UINT32		RW	no	Changing voltage thresholds for HV and MV Drives	VBUS.HALFVOLT
5262h	0	UINT32		RW	no	Direction for the second feedback input (X9 and X7).	FB2.DIR
5263h	0	UINT32		RW	no	Feedback for handwheel operation.	DRV.HANDWHEELSRC
5264h	0	UINT32		RW	no	Delay time between inactive Hardware Enable input and drive disable.	DRV.HWENDELAY
5265h	0	UINT32		RW	no	Index into the Current Loop Gain Scheduling Table.	IL.KPLOOKUPINDEX
5266h	0	UINT32		RW	no	Value of the current loop gain scheduling index.	IL.KPLOOKUPVALUE
5267h	0	UINT32		RW	no	Fault Action for Fault 451.	FAULT451.ACTION
5268h	0	UINT32		RW	no	Brake Immediately in the case of a drive disable.	MOTOR.BRAKEIMM
5352h	0	UINT16		RW	no	Amount of time a communication error must be present before an W&S-fault is thrown.	WS.CHECKT
535Ch	0	UINT16		RW	no	Sets the calming time of the motor for Wake & Shake mode 1.	WS.TSTANDSTILL
535Dh	0	UINT16		RW	no	Time for the ramp up current in Wake & Shake mode 1.	WS.TIRAMP
5360h	0	UINT16		RW	no	Rotor time constant.	MOTOR.IMTR
5361h	0	UINT8		RW	no	Sets the feedback source for the current loop for MOTOR.TYPE4.	IL.FBSOURCE

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
5362h	0	UINT32		RW	no	The direct-axis current set point used for induction machine closed-loop control.	MOTOR.IMID
538Bh	0	UINT16		RW	no	tbd	DRV.EMUESTPMODE
538Ch	0	UINT16		RW	no	tbd	DRV.EMUESTPSTATUS
538Dh	0	UINT16		RW	no	tbd	DRV.EMUESTPVMAX

#### 7.1.4 Profile specific SDOs

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
6040h	0	U16		WO	yes	Control word	—
6041h	0	U16		RO	yes	Status word	—
6060h	0	INT8		RW	yes	Modes of Operation	—
6061h	0	INT8		RO	yes	Modes of Operation Display	—
6063h	0	INT32		RO	yes	Position actual value (increments)	—
6064h	0	INT32	1:1	RO	yes	Position actual value (position units)	PL.FB
6065h	0	U32	1:1	RW	no	Following error window	PL.ERRFTHRESH
606Bh	0	INT32	1:1	RO	no	Velocity demand value	VL.CMD
606Ch	0	INT32	1000:1	RO	yes	Velocity actual value (PDO in RPM)	VL.FB
606Dh	0	U16		RW	yes	Velocity window	—
606Eh	0	U16		RW	yes	Velocity window time	—
6071h	0	INT16		RW	yes	Target torque	—
6072h	0	U16		RW	yes	Max torque	—
6073h	0	U16		RW	no	Max current	—
6077h	0	INT16		RO	yes	Torque actual value	—
607Ah	0	INT32	1:1	RW	yes	Target position	MT.P
607Ch	0	INT32	1:1	RW	no	Reference offset	HOME.P
607Dh		ARRAY				Software position limit	—
607Dh	0	U8		RO	no	Number of entries	—
607Dh	1	INT32	1:1	RW	no	Software position limit 1	SWLS.LIMIT0
607Dh	2	INT32	1:1	RW	no	Software position limit 2	SWLS.LIMIT1
6081h	0	U32	1:1	RW	yes	Profile Velocity	MT.V
6083h	0	U32	1:1	RW	yes	Profile Acceleration	MT.ACC , DRV.ACC
6084h	0	U32	1:1	RW	yes	Profile Deceleration	MT.DEC , DRV.DEC
608Fh		ARRAY				Position encoder resolution	—
608Fh	0	U8		RO	no	Number of entries	—
608Fh	1	U32		RW	no	Encoder increments	—
608Fh	2	U32		RW	no	Motor revolutions	—
6091h		ARRAY				Gear ratio	—

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
6091h	0	U8		RO	no	Number of entries	—
6091h	1	U32		RW	no	Motor revolution	
6091h	2	U32		RW	no	Shaft revolutions	
6092h		ARRAY				Feed constant	—
6092h	0	U8		RO	no	Number of entries	—
6092h	1	U32		RW	no	Feed	UNIT.PIN
6092h	2	U32		RW	no	Shaft revolutions	—
6098h	0	INT8		RW	no	Homing type	HOME.MODE , HOME.DIR
6099h		ARRAY				Homing velocity	—
6099h	0	U8		RO	no	Number of entries	—
6099h	1	U32	1:1	RW	no	Speed while searching for limit switch	HOME.V
6099h	2	U32		RW	no	Speed while searching for zero mark	HOME. FEEDRATE
609Ah	0	U32	1:1	RW	no	Homing acceleration	HOME.ACC , HOME.DEC
60B1h	0	INT32	1:1	RW	yes	Velocity offset	VL.BUSFF
60B2h	0	INT16		RW	yes	Torque offset (PDO only)	
60B8h	0	U16		RW	yes	Touch probe function	—
60B9h	0	U16		RW	yes	Touch probe status	—
60BAh	0	INT32		RW	yes	Touch probe 1 positive edge	—
60BBh	0	INT32		RW	yes	Touch probe 1 negative edge	—
60BCh	0	INT32		RW	yes	Touch probe 2 positive edge	—
60BDh	0	INT32		RW	yes	Touch probe 2 negative edge	—
60C0h	0	INT16		RW	no	Interpolation submode select	—
60C1h		ARRAY				Interpolation data record	—
60C1h	0	U8		RO	no	Number of entries	—
60C1h	1	INT32		RW	yes	Interpolation target position	—
60C1h	2	U32		RW	yes	Interpolation time	—
60C1h	3	INT32		RW	yes	Interpolation target velocity	—
60C2h		RECORD				Interpolation time period	—
60C2h	0	U8		RO	no	Number of entries	FBUS. SAMPLEPERIOD
60C2h	1	U8		RW	no	Interpolation time units	—
60C2h	2	INT16		RW	no	Interpolation time index	—
60C4h		RECORD				Interpolation data configuration	—
60C4h	0	U8		RO	no	Number of entries	—
60C4h	1	U32		RO	no	Maximum buffer size	—
60C4h	2	U32		RO	yes	Actual buffer size	—
60C4h	3	U8		RW	no	Buffer organization	—
60C4h	4	U16		RW	no	Buffer position	—
60C4h	5	U8		WO	no	Siza of data record	—
60C4h	6	U8		WO	no	Buffer clear	—

Index	Sub-index	Data Type	Float Scale	Access	PDO map.	Description	ASCII object
60D0h		ARRAY				Touch probe source	—
60D0h	0	U8		RO	no	Highest sub-index supported	-
60D0h	1	INT16		RW	no	Touch probe 1 source	—
60D0h	2	INT16		RW	no	Touch probe 2 source	—
60F4h	0	INT32		RO	yes	Following error actual value	PL.ERR
60FDh	0	U32		RO	yes	Digital inputs	DIN1.MODE TO DIN6.MODE
60FEh		ARRAY				Digital outputs	
60FEh	0	U8		RO	no	Number of entries	
60FEh	1	U32		RW	yes	Physical outputs	
60FEh	2	U32		RW	no	Bit mask	
60FFh	0	INT32	1000:1	RW	yes	Target velocity	VL.CMDU
6502h	0	U32		RO	no	Supported drive modes	—

## 7.2 Examples

### 7.2.1 Examples, setup

All examples are valid for the AKD. All values are hexadecimal.

#### 7.2.1.1 Basic testing of the connection to the AKD controls

When the AKD is switched on, a boot-up message is transmitted over the bus. The telegram continues to be transmitted, as long as it has not yet found a suitable receiver in the bus system.

If a CAN master is unable to recognize this message, then the following measures can be taken to test communication:

- Check the bus cable: correct characteristic impedance, correct termination resistors at both ends?
- With a multimeter: check the quiescent level of the bus cables CAN-H and CAN-L against CAN-GND (approx. 2.5 V).
- With an oscilloscope: check the output signals on CAN-H and CAN-L at the AKD. Are signals being transmitted on the bus? The voltage difference between CAN-H and CAN-L for a logical "0" is approx. 2-3 V.
- Does signal transmission stop if the master is connected?
- Check the master hardware.
- Check the master software!

### 7.2.1.2 Example: Operating the Status Machine

**NOTE**

The status machine must be used sequentially during boot-up period. Leaving out a state (except for state "switched on") is not possible.

When the AKD is switched on and the boot-up message has been detected, communication via SDOs can be initiated. For example: all the parameters can be read out or written to, or the status machine for the drive can be controlled.

The state of the status machine can be obtained through the query of Object 6041h Sub 0.

Directly after switch-on, a value will be returned, such as 0240h. This corresponds to the status "Switch on disabled".

The following data would then be visible on the CAN bus:

COB ID	Control byte	Index LSB	Index MSB	Sub-index	Data	Comment
603	40	41	60	00h	40 00 00 00	
583	4B	41	60	00h	40 02 00 00	response telegram
	2 bytes of data				status	

If the supply power is present and the hardware enable is at the High level (24 V to DGND) then you can try to switch the drive to the state "Switched on" by writing the Control word (Object 6040 Sub 0). If this is successful, there will be a positive acknowledgement in the SDO reply (control byte 0 in the data field = 60h).

#### Switch on

The messages then appear as follows:

COB ID	Control byte	Index LSB	Index MSB	Sub-index	Data	Comment
603	2B	40	60	00h	06 00 00 00	Shut down
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	07 00 00 00	Switch on
583	60	40	60	00h	00 00 00 00	response telegram

control word = 0x0007 meaning:

Bit 0, Bit 1, Bit 2 set => Switch On,

Disable Voltage off, Quick Stop off

#### Status query 2

The new status can then be queried again, and returns the following result:

COB ID	Control byte	Index LSB	Index MSB	Sub-index	Data	Comment
603	40	41	60	00h	—	query status
583	4B	41	60	00h	33 02 00 00	response telegram

Status = 0x0233 meaning:

Bit 0, Bit 1, Bit 5 set => ready to Switch On,

Bit 9 set => remote, operation possible via RS232

### 7.2.1.3 Example: Jog Mode via SDO

The motor shall work with constant velocity.

COB ID	Control byte	Index		Sub-index	Data	Comment
		LSB	MSB			
603	2F	60	60	00h	03 00 00 00	Mode of operation "Profile Velocity"
583	60	60	60	00h	00 00 00 00	response telegram
603	23	FF	60	00h	00 00 00 00	setpoint=0
583	60	FF	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	06 00 00 00	shutdown
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	07 00 00 00	switch on
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	0F 00 00 00	enable operation
583	60	40	60	00h	00 00 00 00	response telegram
603	23	FF	60	00h	00 41 00 00	velocity setpoint
583	60	FF	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	0F 01 00 00	Intermediate Stop
583	60	40	60	00h	00 00 00 00	response telegram

### 7.2.1.4 Example: Torque Mode via SDO

The motor shall work with constant torque. CAN data:

COB ID	Control byte	Index		Sub-index	Data	Comment
		LSB	MSB			
603	2F	60	60	00h	04 00 00 00	Mode of operation "Torque"
583	60	60	60	00h	00 00 00 00	response telegram
603	2B	71	60	00h	00 00 00 00	setpoint=0
583	60	71	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	06 00 00 00	shutdown
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	07 00 00 00	switch on
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	0F 00 00 00	enable operation
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	71	60	00h	90 01 00 00	setpoint 400 mA
583	60	71	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	0F 01 00 00	intermediate Stop
583	60	40	60	00h	00 00 00 00	response telegram

### 7.2.1.5 Example: Jog Mode via PDO

It is useful to disable unused PDOs. In Operation Mode "Digital Velocity" a digital speed set-point is transmitted via RXPDO. Actual position and actual speed is read via a TXPDO triggered by SYNC.

COB ID	Control byte	Index		Sub-index	Data	Comment
		LSB	MSB			
603	2F	60	60	00h	03 00 00 00	mode of operation "Profile Velocity"
583	60	60	60	00h	00 00 00 00	response telegram
603	2F	00	16	00h	00 00 00 00	delete entries for the first RXPDO
583	60	00	16	00h	00 00 00 00	response telegram
603	23	00	16	01h	20 00 FF 60	mapping RXPDO1, Object 60FF, Sub-index 0 speed setpoint, data length 32bit
583	60	00	16	01h	00 00 00 00	response telegram
603	2F	00	16	00h	01 00 00 00	confirm number of mapped objects
583	60	00	16	00h	00 00 00 00	response telegram
603	2F	00	1A	00h	00 00 00 00	delete entries for the first TXPDO
583	60	00	1A	00h	00 00 00 00	response telegram
603	23	00	1A	01h	20 00 64 60	mapping TXPDO1/1, Object 6064, Sub-index 0 current position value in SI units, data length 32bit
583	60	00	1A	01h	00 00 00 00	response telegram
603	23	00	1A	02h	20 00 6C 60	mapping TXPDO1/2, Object 606C, Sub-index 0 current speed value, data length 32bit
583	60	00	1A	02h	00 00 00 00	response telegram
603	2F	00	1A	00h	02 00 00 00	check number of mapped objects
583	60	00	1A	00h	00 00 00 00	response telegram
603	2F	00	18	02h	01 00 00 00	set TXPDO1 to synchronous, transmission with every SYNC
583	60	00	18	02h	00 00 00 00	response telegram
603	23	01	18	01h	83 02 00 80	disable TPDO2, set bit 31 (80h)
583	60	01	18	01h	00 00 00 00	response telegram
603	23	02	18	01h	83 03 00 80	disable TPDO3
583	60	02	18	01h	00 00 00 00	response telegram
603	23	03	18	01h	83 04 00 80	disabled TPDO4
583	60	03	18	01h	00 00 00 00	response telegram
603	23	01	14	01h	03 03 00 80	disabled RPDO2
583	60	01	14	01h	00 00 00 00	response telegram
603	23	02	14	01h	03 04 00 80	disabled RPDO3
583	60	02	14	01h	00 00 00 00	response telegram
603	23	03	14	01h	03 05 00 80	disabled RPDO4
583	60	03	14	01h	00 00 00 00	response telegram
000					01 03	enable NMT
603	2B	40	60	00h	06 00 00 00	shutdown
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	07 00 00 00	switch on
583	60	40	60	00h	00 00 00 00	response telegram

COB ID	Control byte	Index		Sub-index	Data	Comment
		LSB	MSB			
603	2B	40	60	00h	0F 00 00 00	enable operation
583	60	40	60	00h	00 00 00 00	response telegram
203					00 40	velocity setpoint
080						send SYNC
183					FE 45 01 00 A6 AB 1A 00	response
603	2B	40	60	00h	0F 01 00 00	intermediate stop
583	60	40	60	00h	00 00 00 00	response telegram

### 7.2.1.6 Example: Torque Mode via PDO

It is useful to disable unused PDOs. The first TX\_PDO shall transmit the actual current value with every SYNC.

COB ID	Control byte	Index		Sub-index	Data	Comment
		LSB	MSB			
603	2F	60	60	00h	04 00 00 00	Mode of operation "Torque"
583	60	60	60	00h	00 00 00 00	response telegram
603	2F	00	16	00h	00 00 00 00	delete entry for the first RXPDO
583	60	00	16	00h	00 00 00 00	response telegram
603	23	00	16	01h	10 00 71 60	mapping RXPDO1, Object6071, Sub-index 0 current setpoint, data length 16bit
583	60	00	16	01h	00 00 00 00	response telegram
603	2F	00	16	00h	01 00 00 00	check number of mapped objects
583	60	00	16	00h	00 00 00 00	response telegram
603	2F	00	1A	00h	00 00 00 00	delete entry for TXPDO1
583	60	00	1A	00h	00 00 00 00	response telegram
603	23	00	1A	01h	10 00 77 60	mapping TXPDO1, Object6077, Sub-index 0 actual current value, Data length16bit
583	60	00	1A	01h	00 00 00 00	response telegram
603	2F	00	1A	00h	01 00 00 00	number of mapped objects
583	60	00	1A	00h	00 00 00 00	response telegram
603	2F	00	18	02h	01 00 00 00	set TXPDO1 to synchronous, transmission with every SYNC
583	60	00	18	02h	00 00 00 00	response telegram
603	23	01	18	01h	83 02 00 80	disable TPDO2, set bit 31 (80h)
583	60	01	18	01h	00 00 00 00	response telegram
603	23	02	18	01h	83 03 00 80	disable TPDO3
583	60	02	18	01h	00 00 00 00	response telegram
603	23	03	18	01h	83 04 00 80	disabled TPDO4
583	60	03	18	01h	00 00 00 00	response telegram
603	23	01	14	01h	03 03 00 80	disabled RPDO2
583	60	01	14	01h	00 00 00 00	response telegram
603	23	02	14	01h	03 04 00 80	disabled RPDO3
583	60	02	14	01h	00 00 00 00	response telegram
603	23	03	14	01h	03 05 00 80	disabled RPDO4
583	60	03	14	01h	00 00 00 00	response telegram
000					01 03	enable NMT
603	2B	40	60	00h	06 00 00 00	shutdown
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	07 00 00 00	switch on
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	0F 00 00 00	enable operation
583	60	40	60	00h	00 00 00 00	response telegram
203					12 02	setpoint 530 mA
080						send SYNC

COB ID	Control byte	Index		Sub-index	Data	Comment
		LSB	MSB			
183					19 02	actual value 537 mA
603	2B	40	60	00h	0F 01 00 00	intermediate stop
583	60	40	60	00h	00 00 00 00	response telegram

### 7.2.1.7 Example: Homing via SDO

When the AKD is operated as a linear axis, a reference/homing point must be defined before positioning tasks can be executed. This must be done by executing a homing run in the Homing mode (0x6).

This example shows the procedure in the Homing mode.

Now some of the parameters that affect the homing movement are set via the bus. If you can be absolutely certain that no-one has altered the parameters in the servoamplifier, then this part can be omitted, since the servoamplifier save the data in non-volatile memory. The inputs must be configured as limit switches.

Because the dimension parameters are not finally defined in DS402, you must select these units:

```
UNIT.PROTARY = 3
UNIT.VROTARY = 3
UNIT.ACRCOTARY = 3
```

The basic setup of the servoamplifier must be done with the help of the setup software before starting the homing run. The resolution has been set to 10000 µm/turn in this example.

COB ID	Control byte	Index		Sub-index	Data	Comment
		LSB	MSB			
703	00					boot-up message
603	40	41	60	00h	00 00 00 00	read profile status
583	4B	41	60	00h	40 02 00 00	response : 0240h
603	23	99	60	01h	10 27 00 00	$v_{ref} = 10000$ counts/s until limit switch is reached
583	60	99	60	01h	00 00 00 00	response telegram
603	23	99	60	02h	88 13 00 00	$v_{ref} = 5000$ counts/s from limit switch to zero mark
583	60	99	60	02h	00 00 00 00	response telegram
603	23	9A	60	00h	10 27 00 00	Decel. and Accel. ramp 1000counts/s <sup>2</sup>
583	60	9A	60	00h	00 00 00 00	response telegram
603	23	7C	60	00h	A8 61 00 00	Reference offset 25000counts
583	60	7C	60	00h	00 00 00 00	response telegram

**Homing type (6098h)**

COB ID	Control byte	Index		Sub-index	Data	Comment
		LSB	MSB			
603	2F	60	60	00h	06 00 00 00	mode of operation = homing
583	60	60	60	00h	00 00 00 00	response telegram
603	40	41	60	00h	00 00 00 00	read profile status, response: 0250h Voltage Enabled
583	4B	41	60	00h	40 02 00 00	response : 0240h
603	2B	40	60	00h	06 00 00 00	Control word Transition_2,"ready to switch on". Shutdown
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	07 00 00 00	Transition_3, "switch on". switch on
583	60	40	60	00h	00 00 00 00	response telegram
603	2B	40	60	00h	0F 00 00 00	Transition_4,"operation enable"
583	60	40	60	00h	00 00 00 00	response telegram
603	40	41	60	00h	00 00 00 00	read profile status
583	4B	41	60	00h	37 02 00 00	response telegram
603	2B	40	60	00h	1F 00 00 00	Homing_operation_start
583	60	40	60	00h	00 00 00 00	response telegram
603	40	41	60	00h	00 00 00 00	read profile status
583	4B	41	60	00h	37 02 00 00	response: homing not finished
603	40	41	60	00h	00 00 00 00	read profile status
583	4B	41	60	00h	37 16 00 00	response:homing finished

Bit 12 in SDO 6041 indicates, whether homing is finished. Reading of the profile status is not necessary.

### 7.2.1.8 Example: Using the Profile Position Mode

This example shows the operation of the Profile position mode. The PDOs are set as follows:

#### First RPDO

No special mapping necessary, because the default mapping enters the controlword RXPDO1.

#### Second RPDO

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
603	2F	01	16	00h	00 00 00 01	RPDO2: delete mapping
583	60	01	16	00h	00 00 00 00	response telegram
603	23	01	16	01h	20 00 7A 60	RPDO2, entry 1: target_position
583	60	01	16	01h	00 00 00 00	response telegram
603	23	01	16	02h	20 00 81 60	RPDO2, entry 2: profile_velocity
583	60	01	16	02h	00 00 00 00	response telegram
603	2F	01	16	00h	02 00 00 00	enter number of mapped objects
583	60	01	16	00h	00 00 00 00	response telegram

#### First TPDO

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
603	2F	00	1A	00h	00 00 00 01	TPDO1: delete mapping
583	60	00	1A	00h	00 00 00 00	response telegram
603	23	00	1A	01h	10 00 41 60	TPDO1, entry 1: profile statusword
583	60	00	1A	01h	00 00 00 00	response telegram
603	2F	00	1A	00h	01 00 00 00	enter number of mapped objects
583	60	00	1A	00h	00 00 00 00	response telegram

#### Second TPDO

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
603	2F	01	1A	00h	00 00 00 01	TPDO2: delete mapping
583	60	01	1A	00h	00 00 00 00	response telegram
603	23	01	1A	01h	20 00 64 60	TPDO2, entry 1: position_actual_value
583	60	01	1A	01h	00 00 00 00	response telegram
603	23	01	1A	02h	20 00 6C 60	TPDO2, entry 2: velocity_actual_value
583	60	01	1A	02h	00 00 00 00	response telegram
603	2F	01	1A	00h	02 00 00 00	enter number of mapped objects
583	60	01	1A	00h	00 00 00 00	response telegram

The second PDO should be sent with every SYNC by the servoamplifier.

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
603	2F	01	18	02h	01 00 00 00	TPDO2 with every SYNC
583	60	01	18	02h	00 00 00 00	response telegram

Disable unused TPDOs.

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
603	23	02	18	01h	83 03 00 80	disable TPDO3
583	60	02	18	01h	00 00 00 00	response telegram
603	23	03	18	01h	83 04 00 80	disable TPDO4
583	60	03	18	01h	00 00 00 00	response telegram

Disable unused RPDOs.

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
603	23	02	14	01h	03 04 00 80	disable RPDO3
583	60	02	14	01h	00 00 00 00	response telegram
603	23	03	14	01h	03 05 00 80	disable RPDO4
583	60	03	14	01h	00 00 00 00	response telegram

Define mechanical resolution via Object 6092h, Subindex 01h and 02h.

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
603	23	93	60	01h	00 00 10 00	2E20 increments
583	60	93	60	01h	00 00 00 00	response telegram
603	23	93	60	02h	A0 8C 00 00	3600 user units
583	60	93	60	02h	00 00 00 00	response telegram

After defining the PDOs they can be released with the NMT.

COB-ID		Data	Comment
000		01 03	enable NMT
183		40 02	profile status

Now the homing can be set and started.

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
603	2F	60	60	00h	06 00 00 00	Operation mode = homing
583	60	60	60	00h	00 00 00 00	response telegram
603	2F	98	60	00h	0C 00 00 00	homing type 12, negative direction (DS402)
583	60	98	60	00h	00 00 00 00	response telegram
603	23	99	60	01h	40 19 01 00	homing speed 72000 units/s=2s-1
583	80	99	60	01h	31 00 09 06	response telegram
603	2B	40	60	00h	06 00 00 00	Transition_2,"ready to switch on".Shutdown
583	60	40	60	00h	00 00 00 00	response telegram
183					21 02	response telegram
603	2B	40	60	00h	07 00 00 00	Transition_3,"switch on".Switch on
583	60	40	60	00h	00 00 00 00	response telegram
183					33 02	response telegram
603	2B	40	60	00h	0F 00 00 00	Control word: Operation Enable
583	60	40	60	00h	00 00 00 00	response telegram
183					37 02	response telegram
603	2B	40	60	00h	1F 00 00 00	start homing response telegram response: target reached response: homing attained
583	60	40	60	00h	00 00 00 00	response telegram
183					37 06	
183					37 16	

Finish homing with Control word 1\_RPDO.

COB-ID		Data	Comment
203		0F 00	

Switch to Profile Position Mode and set ramps for positioning.

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
603	2F	60	60	00h	01 00 00 00	Profile Positioning Mode
583	60	60	60	00h	00 00 00 00	response telegram
603	23	83	60	00h	32 00 00 00	50ms acceleration time
583	60	83	60	00h	00 00 00 00	response telegram
603	23	84	60	00h	32 00 00 00	50ms deceleration time
583	60	84	60	00h	00 00 00 00	response telegram

Setpoint.

COB-ID		Data	Comment
303		20 4E 00 00	Pos 8CA0 =36000µm ; V= 20000 µm/s
080			send a SYNC
283		BB F8 FF FF	response telegram

Set controlword with „new setpoint“ by bit (bit 4).

COB-ID		Data	Comment
203		1F 00	

Wait

COB-ID		Data	Comment
183		37 12	setpoint acknowledge

Reset controlword with „new setpoint“ by bit (bit 4) reset.

COB-ID		Data	Comment
203		0F 00	
183		37 02	reset Setpoint acknowledge

Wait.

COB-ID		Data	Comment
183		37 06	response: target reached
080			SYNC
283		92 FC FF FF	response: 92 FC position , FF FF speed

### 7.2.1.9 Example: ASCII Communication

The following example reads the active faults from the drive (ASCII command DRV.FAULTS).

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
601	23	26	20	01h	44 52 56 2E	send ASCII code "DRV."
581	60	26	20	01h	00 00 00 00	response telegram
601	23	26	20	01h	46 41 55 4C	send ASCII code "FAUL"
581	60	26	20	01h	00 00 00 00	response telegram
601	23	26	20	01h	54 53 0D 0A	send ASCII code "TS\r\n"
581	60	26	20	01h	00 00 00 00	response telegram
601	40	26	20	02h	00 00 00 00	read response
581	43	26	20	02h	3E 4E 6F 20	read ASCII code ">No"
601	40	26	20	02h	00 00 00 00	read response
581	43	26	20	02h	66 61 75 6C	read ASCII code "FAUL"
601	40	26	20	02h	00 00 00 00	read response
581	43	26	20	02h	74 73 20 61	read ASCII code "ts a"
601	40	26	20	02h	00 00 00 00	read response
581	43	26	20	02h	63 64 69 76	read ASCII code "ctiv"
601	40	26	20	02h	00 00 00 00	read response
581	43	26	20	02h	66 0A 0D 0A	read ASCII code "e\n\r\n"

### 7.2.1.10 Test for SYNC telegrams

#### Configuration

- Assign Target Position and Profile Velocity to a PDO (2nd receive-PDO)
- Assign Actual Position to a PDO (1st transmit-PDO), generated with every 2nd SYNC.
- Assign Status word and Manufacturer Status to a PDO (2nd transmit-PDO), generated with every 3rd SYNC.

Telegrams with the corresponding responses:

COB ID	Control byte	Index		Sub- index	Data	Comment
		LSB	MSB			
603	2F	01	16	00h	00 00 00 00	RPDO2: delete mapping
583	60	01	16	00h	00 00 00 00	
603	23	01	16	01h	20 00 7A 60	RPDO2, entry 1: target position
583	60	01	16	01h	00 00 00 00	
603	23	01	16	02h	20 00 81 60	RPDO2, entry 2: profile velocity
583	60	01	16	02h	00 00 00 00	
603	2F	01	16	00h	02 00 00 00	RPDO2: enter number of mapped objects
583	60	01	16	00h	00 00 00 00	
603	2F	00	1A	00h	00 00 00 00	TPDO1: delete mapping
583	60	00	1A	00h	00 00 00 00	
603	23	00	1A	01h	20 00 64 60	TPDO1: entry 1: Actual Position
583	60	00	1A	01h	00 00 00 00	
603	2F	00	1A	00h	01 00 00 00	TPDO1: enter number of mapped objects
583	60	00	1A	00h	00 00 00 00	
603	2F	00	18	02h	02 00 00 00	TPDO1: send with every 2nd SYNC
583	60	00	18	02h	00 00 00 00	
603	2F	01	1A	00h	00 00 00 00	TPDO2: delete mapping
583	60	01	1A	00h	00 00 00 00	
603	23	01	1A	01h	10 00 41 60	TPDO2: entry 1: Status word
583	60	01	1A	01h	00 00 00 00	
603	23	01	1A	02h	20 00 02 10	TPDO2: entry 2: Manufacturer Status
583	60	01	1A	02h	00 00 00 00	
603	2F	01	16	00h	02 00 00 00	TPDO2: enter number of mapped objects
583	60	01	16	00h	00 00 00 00	
603	2F	01	18	02h	03 00 00 00	TPDO2: send with every 3rd SYNC
583	60	01	18	02h	00 00 00 00	

#### SYNC-Object

COB-ID	Comment
080	Object 181 (TPDO 1) appears at every 2 <sup>nd</sup> SYNC Object 281 (TPDO 2) appears at every 3 <sup>rd</sup> SYNC

**Emergency-Object**

If, for instance, the resolver connector is disconnected, a serious error will be caused in the controller. This results in an Emergency telegram.


COB	Emergency error		Error register		
ID	Low	High			
081	10	43	08	00 00 00 00	motor temperature, temperature, manufacturer specific
081	00	00	88	00 00 00 00	

## 7.2.2 Examples, special applications

### 7.2.2.1 Example: External Trajectory with Interpolated Position Mode

This example shows the possible application for giving two axes position setpoints within one PDO.

Controller structure for the position controller within the drive:



All data are hexadecimal. In the example, the two axes in the system have the station addresses 1 and 2.

Before you begin this procedure, the axes should be homed (just for this example).

The common PDO contains 2 IP (interpolated position) – setpoints and can be transmitted simultaneously to two stations, whereby each station can extract the relevant data. The other data can be made ignored by using dummy entries (Object 2100 sub 0). For this purpose both axes must react on the same RPDO-COB-ID.

#### Action

Do the RPDO2-mapping for both axis:

Axis 1:

COB	Control	Index		Sub-	Data	Comment
		ID	byte	LSB	MSB	index
601	2F	01	16	00h	00 00 00 00	RPDO2: delete mapping
581	60	01	16	00h	00 00 00 00	
601	23	01	16	01h	20 01 C1 60	RPDO2, entry 1: IP setpoint axis 1
581	60	01	16	01h	00 00 00 00	
601	23	01	16	02h	20 00 00 21	RPDO2, entry 2: Dummy entry 4 bytes
581	60	01	16	02h	00 00 00 00	
601	2F	01	16	00h	02 00 00 00	RPDO2, enter number of mapped objects
581	60	01	16	00h	00 00 00 00	

## Axis 2:

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
602	2F	01	16	00h	00 00 00 00	RPDO2: delete mapping
582	60	01	16	00h	00 00 00 00	
602	23	01	16	02h	20 00 00 21	RPDO2, entry 1: Dummy entry 4 bytes
582	60	01	16	02h	00 00 00 00	
602	23	01	16	01h	20 01 C1 60	RPDO2, entry 2: IP setpoint axis 2
582	60	01	16	01h	00 00 00 00	
602	2F	01	16	00h	02 00 00 00	RPDO2, enter number of mapped objects
582	60	01	16	00h	00 00 00 00	
602	23	01	16	01h	01 03 00 00	RPDO2: Set COB-ID identical to axis 1
582	60	01	16	01h	00 00 00 00	

Now both axis react to the same COB-identifier 0x301, axis 1 takes byte 0 to 3 as IP set-point, axis 2 takes byte 4 to 7. The second TPDOs shall contain the actual position in increments and the manufacturer status.

## Mapping configuration for axis 1:

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
601	2F	01	1A	00h	00 00 00 00	TPDO2: delete mapping
581	60	01	1A	00h	00 00 00 00	
601	23	01	1A	01h	20 00 63 60	TPDO2, entry 1: actual position (increments)
581	60	01	1A	01h	00 00 00 00	
601	23	01	1A	02h	20 00 02 10	TPDO2, entry 2: Dummy entry 4 bytes
581	60	01	1A	02h	00 00 00 00	
601	2F	01	1A	00h	02 00 00 00	TPDO2, enter number of mapped objects
581	60	01	1A	00h	00 00 00 00	

The same must be done for axis 2.

Here it is assumed that both drives accept new trajectory values with every SYNC command, and must return their incremental position and manufacturer status values. The communication parameters must be set accordingly.

Axis 1:

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
601	2F	01	14	02h	01 00 00 00	RPDO2 axis 1, reaction on every sync
581	60	01	14	02h	00 00 00 00	
602	2F	01	14	02h	01 00 00 00	RPDO2 axis 2, reaction on every sync
582	60	01	14	02h	00 00 00 00	
601	2F	01	18	02h	01 00 00 00	TPDO2 axis 1, reaction on every sync
581	60	01	18	02h	00 00 00 00	
602	2F	01	18	02h	01 00 00 00	TPDO2 axis 2, reaction on every sync
582	60	01	18	02h	00 00 00 00	

The other Tx-PDOs 3 and 4 should be switched off to minimize bus-load:

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
601	23	02	18	01h	81 03 00 80	Switch off TPDO3
581	60	02	18	01h	00 00 00 00	
601	23	03	18	01h	81 04 00 80	Switch off TPDO4
581	60	03	18	01h	00 00 00 00	

The same must be done for axis 2.

In order to be able to make trajectory movements, both drives must be operating in the appropriate mode. This is set through Index 6060h:

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
601	2F	60	60	00h	07 00 00 00	Set IP mode for axis 1
581	60	60	60	00h	00 00 00 00	
602	2F	60	60	00h	07 00 00 00	Set IP mode for axis 2
582	60	60	60	00h	00 00 00 00	

The cycle interval for the IP-mode shall be 1 ms. This must be defined with Object 60C1 sub 1 and 2:

COB	Control	Index		Sub-	Data	Comment
ID	byte	LSB	MSB	index		
601	2F	C2	60	01h	01 00 00 00	Interpolation time unit 1
581	60	C2	60	01h	00 00 00 00	
601	2F	C2	60	02h	FD 00 00 00	Interpolation time index -3 -> Cycle time = $1 * 10^{-3}$ s
581	60	C2	60	02h	00 00 00 00	

The same must be done for axis 2.

To start up the axes, the drives must be put into the operational status (operation enable) and the network management functions must be started.

The network management functions enable the application of the Process Data Objects (PDOs) and are initialized by the following telegram for both axes:

Switch the NMT (Network Management) status machine to operation enable:


COB-ID	Command specifier (CS)	Node-ID	Comment
0	1	1	NMT enable for all axes

Next, power is applied to each drive, and they are put into the operation enable condition.

This should be done in steps with waiting for the appropriate reaction of the drive (e.g. axis 1):

COB-ID	Data	Comment
201	06 00	Shutdown command
181	31 02	State Ready_to_switch_on
201	07 00	Switch_on command
181	33 02	State Switched_on
201	0F 00	Enable_operation command
181	37 02	State Operation_enabled
201	1F 00	Enable IP-mode
181	37 12	IP-mode enable

The configuration above now enables a cyclical sequence, as shown in the diagram:



RPDO 2 can now be used to supply trajectory data for both axes, e.g.:

COB-ID	Byte 0	Byte 1	Byte 2	Byte 3	Byte 4	Byte 5	Byte 6	Byte 7
301	F4	01	00	00	E8	03	00	00

In this example, the first axis receives a trajectory value of 500 increments (Bytes 0 to 3) and the second axis receives a trajectory value of 1000 increments.

The axes accept these values, and the positioning is made when the next SYNC telegram is received.

**SYNC telegram**

COB-ID
080

Afterwards, both axes send back their incremental positions and the contents of their status registers when the SYNC Object with the COB-ID for the 2<sup>nd</sup>TPDO is received.

COB ID	Byte 0	Byte 1	Byte 2	Byte 3	Byte 4	Byte 5	Byte 6	Byte 7	Comment
181	23	01	00	00	00	00	03	44	position + manufacturer status register for axis1
182	A5	02	00	00	00	00	03	44	position + manufacturer status register for axis2

If an error occurs during operation, the axis transmits an Emergency message, which could appear like this:

**Emergency Object**

COB ID	Emergency error Low	Emergency error High	Error register	Category			
081	10	43	08	01	00 00 00 00	motor temperature, temperature, manufacturer-specific	
081	00	00	08	00	00 00 00 00		

This page intentionally left blank.

## 8 Index

### 1

1000h .....	45
1001h .....	46
1002h .....	47
1003h .....	48
1005h .....	49
1006h .....	49
1008h .....	50
1009h .....	50
100Ah .....	50
100Ch .....	51
100Dh .....	51
1010h .....	52
1011h .....	53
1012h .....	54
1014h .....	54
1016h .....	55
1017h .....	56
1018h .....	56
1026h .....	58
1400-1403h .....	83
1600-1603h .....	84
1800-1803h .....	86
1A00-1A03h .....	88

### 2

2000h .....	59
2001h .....	59
2002h .....	60
2014-2017h .....	61
2018h .....	62
2026h .....	63
204Ch .....	97
2071h .....	102
2077h .....	103
20A0h .....	64
20A1h .....	65
20A2h .....	65
20A3h .....	66
20A4h .....	66
20A5h .....	67
20A6h .....	67
20A7h .....	68
20B8h .....	68

### 3

345Ah .....	69
3474h .....	71
3475h .....	72
3496h .....	73

### 6

6040h .....	92
6041h .....	93
6060h .....	95
6061h .....	96
6063h .....	105
6064h .....	106
6065h .....	106
606Ch .....	101
6071h .....	103
6073h .....	103
6077h .....	104
607Ah .....	116
607Ch .....	112
607Dh .....	117
6081h .....	118
6083h .....	118
6084h .....	118
608Fh .....	98
6091h .....	99
6092h .....	100
6098h .....	113
6099h .....	114
609Ah .....	115
60B1h .....	121
60B2h .....	121
60B8h .....	75
60B9h .....	76
60BAh .....	77
60BBh .....	77
60BCh .....	77
60BDh .....	78
60C0h .....	107
60C1h .....	108
60C2h .....	109
60C4h .....	110
60D0h .....	78
60F4h .....	106
60FDh .....	79
60FEh .....	80
60FFh .....	102
6502h .....	81

### A

Abbreviations .....	12
---------------------	----

### B

Basic data types .....	27
Basic testing .....	145

### C

CANbus .....	
Baud rate .....	17

Cable .....	18
CANopen interface .....	15
Node address .....	18
Termination .....	18
<b>Communication Objects .....</b>	<b>29</b>
Control word .....	92
<b>D</b>	
Data types .....	27
Device control .....	90
Document Revisions .....	167
<b>E</b>	
Emergency Messages .....	40
Emergency Object .....	31
Examples .....	145
setup .....	145
special applications .....	159
Extended data types .....	29
<b>F</b>	
Factor Groups .....	96
<b>G</b>	
General definitions .....	45
General objects .....	45
<b>H</b>	
Heartbeat .....	38
Homing Mode .....	112
<b>I</b>	
Interpolated position mode .....	107
<b>M</b>	
Manufacturer specific objects .....	59
Mixed data types .....	28
<b>N</b>	
Network Management Object .....	30
Nodeguard .....	37
<b>O</b>	
Object Dictionary .....	122
Operating mode .....	95
<b>P</b>	
PDO configuration .....	82

<b>Position Control Function .....</b>	<b>105</b>
Process Data Object .....	35
Profile Position Mode .....	116
Profile specific objects .....	75
Profile torque mode .....	102
Profile Velocity Mode .....	101

**R**

Receive PDOs .....	83
Response monitoring .....	51

**S**

SDO abort codes .....	34
Service Data Object .....	32
Signed Integer .....	28
Status machine .....	90
Status word .....	93
Symbols used .....	11
Synchronization Object .....	30

**T**

Target group .....	10
Time Stamp Object .....	30
Transmission modes .....	36
Transmit PDOs .....	86
Trigger modes .....	36

**U**

Unsigned Integer .....	27
------------------------	----

## 9 Record of Document Revisions

Revision	Remarks
- ,11/2009	Beta launch version
- , 12/2009	Objects 2018&60FE added, Object dictionary, formatting updated
A, 04/2010	Termination connector "optional", several new objects, Object dictionary split
B, 07/2010	Part number added, several new objects, object dictionary expanded
C, 01/2011	HW Rev. C, new objects, object dictionary expanded
D, 04/2011	Object dictionary updated, baudrate setup
E, 10/2011	Cover layout & error table & object dictionary updated, objects 3474 & 3475 & 3496 & 6091 added
F, 03/2012	Touch Probe objects 60B8 to 60BD & 60D0 added, object 2071 & 2077 added, PVT interpolation added, 60C0 & 60C1 & 60C4 & 6041 bit 9 updated, object dictionary updated, error codes updated, object 1011h added
G, 08/2012	Object dictionary updated, error codes updated
H, 11/2012	Object dictionary updated, error codes updated, new object 345A
J, 05/2013	Objects 2000,2002,60B1,60B2 added, Object dictionary, formatting acc. to 82079
K, 09/2013	Scaling 60FFh, object dictionary updated
L, 12/2013	Error codes extended, object dictionary updated
M, 05/2014	Object 1012 added, object dictionary updated, PVT removed

## About KOLLMORGEN

Kollmorgen is a leading provider of motion systems and components for machine builders. Through world-class knowledge in motion, industry-leading quality and deep expertise in linking and integrating standard and custom products, Kollmorgen delivers breakthrough solutions that are unmatched in performance, reliability and ease-of-use, giving machine builders an irrefutable marketplace advantage.

For assistance with your application needs, visit [www.kollmorgen.com](http://www.kollmorgen.com) or contact us at:

### North America

**KOLLMORGEN**  
203A West Rock Road  
Radford, VA 24141 USA

**Web:** [www.kollmorgen.com](http://www.kollmorgen.com)  
**Mail:** [support@kollmorgen.com](mailto:support@kollmorgen.com)  
**Tel.:** +1 - 540 - 633 - 3545  
**Fax:** +1 - 540 - 639 - 4162

### Europe

**KOLLMORGEN Europe GmbH**  
Pempelfurtstraße 1  
40880 Ratingen, Germany

**Web:** [www.kollmorgen.com](http://www.kollmorgen.com)  
**Mail:** [technik@kollmorgen.com](mailto:technik@kollmorgen.com)  
**Tel.:** +49 - 2102 - 9394 - 0  
**Fax:** +49 - 2102 - 9394 - 3155

### Asia

**KOLLMORGEN**  
Rm 2205, Scitech Tower, China  
22 Jianguomen Wai Street  
**Web:** [www.kollmorgen.com](http://www.kollmorgen.com)  
**Mail:** [sales.asia@kollmorgen.com](mailto:sales.asia@kollmorgen.com)  
**Tel.:** +86 - 400 666 1802  
**Fax:** +86 - 10 6515 0263